



April 28, 2020

Mark G. Nitz P.E.  
Chalk Point Generating Station  
25100 Chalk Point Road  
Aquasco, MD 20608  
Mobile: 240-299-2096  
[Mark.Nitz@genon.com](mailto:Mark.Nitz@genon.com)

*Via email delivery only*

Mr. Alex Wardle  
Virginia Department of Environmental Quality (DEQ)  
Northern Regional Office  
13901 Crown Court  
Woodbridge, VA 22193

**Re: Quarterly CAP Implementation Monitoring Report  
GenOn Potomac River Generating Station  
1400 North Royal Street  
Alexandria, VA 22314  
PC#2013-3154**

Dear Mr. Wardle:

GenOn Potomac River LLC (PRGS) is pleased to submit the Quarterly CAP Implementation Monitoring Report (CMR).

The following activities were conducted during the First Quarter of 2020:

- Once monthly liquid level gauging of select site monitoring wells;
- Routine quarterly and annual gauging, headspace monitoring, water quality measurements, and sampling of groundwater was conducted on February 17-19, 2020;
- Monthly flow meter certification submittals to Alexandria Renew Enterprises (AlexRenew); and
- Quarterly submittal of a Self-Monitoring Report (SMR) to AlexRenew.


The system was turned off on September 29, 2019. Based on groundwater concentrations measured during the first quarter 2020, the system will remain off at this time. Post-remedial monitoring will proceed for a minimum of six additional quarters. In the past six months since system shutdown, no measureable LNAPL has been detected, therefore monthly gauging will stop. Following eight total quarters of monitoring, if dissolved groundwater concentrations remain steady or continue to decrease, and no measureable LNAPL has been detected, a final report and request for case closure will be submitted.

If you have any questions or need additional information, please contact me at (301) 843-4439 or by email at [Mark.Nitz@genon.com](mailto:Mark.Nitz@genon.com). For any technical questions, if you prefer, you can contact our consultants at GES directly.

Sincerely,

Mark G. Nitz, P.E.  
Environmental Specialist

cc: J. Rodriguez, DOEE; K. Tran, City of Alexandria, VA; P. McCallum, NPS  
GES File (PSID #837630)



GenOn Mid-Atlantic (GenMa)

## Annual CAP Implementation Monitoring Report

Potomac River Generating Station  
1400 North Royal Street  
Alexandria, VA  
PC #2013-3154

April 28, 2020



## First Quarter 2020 CAP Implementation Monitoring Report

Potomac River Generating Station  
1400 North Royal Street  
Alexandria, VA

Prepared for:  
Mark G. Nitz, P.E.  
GenOn Mid-Atlantic (GenMa)  
25100 Chalk Point Road  
Aquasco, MD 20608

Prepared by:  
Groundwater & Environmental Services, Inc.  
1350 Blair Drive, Suite A  
Odenton, MD 21113  
TEL: 800-220-3606  
[www.gesonline.com](http://www.gesonline.com)

GES Project:  
0402919

Date:  
April 28, 2020



---

Scott Andresini  
Project Environmental Scientist



---

Dan Drennan, PE  
Project Engineer



---

A. Ashley Bell  
Senior Project Manager

## Table of Contents

<b>1 INTRODUCTION .....</b>	<b>1</b>
1.1 <i>SITE HISTORY</i> .....	1
1.2 <i>SURROUNDING PROPERTIES</i> .....	4
<b>2 SITE CHARACTERIZATION AND MONITORING ACTIVITIES .....</b>	<b>4</b>
2.1 <i>HEADSPACE VAPOR MONITORING</i> .....	5
2.2 <i>GROUNDWATER SAMPLING</i> .....	5
2.3 <i>GROUNDWATER ANALYTICAL FINDINGS</i> .....	7
Background.....	9
DO .....	9
ORP.....	10
Alkalinity .....	10
pH.....	10
Nitrate .....	10
Nitrite .....	10
Manganese.....	10
Sulfate .....	11
Methane .....	11
2.4 <i>BULKHEAD SEEP INSPECTION</i> .....	11
<b>3 REMEDIATION SYSTEM OPERATION.....</b>	<b>11</b>
3.1 <i>PERMIT SUMMARY</i> .....	12
<b>4 REMEDIAL STRATEGY EVALUATION &amp; RECOMMENDATIONS ....</b>	<b>13</b>
<b>5 FUTURE ACTIVITIES (1<sup>st</sup> Quarter 2020) .....</b>	<b>14</b>

## Figures

- Figure 1 – Site Location Map
- Figure 2 – Site Layout Map
- Figure 3 – Site Map
- Figure 4 – Potentiometric Surface Shallow Zone Aquifer – February 17, 2020
- Figure 5 – Potentiometric Surface Deep Zone Aquifer – February 17, 2020
- Figure 6 – TPH-DRO Concentration Contours Shallow Zone Aquifer – First Quarter 2020
- Figure 7 – TPH-DRO Concentration Contours Deep Zone Aquifer – First Quarter 2020
- Figure 8 – pH Levels Shallow Zone Aquifer – First Quarter 2020
- Figure 9 – pH Levels Deep Zone Aquifer – First Quarter 2020
- Figure 10 – Sulfate Concentrations Shallow Zone Aquifer – First Quarter 2020
- Figure 11 – Sulfate Concentrations Deep Zone Aquifer – First Quarter 2020

## Tables

- Table 1 – Well Construction Table
- Table 2 – Groundwater Monitoring and Sampling Plan
- Table 3 – Historical Groundwater Monitoring and Analytical Data Summary
- Table 4 – Historical Groundwater Field Parameter Data Summary
- Table 5 – Historical Groundwater Biostimulation Analytical Data Summary
- Table 6 – Total Phase Extraction Operational Summary
- Table 7 – Pump and Treat Operational Summary
- Table 8 – Biosparge Operational Summary
- Table 9 – Hydrocarbon Recovery Summary

## Attachments

- Attachment A – Concentration Trend Graphs
- Attachment B – Monitored Natural Attenuation Data Trend Graphs
- Attachment C – Laboratory Analytical Reports and Chain of Custody Documentation – February 17-19, 2020 Monitoring Event
- Attachment D – Bulkhead Inspection Photographs
- Attachment E – Remediation System Performance Graphs

## 1 INTRODUCTION

Groundwater & Environmental Services, Inc. (GES) has prepared this First Quarter 2020 CAP Implementation Monitoring Report (CMR) on behalf of GenOn Mid-Atlantic (GenMa), documenting environmental monitoring and corrective action activities performed at the Potomac River Generating Station (PRGS), located at 1400 North Royal Street, Alexandria, VA (the site). Site activities were performed to address a subsurface petroleum release regulated by the Virginia Department of Environmental Quality (VDEQ) Northern Regional Office (NRO) under Pollution Complaint (PC) #2013-3154. The site is the location of a decommissioned power generating facility. A Site Location Map is provided as **Figure 1**; a Site Layout Map, depicting pertinent features of the site and adjacent areas, is provided as **Figure 2**; and a Site Map is provided as **Figure 3**.

Specifically, this summary report documents the following activities conducted during the 1st Quarter 2020:

- The biosparge system remained off during the 1<sup>st</sup> Quarter 2020;
- The pump and treat (P&T) system remained off during the 1<sup>st</sup> Quarter 2020;
- The total phase extraction (TPE) system remained off during the 1<sup>st</sup> Quarter 2020;
- Once per month gauging of select wells on January 14 and March 10, 2020;
- Comprehensive gauging of all accessible site groundwater wells on February 17, 2020;
- Down-well water quality measurements recorded on February 17 - 19, 2020 of select site groundwater wells to monitor dissolved oxygen, pH, temperature, oxidation-reduction potential (ORP) and conductivity;
- Quarterly groundwater sampling on February 17 - 19, 2020, from select site groundwater wells for total petroleum hydrocarbons – diesel range organics (TPH-DRO), as well as from select wells for biological indicator parameters including Alkalinity (SM 2320B), Nitrate NO<sub>3</sub><sup>-</sup> & Nitrite NO<sub>2</sub><sup>-</sup> (EPA 353.2), Manganese (Mn<sup>2+</sup>), Ferrous Iron Fe<sup>2+</sup> (SM 3500-Fe B modified-199), Sulfate SO<sub>4</sub><sup>2-</sup> (EPA 300.0) and Methane (RSKSOP-175 modified);
- Headspace vapor measurements recorded on February 17, 2020 from select site groundwater wells to monitor for the presence of volatile organic compounds (VOCs), oxygen, carbon dioxide, and methane; and
- Quarterly submittal of Self-Monitoring Report (SMR) to Alexandria Renew Enterprise (AlexRenew).

### 1.1 Site History

The site was developed as a power generating facility in the 1940s. The first generating unit was constructed by 1949, and the last of the five units was brought online in 1954. The facility used

Number 2 (No. 2) fuel oil to preheat its generating unit boilers and coal as its primary fuel to generate electricity. The No. 2 fuel oil was stored in two adjoining 25,000-gallon underground storage tanks (USTs) centrally located within the power plant complex, as shown on the Site Map provided as **Figure 3**. On October 1, 2012, the coal-fired power plant ceased operation.

The VDEQ opened PC #2013-3154 following the detection of petroleum hydrocarbons during closure activities associated with the two 25,000-gallon fuel oil USTs. The VDEQ requested that a Site Characterization Report (SCR) be prepared to characterize the extent of contamination at the site. URS Corporation (URS) submitted a Site Conceptual Model (SCM) on June 11, 2013, which included a discussion of the initial detection of petroleum hydrocarbons during the closures of the two No. 2 fuel oil USTs, as well as descriptions of the various subsurface utilities in the vicinity of the USTs.

The VDEQ subsequently requested the submittal of a Site Characterization Report Addendum (SCRA), as stated in a directive letter dated July 10, 2013. This SCRA was submitted on February 14, 2014, by URS and described the activities associated with a subsurface characterization of the site using laser-induced fluorescence (LIF), the advancement of soil borings for soil sampling at the site, and the installation of fourteen monitoring wells. The site history, recent field activities, laboratory analytical results, a preliminary risk assessment, and an assessment of remedial options were also discussed in the SCRA.

After review of the SCRA, on March 4, 2014, the VDEQ requested that a Corrective Action Plan (CAP) be developed for the site. GES and Geosyntec Consultants (Geosyntec), on September 5, 2014, submitted Part I of a CAP, (CAP-I) summarizing the site characterization data and evaluation; presenting an updated SCM based on this data; and providing a presentation, assessment, and evaluation of the viable remedial technologies that can be employed, consistent with the CAP requirements. Subsequently, Part II of the CAP (CAP-II) was submitted to the VDEQ on December 23, 2014. The CAP was approved by the VDEQ on March 17, 2015, and was assigned CAP tracking number 513.

During the 2nd Quarter 2015, GES initiated remediation system installation onsite with the install of eight total phase extraction (TPE), three standard compliance/delineation monitoring, and six air sparge wells from June 22, 2015 to July 8, 2015. On June 26, 2015, Product Recovery Management, Inc. (PRM) was chosen to construct the remediation system after winning the three-vendor bid system process for the system design and procurement packages. On October 15, 2015, the remediation system was delivered to the Site. GES selected Odyssey Environmental Services (Odyssey) to install the system's piping to the onsite TPE, pump and treat (P&T), and air sparge wells and began piping installs on September 28, 2015, which continued through October 2015. GES worked to obtain a Special Use Permit from the National Park Service (NPS) for offsite access and system install activities throughout the 2<sup>nd</sup> and 3<sup>rd</sup> Quarters 2015.

During the 4<sup>th</sup> Quarter 2015, power connections to the onsite system and aboveground piping and wellhead connections for 8 onsite air/biosparge wells, 11 TPE wells, and 5 P&T wells was completed. Pumps were installed in the P&T wells and the treated groundwater discharge line was connected to an AlexRenew sanitary sewer tie-in location. On November 12, 2015 a draft

Special Use Permit was issued by NPS. GES sent a final permit package for groundwater discharge authorization to AlexRenew on November 20, 2015.

During the 1<sup>st</sup> Quarter 2016, all remaining installation tasks associated with the remediation system were completed, except for offsite installs on the NPS property. On January 13, 2016, AlexRenew issued an approval letter with special requirements for discharge. The onsite remediation system was started on March 14, 2016.

NPS authorized a final Special Use Permit on February 11, 2016 for planned field activities on the NPS property. Once GES obtained the NPS Special Use Permit, installation of the offsite remediation system and bulkhead wall seep sealing were initiated. CAP-II requirements to repair and seal the bulkhead wall seep were completed between April and June 2016. A total of 6 bulkhead wall seep areas, 17 rigging holes, and 3 outfall pipes in need of repair were identified within the steel bulkhead wall along the Potomac River. These areas were identified as locations with the potential for impacted groundwater to migrate into the Potomac River, and were therefore, sealed. On April 4, 2016, Odyssey and GES mobilized to the site to clear vegetation for the installation of seven new biosparge points (SP-09, SP-10, SP-11, SP-12, SP-13, SP-14, and SP-15) on NPS property. Remediation trenching, piping, well head modifications and tie-ins, and manifold connections were completed from April 13 through April 18, 2016, and the seven biosparge wells were brought online on May 3, 2016. GES worked on the agreement and implementation of the site restoration with the NPS from April 25 through May 17, 2016. On May 16, 2016 tree planting was initiated under GES supervision.

Because of the hydrocarbon reductions that had occurred and unfavorable conditions being created through the addition of dissolved oxygen, GES, on behalf of GenOn, requested and was granted a trial shutdown of the remediation system (TPE, P&T, and biosparge) during a stakeholder meeting on March 20, 2018. The system was officially shut down during the operations and maintenance (O&M) visit on March 29, 2018.

Due to observed rebound of hydrocarbon concentrations and the presence of LNAPL in TW-05, cycling of the P&T and TPE systems began on August 6, 2018 and September 21, 2018, respectively. The P&T system shut down on September 12, 2018 and could not be reactivated. The deep zone recovery wells (RW-05, RW-25, RW-51, and RW-14) were connected to the existing shallow zone TPE system between October 18, 2018 and November 1, 2018.

On October 10, 2018, a new NPS Special Use Permit, NCR-GWMP 6000-18-152, was granted to GenOn for continued monitoring on the NPS property adjacent to the site through October 31, 2020.

Cycling of the TPE system with shallow and deep recovery wells stopped on September 29, 2019 due to a lack of measureable LNAPL in any Site well, low hydrocarbon recovery by the TPE system, and generally declining TPH concentrations across the Site. Shutting down the TPE system initiated a minimum two-year post-remedial monitoring period, beginning with the 4<sup>th</sup> Quarter 2019.

## 1.2 Surrounding Properties

The surrounding properties in the immediate vicinity of the site are primarily residential and commercial, with some buildings used as office space. To the north, south, and west, the site is bordered by a mixture of condominiums and office buildings. To the east, the site is bordered by the NPS Mt. Vernon Trail, beyond which lies the Potomac River.

## 2 SITE CHARACTERIZATION AND MONITORING ACTIVITIES

A Well Construction Table, included as **Table 1**, details well construction of monitored and sampled wells. The Groundwater Monitoring and Sampling Plan, included as **Table 2**, details the 1<sup>st</sup> Quarter 2020 sampling of Site monitoring and recovery wells. The following site characterization and monitoring activities were conducted during the 1<sup>st</sup> Quarter 2020:

- January and March 2020:
  - Once per month gauging of select groundwater wells.
- February 17, 2020:
  - Site-wide gauging and headspace vapor monitoring of select groundwater wells.
- February 17-19, 2020:
  - Gauging and groundwater sampling of accessible site groundwater wells in accordance with the Groundwater Monitoring and Sampling Plan.

An oil-water interface probe capable of measuring groundwater and LNAPL to 0.01 feet was used to gauge the site groundwater wells. During the 1<sup>st</sup> Quarter 2020, accessible site groundwater wells were gauged during a comprehensive gauging event on February 17, 2020, in accordance with the Groundwater Monitoring and Sampling Plan. Select groundwater wells that historically exhibited measureable LNAPL or elevated dissolved phase hydrocarbon concentrations were also gauged on a once per month basis. Gauging events conducted during the 1<sup>st</sup> Quarter 2020 are summarized below:

- Gauging of select wells:
  - January 14, 2020
  - March 10, 2020
- Site-wide gauging of all accessible wells:
  - February 17, 2020

Historical and 1<sup>st</sup> Quarter 2020 groundwater and LNAPL elevation data are presented in **Table 3** – Historical Groundwater Monitoring and Analytical Data Summary.

Site-wide gauging was conducted on February 17, 2020 in accordance with the tidal cycle of the Potomac River. On February 17, 2020, low tide at the site occurred at 10:58 am. Multiple personnel gauged the site wells as quickly as possible bracketing the river's low tide, with priority given to gauging of the deep wells as they are the ones affected by the tidal cycle. This approach minimized the impact of tidal influence on groundwater elevation data. During comprehensive gauging on February 17, 2020, measured groundwater depths ranged from 1.67 feet below ground surface (bgs) in MW-105 to 27.23 feet bgs in MW-27.

February 17, 2020 comprehensive gauging event data are presented as **Figure 4** and **Figure 5**. The shallow zone groundwater contour map shows flow is generally to the east-southeast towards the Potomac River. The deep zone groundwater contour map shows flow is generally to the east towards the Potomac River with mounding observed at RW-05 and RW-25. The calculated hydraulic gradient at the site was approximately 0.05 feet per foot in the shallow zone during the 1<sup>st</sup> Quarter 2020 monitoring event and 0.04 feet per foot in the deep zone.

## 2.1 Headspace Vapor Monitoring

Monitoring well vapor headspace readings were collected at select groundwater wells on February 17, 2020 using a photoionization detector (PID) and a GEM 2000 landfill gas meter. The PID was fitted with a 10.6 electron volt bulb and was calibrated using a factory-supplied calibration gas standard (100 parts per million [ppm] isobutylene) prior to use.

To obtain reproducible and stable readings, a vapor monitoring well cap was inserted securely into the well, and the PID and landfill gas meter were used to record VOCs, oxygen, carbon dioxide, and methane concentrations. This arrangement allows for the withdrawal of air from the well through the PID and landfill gas meter pumps while minimizing the exchange of ambient air. The PID and landfill gas meter responses were recorded in the field book after the stabilization period.

Detailed PID and landfill gas meter response data are presented in **Table 4** – Historical Groundwater Field Parameters Data Summary.

## 2.2 Groundwater Sampling

On February 17 – 20, 2020, groundwater samples were collected from 25 groundwater monitoring/recovery wells (MW-01S, MW/RW-05, MW-08S, MW/RW-10S, MW/RW-14, MW-16, MW-25S, MW/RW-25, MW-27, MW/RW-31, MW-51S, MW/RW-51, MW-72S, MW/RW-72, MW-106, MW-108, MW-121, MW-122, MW/RW-123S, RW-1, RW-05S, RW-28S, RW-30S, RW-116S, and RW-119S) and 7 temporary wells (TW-02, TW-03, TW-04, TW-05, TW-06, TW-07, and TW-14). Recovery wells RW-25S, RW-117S, and RW-118S, and temporary well TW-12S could not be sampled due to insufficient water. During the 1<sup>st</sup> Quarter 2020 sampling event, wells with sufficient water were sampled using low-flow sampling techniques in an attempt to normalize sample collection methods across the site (permanent wells and temporary wells) and to ensure that the sample results were indicative of groundwater concentrations only, without the

contribution of any impacts adsorbed to suspended sediments. Two wells, MW-108 and RW-30S, had under a foot of water and grab samples were collected. In addition, eight select wells (MW-01S, MW-08S, MW/RW-25, MW/RW-51, MW-121, RW-05S, TW-05, and TW-06) were also sampled using a three purge volume sampling method, as has been the sampling method used at the site for the permanent wells prior to the 1<sup>st</sup> Quarter 2019 sampling event. These additional samples were used for comparison to the low-flow sampling results. The groundwater monitoring and sampling plan used this quarter is presented in **Table 2**.

Each monitoring well was gauged prior to sampling, and gauging data are presented in **Table 3**. Prior to the collection of groundwater samples, water was pumped from the well until field parameters, temperature, pH, specific conductivity, dissolved oxygen, and oxidation-reduction potential stabilized.

Purge water was stored in drums onsite to be removed by Triumvirate Environmental at a later date for treatment and disposal. Groundwater samples were collected directly into laboratory provided bottleware, packaged on ice in coolers, and transported under proper chain of custody to Eurofins Lancaster Laboratories (Eurofins) in Lancaster, PA. Samples were requested to be analyzed for the following:

- Quarterly parameters (select wells)
  - Total Petroleum Hydrocarbons – Diesel Range Organics (TPH-DRO)
- Biological indicator parameters (select wells)
  - Alkalinity
  - Nitrate ( $\text{NO}_3^-$ )
  - Nitrite ( $\text{NO}_2^-$ )
  - Manganese ( $\text{Mn}^{2+}$ )
  - Ferrous Iron ( $\text{Fe}^{2+}$ )
  - Sulfate ( $\text{SO}_4^{2-}$ )
  - Methane


TPH-DRO analytical results are presented in the Historical Groundwater Monitoring and Analytical Data Summary included as **Table 3** and discussed further in **Section 2.3**. Concentration trend graphs are included as **Attachment A** and discussed further in **Section 2.3**. The analytical results for biological indicator parameters are presented in the Historical Groundwater Biostimulation Analytical Data Summary provided as **Table 5** and discussed further in **Section 2.3**. Trend graphs for the biostimulation data are included as **Attachment B**.

The complete laboratory reports and chain of custody documentation for the groundwater sampling event conducted in February 2020 are included in **Attachment C**.

## 2.3 Groundwater Analytical Findings

During the 1<sup>st</sup> Quarter 2020, 32 monitoring, recovery and temporary wells were sampled for TPH-DRO during the quarterly groundwater sampling event in February. Historical BTEX, methyl tert-butyl ether (MTBE), tert-butyl alcohol, 1,2-dibromoethane, 1,2-dichloroethane, naphthalene, and TPH-GRO data are also presented for select wells in the Historical Groundwater Monitoring and Analytical Data Table (**Table 3**). Two TPH-DRO contour maps representing shallow zone data and deep zone data, respectively, from the 1<sup>st</sup> Quarter 2020 sampling event, are presented as **Figure 6** and **Figure 7**. The results from the collection and analysis of groundwater samples during the 1<sup>st</sup> Quarter 2020 are presented below:

- TPH-DRO was detected in 22 of the 25 groundwater monitoring wells sampled during the quarterly sampling event in February. The maximum detected concentration for samples collected by low-flow sampling was 18,000 micrograms per liter ( $\mu\text{g/L}$ ) in well MW/RW-10S.
- TPH-DRO was detected in three temporary wells sampled (TW-04, TW-05, and TW-06), with a maximum concentration of 950  $\mu\text{g/L}$  in temporary well TW-05.
- TPH-DRO was detected in all eight wells (MW-01S, MW-08S, MW/RW-25, MW/RW-51, MW-121, RW-05S, TW-05, and TW-06) that were also sampled using a traditional purge and grab sampling method. The maximum concentration of TPH-DRO detected using the purge and grab method was 28,000  $\mu\text{g/L}$ , in monitoring well MW-121. All concentrations of TPH-DRO were higher in the samples collected using the purge and grab method than when sampled using low-flow, as shown in the chart below; however, in some samples the concentration difference was negligible between the two methods.



Concentration trend graphs are presented in **Attachment A**, showing historical and current benzene, naphthalene, and TPH-DRO concentrations, depths to water, and depths to LNAPL for

select monitoring, recovery, and temporary wells. TPH-DRO concentrations based on traditional purge and grab sampling are plotted separately from TPH-DRO concentrations obtained using low-flow sampling. Trends observed as of 1<sup>st</sup> Quarter 2020 are presented below:

- TPH-DRO concentrations have an overall increasing trend in wells MW/RW-25, MW/RW-72, and RW-118S; however, a recent decreasing trend is apparent in MW/RW-72 and RW-118S.
- TPH-DRO concentrations have an overall decreasing trend in wells MW-01S, MW/RW-05, MW/RW-10S, MW/RW-14, MW-25S, MW-27, MW/RW-31, RW-05S, RW-25S, RW-28S, RW-30S, MW-106, RW-116S, MW/RW-123S, TW-05, TW-06, and TW-07.
- TPH-DRO concentrations are relatively stable overall in wells RW-1, MW-08S, MW-51S, MW/RW-51, MW/RW-72S, RW-117S, RW-119S, MW-121, MW-122, TW-03, and TW-04.
- In wells that have been sampled for naphthalene enough times to establish a trend, an overall decreasing trend is observed in wells MW-25S, MW-27, MW/RW-72, MW/RW-72S, MW-106, MW-121, TW-03, TW-04, TW-05, TW-06, and TW-07. A relatively stable trend is observed in well MW-08S. An overall increasing trend is observed in wells MW-122, MW/RW-10S, MW/RW-25, and MW/RW-51.
- In wells that have been sampled for benzene enough times to establish a trend, an overall decreasing trend is observed in wells MW-08S, MW-25S, MW/RW-72S, and MW/RW-72. Wells MW/RW-05, MW/RW-10S, MW/RW-25, MW-27, MW/RW-51, MW-106, MW-121, MW-122, TW-03, TW-04, TW-05, TW-06, and TW-07 have a generally stable trend or low or non-detect concentrations.

The low-flow data collected during the 1<sup>st</sup> Quarter 2020 appear to be generally consistent with the purge and grab data collected historically. The low-flow values tend to follow the recent trends seen using purge and grab. On the samples where duplicates were collected using both methods, the low-flow data were always lower in concentration, although the difference between the two concentrations was negligible in some instances.

Biological indicator data and field parameters were collected from select wells within the shallow and deep zone aquifers in order to evaluate the natural attenuation potential of the aquifers and to determine the dominant terminal electron accepting process. A Historical Groundwater Field Parameters Data Summary is presented as **Table 4**, and a Historical Groundwater Biostimulation Analytical Data Summary is presented as **Table 5**. Monitored natural attenuation trend graphs are included as **Attachment B**.

The following chart details the anticipated changes in groundwater chemistry in order of reaction preference during various stages of biodegradation from aerobic to highly anaerobic conditions. Increased concentrations of alkalinity, nitrite, dissolved manganese, ferrous iron, and methane and decreased concentrations of oxidation-reduction potential (ORP), dissolved oxygen (DO), nitrate, and sulfate are indicators of anaerobic activity.

Time →  
 ← Distance from Source

	Aerobic Respiration	Nitrate Reduction	Manganese Reduction	Ferric Iron Reduction	Sulfate Reduction	Methanogenesis
	Anaerobic					
Electron Acceptor	O <sub>2</sub>	NO <sub>3</sub> <sup>-</sup>	Mn <sup>4+</sup>	Fe <sup>3+</sup> (solid)	SO <sub>4</sub> <sup>2-</sup>	CO <sub>2</sub>
Metabolic By-Product	CO <sub>2</sub>	N <sub>2</sub> , CO <sub>2</sub>	Mn <sup>2+</sup>	Fe <sup>2+</sup> (dissolved)	H <sub>2</sub> S	CH <sub>4</sub> (methane)
Expected Relationship with High BTEX	O <sub>2</sub> ↓	NO <sub>3</sub> <sup>-</sup> ↓	Mn <sup>2+</sup> ↑	Fe <sup>2+</sup> ↑	SO <sub>4</sub> <sup>2-</sup> ↓	CH <sub>4</sub> ↑

The observed concentrations of DO, ORP, carbonate alkalinity, nitrate nitrogen, nitrite nitrogen, manganese, ferrous iron, sulfate as SO<sub>4</sub><sup>2-</sup>, and methane generally indicate that due to system start-up in March 2016, site conditions within the dissolved hydrocarbon plume generally changed from anaerobic to aerobic. Following trial system shutdown in March 2018, site conditions began to revert to baseline or anaerobic conditions. Cycling of the total phase extraction system between September 2018 and September 2019 showed some increases in aerobic conditions, but not to the degree seen during full time operation of the complete system. The system has been completely shut down since September 2019. Based on a review of the biological indicator data and the field parameters, the following specific observations have been made:

## Background

- The groundwater quality data from monitoring wells MW-112S (shallow zone aquifer) and MW-114 (deep zone aquifer) are considered to be representative of background conditions due to the historical relative absence of dissolved-phase hydrocarbons and aerobic conditions within these wells.

## DO

- During the 1<sup>st</sup> Quarter 2020, DO concentrations were considered anaerobic (< 1.0 mg/L) in 10 of the 12 shallow zone aquifer wells measured (MW-08S, MW/RW-10S, MW-25S, MW-51S, MW/RW-72S, MW/RW-123S, RW-05S, RW-28S, RW-116S, and RW-119S) and in 12 of 18 deep zone wells measured (MW/RW-14, MW/RW-25, MW-27, MW/RW-31, MW/RW-51, MW/RW-72, MW-121, MW-122, RW-1, TW-02, TW-03, and TW-06).

## ORP

- ORP values were positive in 4 of the 12 measured shallow zone aquifer wells (MW-01S, MW-25S, MW/RW-72S, and TW-14) and in 16 of the 18 measured deep zone aquifer wells (MW/RW-14, MW-16, MW/RW-25, MW/RW-31, MW/RW-51, MW/RW-72, MW-106, MW-121, MW-122, RW-1, TW-02, TW-03, TW-04, TW-05, TW-06, and TW-07) during the quarterly groundwater monitoring event in February. Positive ORP values are indicative of aerobic conditions. Interestingly, a number of wells had increasing ORP values following the system being turned off.

## Alkalinity

- During the 1<sup>st</sup> Quarter 2020, detected concentrations of alkalinity tended to decrease in the shallow zone and increase or remain the same in the deep zone. However, alkalinity was not detected in three of the 23 wells where it was measured (MW/RW-72S, MW/RW-72, and MW-106).

## pH

- Measured pH in site wells was generally above 5.0 during the 1<sup>st</sup> Quarter 2020, with only three wells having measured pH below 5.0 (MW/RW-72S, MW/RW-72, and MW-106). Maps showing pH levels in the shallow and deep wells, respectively, are provided as **Figure 8** and **Figure 9**.

## Nitrate

- Nitrate was detected in none of the shallow zone aquifer wells where it was measured and in two of the 13 deep zone aquifer wells where it was measured (MW-106 and TW-06).

## Nitrite

- Low concentrations of nitrite, an intermediate in denitrification, was detected in three of the four shallow zone aquifer wells where it was measured (MW-01S, MW/RW-10S, and MW/RW-72S) and in 9 of the 13 deep zone aquifer wells where it was measured (MW/RW-14, MW-27, MW/RW-51, MW-121, MW-122, TW-03, TW-05, TW-06, and TW-07). Based on the nitrate and nitrite data, nitrate reduction is not a significant mechanism of degradation at the site.

## Manganese

- Concentrations of dissolved manganese are generally decreasing in the shallow zone aquifer, suggesting manganese reduction is not currently a significant mechanism of degradation. In the deeper zone aquifer, the majority of the wells are showing increasing trends, suggesting that manganese reduction may be occurring.

## Ferrous Iron

- Some increases in ferrous iron were observed in both shallow and deep zone wells, although more so in deep zone wells, suggesting that iron reduction is occurring in some parts of both aquifers.

## Sulfate

- Sulfate concentrations during the 1<sup>st</sup> Quarter 2020 remained generally high in the shallow zone, although certain wells are beginning to decrease. Increasing sulfate concentrations were found in some of the deeper zone wells, although several others showed decreasing concentrations. The increasing concentrations suggest sulfate reduction is contributing to anaerobic biodegradation in some deep zone aquifer wells at the site. As noted in previous reports, the predominance of sulfur in the system is likely associated with historical power plant operations. **Figures 10 and 11** show sulfate concentrations in shallow and deep zone wells, respectively.

## Methane

- Methane concentrations across the site are generally lower than historical levels; however, increases in methane have been recently measured in wells MW/RW-14 and MW-122. Smaller increases have been measured in a number of other wells. Methanogenesis is likely playing a role in anaerobic degradation in some areas of the site, and with the system turned off will likely eventually become a dominant process in the degradation of the remaining hydrocarbons on site.

### 2.4 Bulkhead Seep Inspection

During the 1<sup>st</sup> Quarter 2020 monitoring event, the bulkhead at the edge of the site along the shore of the Potomac River was inspected for seeps from a distance. No evidence of seeps was noted. The inspection was completed from the shore by TW-07 and south of MW-103, the closest locations to the bulkhead on land. This was completed near low tide so as to have the maximum amount of the bulkhead visible. Photographs from the inspection are presented in **Attachment D**.

## 3 REMEDIATION SYSTEM OPERATION

No part of the remediation system operated during the 1<sup>st</sup> Quarter 2020. The remediation system consists of three separate systems: total phase extraction (TPE), pump and treat (P&T), and biosparge. The TPE system has been shut down since September 29, 2019. The P&T system has been shut down since September 12, 2018, while the biosparge system has been shut down since March 2, 2018. The reporting period for the 1<sup>st</sup> Quarter 2020 was from January 1, 2020 to March 31, 2020. Activities of note completed during the 1<sup>st</sup> Quarter 2020 included:

- Monthly gauging visits were performed on January 14 and March 10, 2020. Wells were

also gauged during the comprehensive gauging event at the Site on February 17, 2020.

- The Quarterly Self-Monitoring Report (SMR) for the 1<sup>st</sup> Quarter 2020 was submitted to AlexRenew by April 10, 2020.

The TPE was not operated during the reporting period. The cumulative groundwater flow, including flow data from before the initial trial system shutdown, is 888,325 gallons. A TPE Operational Summary is included as **Table 6**, TPE recovery data are included in **Table 9**, system performance graphs are included in **Attachment E**.

The P&T system was not operated during the reporting period; it was deactivated on September 12, 2018. The cumulative groundwater recovery since initial system startup was 1,327,739 gallons. A P&T Operational Summary is included as **Table 7** and P&T recovery data are included in **Table 9**.

The biosparge system was not operated during the reporting period. A Biosparge Operational Summary is included as **Table 8**.

The total estimated hydrocarbon recovery to date is 3,302 lbs (451 gallons). This includes 199 lbs of dissolved-phase, 3,018 lbs of vapor-phase, and 85 lbs of liquid-phase. The liquid-phase recovery is inclusive of previously bailed LNAPL and recovery from the TPE and P&T systems. A Hydrocarbon Recovery Summary is included as **Table 9**.

#### **Hydrocarbon Recovery:**

Dissolved-Phase Hydrocarbons (Period/Cumulative): **0 lbs / 199 lbs**

Vapor-Phase Hydrocarbons (Period/Cumulative): **0 lbs / 3,018 lbs**

Liquid-Phase Hydrocarbons (Period/Cumulative): **0 lbs / 85 lbs**

Total Hydrocarbon Recovery (Period/Cumulative): **0 lbs / 3,302 lbs**

### **3.1 Permit Summary**

Special Use Permit

Required for: Work along the NPS Trail

Issued by: National Parks Service

Status: Special Use Permit NCR-GWMP 6000-18-152 is effective 11/1/2018 – 10/31/2020.

Significant Industrial User Permit:

Required for: Sanitary sewer discharges less than 25,000 gallons per day with low risk of negatively impacting the sanitary sewer system.

Issued by: AlexRenew

Status: Final approval to discharge was granted on March 11, 2016. The permit was renewed, effective October 29, 2019. In accordance with the requirements of the new permit, SMR submittals will occur quarterly. Monthly flow meter certifications indicating that there was no flow are submitted by the 10<sup>th</sup> of each month, in months when an SMR is not submitted.

Air Permit	Not Required due to uncontrolled emissions less than 25 tons per year.
------------	--

## 4 REMEDIAL STRATEGY EVALUATION & RECOMMENDATIONS

The remediation system was shut down on September 29, 2019. Based on the results from the 3<sup>rd</sup> Quarter 2019 sampling, it was recommended that the system be left off and the site enter a phase of monitored natural attenuation as outlined in the Corrective Action Plan – Part II, dated December 2014. During the 3<sup>rd</sup> Quarter 2019, no wells exceeded the remedial goal for TPH-DRO of 15 mg/L when sampled via low-flow sampling methods. Only two wells (MW-01S and MW/RW-25) exceeded the remedial goal for TPH-DRO when sampled using the purge and grab method. These two wells are located in the source area. Some rebound in concentration was expected following system shutdown.

In the 4<sup>th</sup> Quarter 2019, only one well (MW/RW-10S) exceeded the remedial goal for TPH-DRO when sampled via low-flow sampling methods with a concentration of 26,000 µg/L. Only two wells (MW/RW-25 and MW-121) exceeded the remedial goal for TPH-DRO when sampled using the purge and grab method.

In the 1<sup>st</sup> Quarter 2020, MW/RW-10S remained the only well over the remedial goal when sampled via low-flow but its concentration had dropped to 18,000 µg/L. Similarly, MW/RW-25 and MW-121 stayed above the remedial goal when sampled by purge and grab, but have decreased. Measurable LNAPL has not been observed since August 2018. TPH-DRO concentrations in wells located along the Potomac River are all well below the goal of 15 mg/L TPH-DRO.

One well, MW/RW-72, exceeded the cleanup criteria for naphthalene, with a concentration of 17 µg/L, as measured during the 4<sup>th</sup> Quarter 2019. Since this well also exceeded the cleanup criteria for naphthalene in the 4<sup>th</sup> Quarter 2018, it was recommended that naphthalene be analyzed from this well on a quarterly basis to determine if concentrations remain above 10 µg/L year round. Unfortunately, this was not completed during the 1<sup>st</sup> Quarter 2020, but will begin during the 2<sup>nd</sup> Quarter 2020. It is not recommended at this time to turn the system back on.

In accordance with the CAP Approval letter dated March 17, 2015, monitored natural attenuation will continue for a minimum of six additional quarters. While in this period of monitored natural attenuation, the groundwater conditions will be continuously evaluated for indications of significant rebound in the groundwater concentrations or presence of LNAPL. Wells have now been gauged on a monthly basis for six months to ensure that LNAPL has not returned. Therefore, monitoring


well gauging will only be completed during quarterly monitoring events. If over the next six quarters, no LNAPL returns and groundwater concentrations remain stable or continue to decline, a final report and request for case closure will be submitted.

## **5 FUTURE ACTIVITIES (2<sup>nd</sup> Quarter 2020)**

- Quarterly groundwater sampling using low-flow sampling methods (with grab samples also collected from select wells);
- Submittal of a quarterly CMR;
- Submittal of monthly emails to AlexRenew indicating no flow (in months when an SMR is not submitted); and
- Submittal of a quarterly SMR to AlexRenew.

## Figures

---



#### Sources:

USGS 7.5 Minute Series Topographic Quadrangles  
Alexandria

#### Site Location Map

Former Potomac River Generating Station  
1400 North Royal Street  
Alexandria, Virginia

Drawn  
**GKS**  
Designed  
**DMC**  
Approved  
**AAB**

Date  
**4-17-18**

Figure  
**1**





Scale In Feet (Approximate)


0 2,000


**GES**  
Groundwater & Environmental Services, Inc.


















### Legend

- FORMER RAILWAY TRACK
- STORM WATER CATCH BASIN
- UTILITY MANHOLE
- SEEP LOCATION
- DEEP BIOSPARGE WELL
- SHALLOW MONITORING WELL
- DEEP MONITORING WELL
- DEEP TOTAL PHASE EXTRACTION WELL
- SHALLOW TOTAL PHASE EXTRACTION WELL
- ABANDONED MONITORING WELL
- APPROXIMATE SOIL BORING LOCATION
- TPH-DRO CONCENTRATION CONTOUR ( $\mu\text{g}/\text{L}$ )
- DASHED WHERE INFERRED
- (1,000)
- \* WHERE BOTH LOW FLOW AND PURGE AND GRAB SAMPLING WAS CONDUCTED, THE LOW FLOW SAMPLING DATA IS USED

Note:  
 1) TPH-DRO: Total Petroleum Hydrocarbons - Diesel Range Organics  
 2)  $\mu\text{g}/\text{L}$ : Micrograms per liter  
 3) < : Analyte detected below the method detection limit







## Legend

- FORMER RAILWAY TRACK
  - STORM WATER CATCH BASIN
  - UTILITY MANHOLE
  - SEEP LOCATION
  - DEEP BIOSPARGE WELL
  - SHALLOW MONITORING WELL
  - DEEP MONITORING WELL
  - DEEP PUMP & TREAT RECOVERY WELL
  - SHALLOW TOTAL PHASE EXTRACTION WELL
  - ABANDONED MONITORING WELL
  - APPROXIMATE SOIL BORING LOCATION

## pH OBSERVATIONS (S.U.)


- Legend:


  - > 7.0
  - 6.0 - 7.0
  - 5.0 - 6.0
  - 4.0 - 5.0
  - < 4.0

6.71) pH OBSERVATION (S.U.)  
NM) NOT MEASURED

Note:  
S.U.: Standard Units

# pH Levels Deep Zone Aquifer First Quarter 2020





## Tables

---

*Table I*

**WELL CONSTRUCTION TABLE**

Potomac River Generating Station  
 1400 North Royal St  
 Alexandria, VA

Monitoring Well	Well type	Aquifer Zone Designation	Date Installed	Well Diameter (in)	Total Depth of Well from Ground Surface (ft)	Length of Casing (ft)	Length of Screen (ft)
MW-01S	MW	Shallow	7/29/2014	4	27	17	10
MW-05 / RW-05	P&T	Deep	8/1/2014	4	35	25	10
MW-08S	MW	Shallow	7/23/2014	4	25	15	10
MW-10S / RW-10S	TPE	Shallow	7/28/2014	4	27	17	10
MW-11	MW	Deep	7/24/2014	4	35	25	10
MW-14 / RW-14	P&T	Deep	7/29/2014	4	38.5	28.5	10
MW-15S	MW	Shallow	7/31/2014	4	26	16	10
MW-16S	MW	Shallow	8/13/2014	2	25	15	10
MW-16	MW	Deep	8/14/2014	2	36	26	10
MW-25S	MW	Shallow	8/5/2014	4	26	16	10
MW-25 / RW-25	P&T	Deep	7/24/2014	4	35	25	10
MW-27	MW	Deep	7/21/2014	4	35	25	10
MW-31 / RW-31	P&T	Deep	8/5/2014	4	36	26	10
MW-33	MW	Deep	8/5/2014	4	35	25	10
MW-51S	MW	Shallow	8/6/2014	4	25.5	15.5	10
MW-51 / RW-51	P&T	Deep	7/22/2014	4	37	27	10
MW-52	MW	Deep	8/14/2014	2	36	26	10
MW-70	MW	Deep	8/13/2014	2	36	26	10
MW-72S / RW-72S	TPE	Shallow	8/7/2014	4	25	15	10
MW-72 / RW-72	MW	Deep	7/30/2014	4	35	25	10
MW-100S	MW	Shallow	8/12/2014	2	24.5	14.5	10
MW-100	MW	Deep	8/12/2014	2	37.5	27.5	10
MW-102	MW	Deep	8/11/2014	2	37	27	10

*Table I*

**WELL CONSTRUCTION TABLE**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Monitoring Well	Well type	Aquifer Zone Designation	Date Installed	Well Diameter (in)	Total Depth of Well from Ground Surface (ft)	Length of Casing (ft)	Length of Screen (ft)
MW-103	MW	Shallow	7/23/2014	2	15	5	10
MW-104	MW	Shallow	7/24/2014	2	12	2	10
MW-105	MW	Shallow	7/24/2014	2	10	1	9
MW-106	MW	Deep	7/22/2014	2	10	3	7
MW-107	MW	Shallow	7/22/2014	2	11	3	8
MW-108	MW	Shallow	7/23/2014	2	10	4	6
MW-109S	MW	Shallow	8/20/2014	4	13.5	3.5	10
MW-109	MW	Deep	8/19/2014	4	24	14	10
MW-110S	MW	Shallow	8/20/2014	4	13	3	10
MW-110	MW	Deep	8/20/2014	4	24	14	10
MW-111	MW	Deep	8/18/2014	2	22	12	10
MW-112S	MW	Shallow	8/12/2014	4	13	3	10
MW-112	MW	Deep	8/12/2014	4	24	14	10
MW-113	MW	Deep	8/19/2014	2	23	13	10
MW-114	MW	Deep	8/21/2014	2	23	13	10
MW-121	MW	Deep	7/2/2015	4	37	27	10
MW-122	MW	Deep	6/24/2015	4	37	27	10
MW-123S / RW-123S	TPE	Shallow	7/7/2015	4	25	21	4
TW-02	MW	Deep	12/12/2013	1	24	14	10
TW-03	MW	Deep	12/12/2013	1	15	5	10
TW-04	MW	Deep	12/13/2013	1	15	5	10
TW-05	MW	Deep	12/13/2013	1	10	0	10
TW-06	MW	Deep	12/13/2013	1	15	5	10

*Table I*

**WELL CONSTRUCTION TABLE**

Potomac River Generating Station  
 1400 North Royal St  
 Alexandria, VA

Monitoring Well	Well type	Aquifer Zone Designation	Date Installed	Well Diameter (in)	Total Depth of Well from Ground Surface (ft)	Length of Casing (ft)	Length of Screen (ft)
TW-07	MW	Deep	12/13/2013	1	15	5	10
TW-12S	MW	Shallow	12/18/2013	1	25	15	10
TW-14	MW	Shallow	1/15/2014	1	5.5	0.5	5
RW-1	MW	Deep	10/2/2014	4	41	26	15
RW-05S	TPE	Shallow	6/29/2015	4	26	21	5
RW-25S	TPE	Shallow	7/7/2015	4	25	20	5
RW-28S	TPE	Shallow	7/6/2015	4	27	22	5
RW-30S	TPE	Shallow	6/23/2015	4	29	24	5
RW-116S	TPE	Shallow	6/26/2015	4	26	21	5
RW-117S	TPE	Shallow	6/23/2015	4	25	20	5
RW-118S	TPE	Shallow	6/25/2015	4	25	20	5
RW-119S	TPE	Shallow	6/29/2015	4	26	21	5
SP-01	SP	Deep	10/2/2014	2	35	32	3
SP-02	SP	Deep	9/30/2014	2	36	33	3
SP-03	SP	Deep	6/30/2015	2	36	33	3
SP-04	SP	Deep	7/1/2015	2	36	33	3
SP-05	SP	Deep	7/8/2015	2	36	33	3
SP-06	SP	Deep	6/30/2015	2	36	33	3
SP-07	SP	Deep	6/25/2015	2	36	33	3
SP-08	SP	Deep	7/8/2015	2	36	33	3
SP-09	SP	Deep	4/12/2016	2	21	18	3
SP-10	SP	Deep	4/7/2016	2	24.5	21.5	3
SP-11	SP	Deep	4/11/2016	2	19.5	16.5	3

*Table I*

**WELL CONSTRUCTION TABLE**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Monitoring Well	Well type	Aquifer Zone Designation	Date Installed	Well Diameter (in)	Total Depth of Well from Ground Surface (ft)	Length of Casing (ft)	Length of Screen (ft)
SP-12	SP	Deep	4/13/2016	2	19	16	3
SP-13	SP	Deep	4/13/2016	2	19	16	3
SP-14	SP	Deep	4/8/2016	2	18	15	3
SP-15	SP	Deep	4/8/2016	2	15	12	3

Notes:

Field parameters include pH, specific conductance, temperature, oxidation reduction potential (ORP), dissolved oxygen (DO), headspace carbon dioxide concentration, headspace volatile organic compound concentration, headspace oxygen concentration

Volatile organic compound (VOC) groundwater samples were analyzed for benzene, toluene, ethylbenzene, total xylenes, and naphthalene.

Biostimulation parameters include alkalinity, nitrate nitrogen, manganese, ferrous iron, sulfate as  $\text{SO}_4^{2-}$ , and methane.

- = Not available

MW = Monitoring Well

TPH-DRO = Total Petroleum Hydrocarbons - Diesel Range Organics

ft = Feet

P&T = Pump & Treat Well

VDEQ = Virginia Department of Environmental Quality

in = Inches

SP = Air Sparge Point

DDOE = District Department of the Environment

NA = Not applicable

TPE = Total Phase Extraction Well

Table 2

## GROUNDWATER MONITORING AND SAMPLING PLAN

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Aquifer Zone	Field Parameters						Laboratory Parameters						Sample Method	Comments		
		pH	Specific Conductance	Temperature	Oxidation Reduction Potential	Dissolved Oxygen	Headspace CO <sub>2</sub> concentration	Headspace VOC concentration	Headspace O <sub>2</sub>	TPH-DRO C10-C28 (SW-846 8015B)	Alkalinity (SM 2320B)	Nitrate NO <sub>3</sub> <sup>-1</sup> & Nitrite NO <sup>-2</sup> (EPA 353.2)	Manganese (Mn2+)	Ferrous Iron Fe <sup>2+</sup> (SM 3500-Fe B modified-1997)	Sulfate SO <sub>4</sub> <sup>2-</sup> (EPA 300.0)	Methane (RSKSOP-175 modified)	
MW-01S	Shallow	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF, P&S	
MW-05 / RW-05	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-08S	Shallow								X							LF	
MW-10S / RW-10S	Shallow	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-11	Deep															NS	
MW-14 / RW-14	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-15S	Shallow															NS	
MW-16S	Shallow															NS	
MW-16	Deep	X							X							LF	
MW-25S	Shallow	X							X	X						LF	
MW-25 / RW-25	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF, P&S	
MW-27	Deep	X	X	X	X	X	X	X	X	X	X					LF	
MW-31 / RW-31	Deep								X							LF	
MW-33	Deep															NS	
MW-51S	Shallow	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-51 / RW-51	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF, P&S	
MW-52	Deep															NS	
MW-70	Deep															NS	
MW-72S / RW-72S	Shallow	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-72 / RW-72	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF	
MW-100S	Shallow															NS	

Table 2

## GROUNDWATER MONITORING AND SAMPLING PLAN

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Aquifer Zone	Field Parameters										Laboratory Parameters							Comments
		pH	Specific Conductance	Temperature	Oxidation Reduction Potential	Dissolved Oxygen	Headspace CO <sub>2</sub> concentration	Headspace VOC concentration	Headspace O <sub>2</sub>	TPH-DRO C10-C28 (SW-846 8015B)	Alkalinity (SM 2320B)	Nitrate NO <sub>3</sub> <sup>-1</sup> & Nitrite NO <sup>-2</sup> (EPA 353.2)	Manganese (Mn2+)	Ferrous Iron Fe <sup>2+</sup> (SM 3500-Fe B modified-1997)	Sulfate SO <sub>4</sub> <sup>2-</sup> (EPA 300.0)	Methane (RSKSOP-175 modified)	Sample Method		
MW-100	Deep																NS		
MW-102	Deep																NS		
MW-103	Shallow																NS		
MW-104	Shallow																NS		
MW-105	Shallow																NS		
MW-106	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF		
MW-107	Shallow																NS		
MW-108	Shallow									X							LF		
MW-109S	Shallow																P&S	basement wells (not sampled this quarter)	
MW-109	Deep																P&S		
MW-110S	Shallow																P&S		
MW-110	Deep																P&S		
MW-111	Deep																P&S		
MW-112S	Shallow																P&S		
MW-112	Deep																P&S		
MW-113	Deep																P&S		
MW-114	Deep																P&S		
MW-121	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF, P&S		
MW-122	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF		
MW-123S / RW-123S	Shallow	X	X	X	X	X	X	X	X	X	X					X	LF		
TW-02	Deep																NS		
TW-03	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF		
TW-04	Deep										X						LF		
TW-05	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF		
TW-06	Deep	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	LF		

Table 2

## GROUNDWATER MONITORING AND SAMPLING PLAN

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Aquifer Zone	Field Parameters						Laboratory Parameters						Comments		
		pH	Specific Conductance	Temperature	Oxidation Reduction Potential	Dissolved Oxygen	Headspace CO <sub>2</sub> concentration	Headspace VOC concentration	Headspace O <sub>2</sub>	TPH-DRO C10-C28 (SW-846 8015B)	Alkalinity (SM 2320B)	Nitrate NO <sub>3</sub> <sup>-1</sup> & Nitrite NO <sup>-2</sup> (EPA 353.2)	Manganese (Mn2+)	Ferrous Iron Fe <sup>2+</sup> (SM 3500, Fe B modified-1997)	Sulfate SO <sub>4</sub> <sup>2-</sup> (EPA 300.0)	Methane (RSKSSOP-175 modified)
TW-07	Deep	X	X	X	X	X	X	X	X	X	X			X		LF
TW-12S	Shallow									X						LF
TW-14	Shallow									X						LF
RW-1	Deep	X	X	X	X	X	X	X	X	X				X		LF
RW-05S	Shallow	X	X	X	X	X	X	X	X	X				X		LF, P&S
RW-25S	Shallow	X	X	X	X	X	X	X	X	X				X		LF, P&S
RW-28S	Shallow	X	X	X	X	X	X	X	X	X				X		LF
RW-30S	Shallow	X	X	X	X	X	X	X	X	X						LF
RW-116S	Shallow	X	X	X	X	X	X	X	X	X				X		LF
RW-117S	Shallow	X	X	X	X	X	X	X	X	X						LF
RW-118S	Shallow								X	X				X		LF
RW-119S	Shallow								X	X				X		LF

Notes:

Select annual samples were collected during the 4th quarter of 2015. Moving forward, annual sampling to be completed in the 4th quarter of a year.

\*\* - Wells with LNAPL will only be sampled when no measurable LNAPL is observed.

Q - Quarterly sampling frequency

A - Annual sampling frequency

P&amp;S - Purge and Sample

LF - Low Flow Sampling

NS - No Sampling Planned

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-01S	08/08/2014	30.78	22.67	-	-	-	26.58	8.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/11/2014	30.78	22.62	-	-	-	-	8.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/15/2014	30.78	22.60	-	-	-	-	8.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/18/2014	30.78	22.88	-	-	-	-	7.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/25/2014	30.87	22.27	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/02/2014	30.87	22.28	-	-	-	-	8.59	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/15/2014	30.87	22.61	-	-	-	-	8.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/22/2014	30.87	22.75	-	-	-	-	8.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/24/2014	30.87	22.95	-	-	-	-	7.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/01/2014	30.87	22.94	-	-	-	26.59	7.93	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/10/2014	30.87	23.06	-	-	-	-	7.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/20/2014	30.87	23.53	-	-	-	26.58	7.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/22/2014	30.87	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23,000
MW-01S	02/24/2015	30.87	25.89	25.74	0.15	-	26.65	5.11	15:24	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	02/26/2015	30.87	25.61	25.51	0.10	-	-	5.35	16:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	03/04/2015	30.87	25.63	25.52	0.11	-	-	5.34	14:21	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	03/11/2015	30.87	25.51	25.39	0.12	-	-	5.47	13:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	03/18/2015	30.87	25.14	25.03	0.11	-	-	5.83	11:19	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	03/26/2015	30.87	25.07	24.98	0.09	-	26.60	5.88	10:35	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	04/02/2015	30.87	25.06	24.96	0.10	-	26.60	5.90	11:33	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	04/08/2015	30.87	25.10	24.96	0.14	-	26.64	5.89	9:27	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	04/13/2015	30.87	24.92	24.83	0.09	-	-	6.03	10:35	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	04/23/2015	30.87	24.38	24.35	0.03	-	26.55	6.52	12:04	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	04/29/2015	30.87	24.38	24.34	0.04	-	26.60	6.53	14:29	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	05/04/2015	30.87	24.32	24.28	0.04	-	-	6.59	11:55	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	05/11/2015	30.87	24.37	24.31	0.06	-	-	6.55	10:55	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	05/21/2015	30.87	24.46	24.41	0.05	-	-	6.45	12:15	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	05/28/2015	30.87	24.65	24.54	0.11	-	26.55	6.32	11:50	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	06/02/2015	30.87	24.52	24.46	0.06	-	-	6.40	13:16	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	06/09/2015	30.87	24.12	24.10	0.02	-	-	6.77	10:43	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	06/16/2015	30.87	24.05	24.04	0.01	-	-	6.83	11:37	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	06/26/2015	30.87	23.72	-	-	-	26.50	7.15	10:43	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	07/01/2015	30.87	23.25	23.24	0.01	-	-	7.63	12:34	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	07/08/2015	30.87	22.93	22.93	TRACE	TRACE	-	7.94	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/13/2015	30.87	22.72	-	-	-	-	8.15	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/20/2015	30.87	22.40	-	-	-	-	8.47	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/28/2015	30.87	22.43	-	-	-	26.69	8.44	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/04/2015	30.87	22.46	22.45	0.01	TRACE	TRACE	26.56	8.42	10:35	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/11/2015	30.87	22.50	22.50	TRACE	TRACE	26.61	8.37	10:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/18/2015	30.87	22.63	-	-	-	-	8.24	10:46	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-01S	08/24/2015	30.87	22.69	-	-	-	8.18	10:43		-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/02/2015	30.87	22.90	22.88	0.02	TRACE	26.62	7.99	9:32	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	09/09/2015	30.87	22.96	22.95	0.01	-	26.60	7.92	11:17	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	09/17/2015	30.87	23.19	23.18	0.01	-	26.62	7.69	10:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/23/2015	30.87	23.07	23.06	0.01	TRACE	-	7.81	11:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/28/2015	30.87	23.10	23.10	TRACE	-	26.10	7.77	10:08	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	10/05/2015	30.87	23.09	23.09	TRACE	-	26.60	7.78	11:07	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	11/10/2015	30.87	23.59	-	-	-	-	7.28	13:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/01/2015	30.87	24.05	24.04	0.01	-	26.57	6.83	12:02	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	01/27/2016	30.87	23.98	23.98	TRACE	-	-	6.89	9:54	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	02/15/2016	30.87	23.54	-	-	-	-	7.33	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/14/2016	30.87	23.27	-	-	-	-	26.60	7.60	11:45	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/16/2016	30.87	23.16	-	-	-	-	26.60	7.71	12:46	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/21/2016	30.87	23.48	-	-	-	-	26.59	7.39	11:05	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/23/2016	30.87	23.69	23.68	0.01	-	-	7.19	12:00	-	-	-	-	-	-	-	-	-	-	-	-	56,000
MW-01S	06/21/2016	30.87	22.93	-	-	-	-	7.94	11:17	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-01S	07/21/2016	30.87	22.57	-	-	-	-	8.30	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/24/2016	30.87	22.96	-	-	-	-	26.67	7.91	11:07	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/25/2016	30.87	23.08	-	-	-	-	26.75	7.79	10:55	-	-	-	-	-	-	-	-	-	-	-	140,000
MW-01S	11/28/2016	30.87	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	11/29/2016	30.87	25.61	25.48	0.13	0.02	26.58	5.37	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/22/2016	30.87	25.78	25.78	TRACE	TRACE	-	5.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/30/2017	30.87	23.57	-	-	-	-	7.30	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/21/2017	30.87	23.07	-	-	-	-	26.50	7.80	10:17	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/22/2017	30.87	23.27	-	-	-	-	7.60	9:43	-	-	-	-	-	-	-	-	-	-	-	-	720,000
MW-01S	03/28/2017	30.87	24.23	-	-	-	-	26.65	6.64	15:00	-	-	-	-	-	-	-	-	-	-	-	Strong odor, oily bailer
MW-01S	03/29/2017	32.69	26.13	-	-	-	-	27.90	6.56	12:50	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/18/2017	32.69	27.50	-	-	-	-	27.89	5.19	11:20	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/22/2017	32.69	24.07	-	-	-	-	24.87	8.62	10:13	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/24/2017	32.69	22.22	-	-	-	-	27.90	10.47	9:03	-	-	-	-	-	-	-	-	-	-	-	72,600
MW-01S	06/22/2017	32.69	27.90	-	-	-	-	27.90	4.79	11:30	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/19/2017	32.69	27.62	-	-	-	-	27.87	5.07	11:15	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/21/2017	32.69	22.73	-	-	-	-	27.90	9.96	9:00	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/28/2017	32.69	23.12	-	-	-	-	27.87	9.57	10:43	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/29/2017	32.69	23.17	-	-	-	-	9.52	10:20	-	-	-	-	-	-	-	<2.0	-	422	6,780		
MW-01S	09/05/2017	32.69	23.18	-	-	-	-	9.51	13:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/20/2017	32.69	23.70	-	-	-	-	8.99	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/03/2017	32.69	24.07	-	-	-	-	8.62	11:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/17/2017	32.69	24.06	-	-	-	-	8.63	11:11	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-01S	11/02/2017	32.69	23.96	-	-	-	-	8.73	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	11/28/2017	32.69	23.99	-	-	-	27.90	8.70	13:17	<0.5	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	-	
MW-01S	11/29/2017	32.69	24.13	-	-	-	-	8.56	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/05/2017	32.69	24.07	-	-	-	-	8.62	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/19/2017	32.69	24.23	-	-	-	-	8.46	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/03/2018	32.69	24.88	-	-	-	-	7.81	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/26/2018	32.69	26.97	-	-	-	-	5.72	11:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/01/2018	32.69	25.48	-	-	-	-	7.21	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/20/2018	32.69	23.55	-	-	-	27.85	9.14	12:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/22/2018	32.69	23.66	-	-	-	-	9.03	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/06/2018	32.69	23.58	-	-	-	-	9.11	11:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/29/2018	32.69	23.58	-	-	-	-	9.11	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/11/2018	32.69	23.84	-	-	-	-	8.85	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/23/2018	32.69	23.67	-	-	-	-	9.02	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/03/2018	32.69	23.71	-	-	-	-	8.98	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/03/2018	31.04	22.50	-	-	-	-	8.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/21/2018	31.04	22.26	-	-	-	26.67	8.78	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/24/2018	31.04	22.21	-	-	-	26.64	8.83	8:00	-	-	-	-	-	-	-	-	-	-	-	109,000	
MW-01S	06/12/2018	31.04	21.86	-	-	-	-	9.18	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	06/26/2018	31.04	21.71	-	-	-	26.49	9.33	9:29	-	-	-	-	-	-	-	-	-	-	-	69,200 B	96,300
MW-01S	07/02/2018	31.04	21.71	-	-	-	-	9.33	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/17/2018	31.04	21.80	-	-	-	-	9.24	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/30/2018	31.04	20.31	-	-	-	-	10.73	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/09/2018	31.04	20.90	-	-	-	-	10.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/13/2018	31.04	20.95	-	-	-	26.63	10.09	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/14/2018	31.04	20.93	-	-	-	26.63	10.11	12:53	-	-	-	-	-	-	-	-	-	-	-	92,000	
MW-01S	09/04/2018	31.04	20.11	-	-	-	-	10.93	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/21/2018	31.04	20.06	-	-	-	26.54	10.98	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/25/2018	31.04	21.58	-	-	-	-	9.46	13:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/02/2018	31.04	22.24	-	-	-	28.42	8.80	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/25/2018	31.04	27.54	-	-	-	27.58	3.50	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	11/12/2018	32.40	25.14	-	-	-	35.15	7.26	10:40	<0.2	<0.2	<0.2	<0.5	-	-	-	-	-	-	-	4,100	
MW-01S	11/13/2018	32.40	21.48	-	-	-	-	10.92	12:00	<0.2	<0.2	<0.2	<0.5	-	-	-	-	-	-	-	-	
MW-01S	11/27/2018	32.40	20.94	-	-	-	-	11.46	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/11/2018	32.40	21.84	-	-	-	-	10.56	9:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	12/27/2018	32.40	21.77	-	-	-	-	10.63	9:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/10/2019	32.40	21.74	-	-	-	-	10.66	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/24/2019	32.40	27.47	-	-	-	-	4.93	13:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/11/2019	32.40	22.62	-	-	-	27.60	9.78	10:30	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-01S	02/12/2019	31.04	21.84	-	-	-	-	9.20	9:45	-	-	-	-	-	-	-	-	-	-	-	840	Grab
MW-01S	02/15/2019	32.40	22.62	-	-	-	-	9.78	9:15	-	-	-	-	-	-	-	-	-	-	-	1,900	
MW-01S	02/21/2019	32.40	22.81	-	-	-	-	9.59	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/07/2019	32.40	22.10	-	-	-	-	10.30	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	03/19/2019	32.40	22.83	-	-	-	-	9.57	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/02/2019	32.40	22.53	-	-	-	-	9.87	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	04/22/2019	32.40	22.70	-	-	-	-	9.70	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/06/2019	32.40	22.91	-	-	-	-	9.49	8:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	05/20/2019	32.40	22.87	-	-	-	-	28.03	9.53	10:04	-	-	-	-	-	-	-	-	-	-	3,100	
MW-01S	05/20/2019	32.40	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,700	
MW-01S	06/04/2019	32.40	22.95	-	-	-	-	9.45	9:43	-	-	-	-	-	-	-	-	-	-	-	-	Grab
MW-01S	06/18/2019	32.40	22.88	-	-	-	-	9.52	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/09/2019	32.40	22.33	-	-	-	-	10.07	8:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	07/23/2019	32.40	22.25	-	-	-	-	10.15	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/09/2019	32.40	22.27	-	-	-	-	10.13	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/19/2019	32.40	23.22	-	-	-	-	27.82	9.18	11:26	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	08/20/2019	31.04	22.46	-	-	-	-	26.65	8.58	12:43	-	-	-	-	-	-	-	-	-	-	1,300	
MW-01S	08/21/2019	32.40	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39,000	
MW-01S	09/03/2019	32.40	23.45	-	-	-	-	8.95	8:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	09/17/2019	32.40	23.72	-	-	-	-	8.68	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	10/01/2019	32.40	24.10	-	-	-	-	8.30	9:25	-	-	-	-	-	-	-	-	-	-	-	-	Grab
MW-01S	11/18/2019	31.04	23.60	-	-	-	-	26.44	7.44	11:38	<0.2	<0.2	<0.2	<0.8	-	-	-	-	-	-	-	
MW-01S	11/20/2019	31.04	23.66	-	-	-	-	7.38	13:20	-	-	-	-	-	-	-	<4	-	-	-	4,600	
MW-01S	11/21/2019	31.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,100	
MW-01S	12/05/2019	31.04	24.20	-	-	-	-	6.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	01/14/2020	31.04	24.37	-	-	-	-	6.67	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/17/2020	31.04	24.45	-	-	-	-	26.65	6.59	11:36	-	-	-	-	-	-	-	-	-	-	-	
MW-01S	02/18/2020	31.04	24.48	-	-	-	-	6.56	9:20	-	-	-	-	-	-	-	-	-	-	-	2,100	
MW-01S	02/18/2020	31.04	-	-	-	-	-	-	14:45	-	-	-	-	-	-	-	-	-	-	-	5,100	
MW-01S	03/10/2020	31.04	24.79	-	-	-	-	6.25	8:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	07/24/2014	30.86	26.59	-	-	-	-	4.27	-	-	-	-	-	-	-	-	-	-	-	-	-	Grab
MW-08S	07/31/2014	30.86	22.08	-	-	-	-	24.35	8.78	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/08/2014	30.86	21.33	-	-	-	-	24.64	9.53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/11/2014	30.86	21.42	-	-	-	-	9.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/15/2014	30.86	21.41	-	-	-	-	9.45	-	-	-	-	-	-	-	-	-	-	-	-	7,540	
MW-08S	08/18/2014	30.86	21.46	-	-	-	-	9.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	08/25/2014	30.86	21.49	-	-	-	-	9.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/02/2014	30.86	21.45	-	-	-	-	9.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/15/2014	30.86	21.58	-	-	-	-	9.28	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-08S	09/22/2014	30.86	21.67	-	-	-	-	9.19	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	09/24/2014	30.86	21.68	-	-	-	-	9.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/01/2014	30.86	21.67	-	-	-	-	9.19	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/10/2014	30.86	21.71	-	-	-	-	9.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/13/2014	30.86	21.72	-	-	-	-	9.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/20/2014	30.86	21.80	-	-	-	-	9.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/22/2014	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	10/27/2014	30.86	21.88	-	-	-	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/07/2014	30.86	21.84	-	-	-	-	9.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/12/2014	30.86	21.94	-	-	-	-	8.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/21/2014	30.86	21.99	-	-	-	-	8.87	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/26/2014	30.86	22.01	-	-	-	-	8.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/05/2014	30.86	22.03	-	-	-	-	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/11/2014	30.86	22.03	-	-	-	-	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/16/2014	30.86	22.04	-	-	-	-	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/23/2014	30.86	22.07	-	-	-	-	8.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	12/30/2014	30.86	22.10	-	-	-	-	8.76	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	01/09/2015	30.86	22.12	-	-	-	-	8.74	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	01/16/2015	30.86	22.05	-	-	-	-	8.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	01/19/2015	30.86	22.01	-	-	-	-	8.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	01/26/2015	30.86	22.08	-	-	-	-	8.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/03/2015	30.86	22.15	-	-	-	-	24.72	8.71	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/09/2015	30.86	22.14	-	-	-	-	8.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/18/2015	30.86	22.15	-	-	-	-	8.71	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/24/2015	30.86	22.15	-	-	-	-	24.64	8.71	15:48	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	02/26/2015	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	03/04/2015	30.86	21.34	-	-	-	-	9.52	14:15	-	-	-	-	-	-	-	-	-	-	-	22,000	
MW-08S	03/11/2015	30.86	21.80	-	-	-	-	9.06	12:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	03/18/2015	30.86	21.88	-	-	-	-	8.98	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	03/26/2015	30.86	22.05	-	-	-	-	24.70	8.81	11:40	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	04/02/2015	30.86	22.03	-	-	-	-	24.60	8.83	11:25	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	04/08/2015	30.86	22.07	-	-	-	-	24.68	8.79	8:50	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	04/13/2015	30.86	22.08	-	-	-	-	8.78	10:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	04/23/2015	30.86	22.08	-	-	-	-	24.65	8.78	11:55	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	04/29/2015	30.86	22.09	-	-	-	-	24.60	8.77	14:22	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	05/04/2015	30.86	22.09	-	-	-	-	8.77	11:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	05/11/2015	30.86	22.10	-	-	-	-	24.70	8.76	9:50	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	05/12/2015	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27,000	
MW-08S	05/21/2015	30.86	22.05	-	-	-	-	24.65	8.81	12:22	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-08S	05/28/2015	30.86	22.11	-	-	-	24.60	8.75	11:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	06/02/2015	30.86	22.06	-	-	-	-	8.80	13:04	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	06/09/2015	30.86	22.05	-	-	-	-	8.81	10:30	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	06/16/2015	30.86	22.05	-	-	-	-	8.81	11:24	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	06/26/2015	30.86	21.98	-	-	-	24.50	8.88	10:40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	07/01/2015	30.86	22.02	-	-	-	-	8.84	12:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	07/08/2015	30.86	22.01	-	-	-	-	8.85	11:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	07/13/2015	30.86	21.95	-	-	-	-	8.91	9:26	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	07/20/2015	30.86	21.75	-	-	-	-	9.11	9:16	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	07/28/2015	30.86	21.08	-	-	-	24.75	9.78	11:46	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	08/04/2015	30.86	21.05	-	-	-	24.30	9.81	9:39	-	-	-	-	-	-	-	-	-	-	-	-	14,000
MW-08S	08/11/2015	30.86	21.15	-	-	-	24.69	9.71	10:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	08/18/2015	30.86	21.24	-	-	-	-	9.62	10:16	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	08/24/2015	30.86	21.32	-	-	-	-	9.54	10:26	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	09/02/2015	30.86	21.32	-	-	-	24.66	9.54	11:10	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	09/09/2015	30.86	21.50	-	-	-	24.71	9.36	10:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	09/17/2015	30.86	21.61	-	-	-	24.74	9.25	10:17	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	09/23/2015	30.86	21.63	-	-	-	-	9.23	10:40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	09/28/2015	30.86	21.68	-	-	-	24.69	9.18	9:22	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	10/05/2015	30.86	21.75	-	-	-	24.70	9.11	9:23	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	11/10/2015	30.86	21.95	-	-	-	-	8.91	13:13	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	12/01/2015	30.86	22.00	-	-	-	24.66	8.86	10:43	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	12/02/2015	30.86	NR	-	-	-	-	-	-	61	<0.5	5.00	48	-	-	-	-	-	-	-	-	15,000
MW-08S	01/27/2016	30.86	21.98	-	-	-	-	8.88	10:33	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	02/15/2016	30.86	21.83	-	-	-	-	9.03	10:14	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	03/14/2016	30.86	21.72	-	-	-	25.62	9.14	11:04	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	03/16/2016	30.86	21.72	-	-	-	24.65	9.14	12:42	-	-	-	-	-	-	-	-	-	-	-	-	20,000
MW-08S	04/21/2016	30.86	22.21	-	-	-	24.65	8.65	12:11	-	-	-	-	-	-	-	-	-	-	-	-	11,000
MW-08S	05/23/2016	30.86	25.03	-	-	-	25.48	5.83	11:00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	05/24/2016	30.86	22.05	-	-	-	24.68	8.81	10:11	-	-	-	-	-	-	-	-	-	-	-	-	8,500
MW-08S	06/21/2016	30.86	22.18	-	-	-	-	8.68	10:56	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	07/21/2016	30.86	21.20	-	-	-	-	9.66	10:55	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	08/24/2016	30.86	21.77	-	-	-	24.65	9.09	11:22	-	-	-	-	-	-	-	-	-	-	-	-	7,400
MW-08S	11/28/2016	30.86	22.07	-	-	-	24.82	8.79	10:26	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	11/29/2016	30.86	22.07	-	-	-	24.75	8.79	9:36	6	<0.5	<0.5	0.7 J	-	-	-	-	2 J	-	-	-	12,000
MW-08S	02/21/2017	30.86	22.43	-	-	-	24.70	8.43	11:23	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	02/22/2017	30.86	22.44	-	-	-	-	8.42	9:54	-	-	-	-	-	-	-	-	-	-	-	-	11,000
MW-08S	05/22/2017	30.86	21.92	-	-	-	24.70	8.94	10:57	-	-	-	-	-	-	-	-	-	-	-	-	15,300
MW-08S	08/28/2017	30.86	22.15	-	-	-	24.45	8.71	10:53	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-08S	08/29/2017	30.86	21.40	-	-	-	24.70	9.46	10:53	-	-	-	-	-	-	-	-	-	-	1,650	48,000	
MW-08S	11/28/2017	30.86	22.02	-	-	-	24.68	8.84	13:53	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-08S	11/29/2017	30.86	22.07	-	-	-	24.73	8.79	11:02	2.4	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	20,300	38,600	
MW-08S	02/20/2018	30.86	21.92	-	-	-	24.70	8.94	12:30	-	-	-	-	-	-	-	-	-	-	1,890	41,800	
MW-08S	05/21/2018	30.86	21.94	-	-	-	24.73	8.92	13:20	-	-	-	-	-	-	-	-	-	-	-	19,700	
MW-08S	08/13/2018	30.86	23.62	-	-	-	26.83	7.24	9:34	-	-	-	-	-	-	-	-	-	-	-	11,000	
MW-08S	11/12/2018	30.86	20.91	-	-	-	24.70	9.95	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/13/2018	30.86	20.83	-	-	-	24.70	10.03	9:46	1 J	<0.2	<0.2	<0.2	<0.5	-	-	-	-	-	-	6,100	
MW-08S	02/11/2019	30.86	21.10	-	-	-	24.74	9.76	10:35	-	-	-	-	-	-	-	-	-	-	-	3,900	
MW-08S	05/20/2019	30.86	21.32	-	-	-	-	9.54	9:45	-	-	-	-	-	-	-	-	-	-	-	5,600	
MW-08S	05/20/2019	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7,100	Grab
MW-08S	08/19/2019	30.86	21.37	-	-	-	25.35	9.49	9:51	-	-	-	-	-	-	-	-	-	-	-	5,000	
MW-08S	08/21/2019	30.86	21.32	-	-	-	24.68	9.54	9:25	-	-	-	-	-	-	-	-	-	-	-	5,800	Grab
MW-08S	11/18/2019	30.86	21.90	-	-	-	24.67	8.96	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-08S	11/21/2019	30.86	21.94	-	-	-	24.66	8.92	21:29	5 J	<2	<2	<2	<8	-	-	-	-	-	-	9,100	
MW-08S	11/22/2019	30.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9,900	Grab	
MW-08S	02/17/2020	30.86	22.16	-	-	-	-	8.70	9:27	-	-	-	-	-	-	-	-	-	-	-	10,000	
MW-08S	02/17/2020	30.86	-	-	-	-	-	-	14:30	-	-	-	-	-	-	-	-	-	-	-	11,000	Grab
MW/RW-10S	08/08/2014	31.24	22.40	-	-	-	26.51	8.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/11/2014	31.24	22.41	-	-	-	-	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/15/2014	31.24	22.02	-	-	-	-	9.22	-	-	-	-	-	-	-	-	-	-	-	-	36,000	
MW/RW-10S	08/18/2014	31.24	22.03	-	-	-	-	9.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/25/2014	31.24	22.06	-	-	-	-	9.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/02/2014	31.24	22.11	-	-	-	-	9.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/15/2014	31.24	22.15	-	-	-	-	9.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/22/2014	31.24	22.18	-	-	-	-	9.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/24/2014	31.24	22.19	-	-	-	-	9.05	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-10S	10/01/2014	31.24	22.22	-	-	-	26.09	9.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/10/2014	31.24	22.18	22.18	TRACE	-	-	9.06	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	10/13/2014	31.24	22.21	-	-	-	-	9.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/20/2014	31.24	22.35	-	-	-	26.10	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/22/2014	31.24	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100,000	
MW/RW-10S	10/27/2014	31.24	22.32	-	-	-	-	8.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/07/2014	31.24	22.30	-	-	-	-	8.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/12/2014	31.24	22.32	-	-	-	-	8.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/21/2014	31.24	22.38	-	-	-	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/26/2014	31.24	22.35	-	-	-	-	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	12/05/2014	31.24	22.40	22.38	0.02	TRACE	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	12/11/2014	31.24	22.33	22.33	TRACE	-	-	8.91	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments	
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)		
MW/RW-10S	12/16/2014	31.24	22.36	22.36	TRACE	-	-	8.88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	12/23/2014	31.24	22.37	-	-	-	-	8.87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	12/30/2014	31.24	22.42	22.42	TRACE	-	-	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	01/09/2015	31.24	22.44	22.43	0.01	TRACE	-	8.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	01/16/2015	31.24	22.41	22.40	0.01	TRACE	-	8.84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	01/19/2015	31.24	22.43	22.42	0.01	TRACE	-	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	01/26/2015	31.24	22.23	22.22	0.01	TRACE	-	9.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	02/03/2015	31.24	22.50	-	-	-	26.11	8.74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	02/09/2015	31.24	22.43	22.42	0.01	-	-	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	02/18/2015	31.24	22.44	22.43	0.01	-	-	8.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	02/24/2015	31.24	22.50	22.49	0.01	-	26.11	8.75	15:44	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	03/04/2015	31.24	22.50	22.48	0.02	-	-	8.76	14:28	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	03/11/2015	31.24	22.51	22.48	0.03	-	-	8.76	12:54	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	03/18/2015	31.24	22.56	22.52	0.04	-	-	8.72	11:23	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	03/26/2015	31.24	22.53	22.50	0.03	-	26.10	8.74	11:27	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	04/02/2015	31.24	22.55	22.51	0.04	-	26.05	8.73	11:52	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	04/08/2015	31.24	22.53	22.52	0.01	-	26.10	8.72	9:05	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	04/13/2015	31.24	22.56	22.53	0.03	-	-	8.71	10:59	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	04/23/2015	31.24	22.53	22.51	0.02	-	26.05	8.73	12:22	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	04/29/2015	31.24	23.53	23.50	0.03	-	26.00	7.74	14:43	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	05/04/2015	31.24	22.57	22.54	0.03	-	-	8.70	11:59	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	05/11/2015	31.24	22.86	22.84	0.02	-	26.10	8.40	10:00	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	05/21/2015	31.24	22.59	22.56	0.03	-	-	8.68	12:46	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	05/28/2015	31.24	22.60	22.56	0.04	-	26.00	8.68	12:01	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	06/02/2015	31.24	22.60	22.56	0.04	-	-	8.68	13:20	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	06/09/2015	31.24	22.54	22.53	0.01	-	-	8.71	10:40	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	06/19/2015	31.24	22.54	22.53	0.01	-	-	8.71	11:34	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	06/26/2015	31.24	22.61	22.54	0.07	-	26.00	8.69	11:26	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	07/01/2015	31.24	22.58	22.52	0.06	-	-	8.71	12:26	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	07/08/2015	31.24	22.54	22.49	0.05	TRACE	-	8.74	11:57	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	07/13/2015	31.24	21.96	-	-	-	-	9.28	9:44	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	07/20/2015	31.24	21.48	-	-	-	-	9.76	9:13	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	07/28/2015	31.24	21.36	-	-	-	26.11	9.88	10:39	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	08/05/2015	31.24	21.51	21.42	0.09	-	-	9.81	9:24	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	08/11/2015	31.24	21.49	21.49	TRACE	TRACE	26.15	9.75	10:22	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	08/18/2015	31.24	21.76	21.59	0.17	0.02	-	9.63	10:40	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	08/24/2015	31.24	21.80	21.68	0.12	0.01	-	9.55	10:50	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	09/02/2015	31.24	21.95	21.81	0.14	0.01	26.10	9.41	10:00	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	09/09/2015	31.24	22.05	21.91	0.14	0.02	26.11	9.31	11:08	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW/RW-10S	09/17/2015	31.24	22.10	22.00	0.10	TRACE	-	9.23	10:35	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	09/23/2015	31.24	22.06	22.02	0.04	TRACE	-	9.22	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/28/2015	31.24	22.14	22.07	0.07	TRACE	26.10	9.16	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/05/2015	31.24	22.12	-	-	-	26.10	9.12	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/10/2015	31.24	24.00	24.00	TRACE	-	-	7.24	13:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	12/01/2015	33.02	24.10	-	-	-	27.85	8.92	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/27/2016	33.02	24.18	24.18	TRACE	-	-	8.84	10:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/15/2016	33.02	24.37	24.36	0.01	-	-	8.66	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	03/14/2016	33.02	24.07	-	-	-	27.87	8.95	12:50	-	-	-	-	-	-	-	-	-	-	-	29,000	
MW/RW-10S	04/21/2016	33.02	25.99	25.95	0.04	-	-	7.07	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/23/2016	33.02	25.55	-	-	-	27.90	7.47	11:40	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	05/24/2016	33.02	25.57	-	-	-	27.89	7.45	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	06/21/2016	33.02	25.62	-	-	-	-	7.40	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/21/2016	33.02	25.57	-	-	-	-	7.45	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/24/2016	33.02	25.61	-	-	-	27.80	7.41	11:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/25/2016	33.02	24.97	-	-	-	-	8.05	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/22/2016	33.02	25.68	-	-	-	27.89	7.34	12:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/20/2016	33.02	25.68	-	-	-	-	7.34	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/28/2016	33.02	25.68	-	-	-	-	7.34	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/29/2016	33.02	25.71	-	-	-	27.95	7.31	-	<3	<3	<3	<3	<3	<3	<3	<3	<5	-	-	240,000	
MW/RW-10S	12/22/2016	33.02	25.66	-	-	-	27.72	7.36	10:18	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-10S	01/30/2017	33.02	25.61	-	-	-	27.97	7.41	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/21/2017	33.02	25.55	-	-	-	26.94	7.47	10:09	-	-	-	-	-	-	-	-	-	-	-	1,200,000	
MW/RW-10S	03/29/2017	32.11	25.55	-	-	-	26.97	6.56	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	04/18/2017	32.11	25.77	-	-	-	27.10	6.34	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/22/2017	32.11	25.81	-	-	-	27.00	6.30	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/23/2017	32.11	24.84	-	-	-	27.00	7.27	12:15	-	-	-	-	-	-	-	-	-	-	-	474,000	
MW/RW-10S	06/22/2017	32.11	26.02	-	-	-	27.05	6.09	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/21/2017	32.11	22.82	-	-	-	26.86	9.29	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/28/2017	32.11	22.85	-	-	-	27.00	9.26	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/29/2017	32.11	22.88	-	-	-	-	9.23	12:45	-	-	-	-	-	-	-	<2.0	-	2,400	54,300	-	LNAPL NMB
MW/RW-10S	09/05/2017	32.11	22.87	-	-	-	-	9.24	14:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/20/2017	32.11	22.95	-	-	-	-	9.16	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/03/2017	32.11	23.05	-	-	-	-	9.06	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/17/2017	32.11	23.10	-	-	-	-	9.01	11:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/02/2017	32.11	23.20	-	-	-	-	8.91	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/28/2017	32.11	23.19	-	-	-	26.98	8.92	14:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/30/2017	32.11	23.12	-	-	-	26.38	8.99	9:21	<0.50	<1.0	<1.0	<1.0	<1.0	-	-	<5.0	-	48,400	48,900	-	
MW/RW-10S	12/05/2017	32.11	23.20	-	-	-	-	8.91	10:08	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-10S	12/19/2017	32.11	23.24	-	-	-	-	8.87	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/03/2018	32.11	23.25	-	-	-	-	8.86	12:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/26/2018	32.11	23.33	-	-	-	-	8.78	11:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/01/2018	32.11	23.27	-	-	-	-	8.84	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/20/2018	32.11	DRY	-	-	-	-	-	12:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/21/2018	32.11	23.22	-	-	-	-	26.98	8.89	10:44	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/22/2018	32.11	23.25	-	-	-	-	27.96	8.86	12:32	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	03/06/2018	32.11	23.15	-	-	-	-	-	8.96	11:24	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	03/29/2018	32.11	23.15	-	-	-	-	-	8.96	9:21	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	04/11/2018	32.11	23.17	-	-	-	-	-	8.94	8:56	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	04/23/2018	32.11	23.13	-	-	-	-	-	8.98	9:35	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/03/2018	32.11	23.12	-	-	-	-	-	8.99	9:32	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/03/2018	31.24	22.25	-	-	-	-	-	8.99	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/21/2018	31.24	22.26	-	-	-	-	26.10	8.98	10:08	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/24/2018	31.24	22.21	-	-	-	-	26.15	9.03	8:12	-	-	-	-	-	-	-	-	-	-	520,000	
MW/RW-10S	06/12/2018	31.24	22.20	-	-	-	-	-	9.04	10:22	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	06/26/2018	31.24	22.05	-	-	-	-	26.10	9.19	9:49	-	-	-	-	-	-	-	-	-	-	28,100 B	103,000
MW/RW-10S	07/02/2018	31.24	22.07	-	-	-	-	-	9.17	10:40	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/17/2018	31.24	22.06	-	-	-	-	-	9.18	9:53	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/30/2018	31.24	21.51	-	-	-	-	-	9.73	10:28	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/09/2018	31.24	21.44	-	-	-	-	-	9.80	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/13/2018	31.24	21.37	-	-	-	-	26.03	9.87	11:51	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/14/2018	31.24	21.33	-	-	-	-	27.95	9.91	10:35	-	-	-	-	-	-	-	-	-	-	77,000	
MW/RW-10S	09/04/2018	31.24	21.22	-	-	-	-	-	10.02	10:00	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/21/2018	31.24	20.75	-	-	-	-	26.10	10.49	9:22	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/25/2018	31.24	25.01	-	-	-	-	-	-	13:31	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW/RW-10S	10/02/2018	31.24	22.26	-	-	-	-	27.57	-	10:10	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW/RW-10S	10/24/2018	31.24	26.75	-	-	-	-	27.22	-	9:53	-	-	-	-	-	-	-	-	-	-	-	See Notes
MW/RW-10S	11/12/2018	32.82	23.02	-	-	-	-	-	9.80	10:27	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/13/2018	32.82	22.26	-	-	-	-	-	10.56	14:00	<0.2	<0.2	<0.2	<0.5	-	-	-	<4	-	-	12,000	
MW/RW-10S	11/27/2018	32.82	22.32	-	-	-	-	-	10.50	9:41	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	12/11/2018	32.82	22.48	-	-	-	-	-	10.34	9:48	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	12/27/2018	32.82	22.37	-	-	-	-	-	10.45	9:53	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/10/2019	32.82	22.57	-	-	-	-	-	10.25	9:33	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/24/2019	32.82	26.50	-	-	-	-	-	6.32	13:20	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/11/2019	32.82	22.91	-	-	-	-	27.50	9.91	12:05	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/15/2019	32.82	22.94	-	-	-	-	-	9.88	8:55	-	-	-	-	-	-	-	-	-	-	11,000	
MW/RW-10S	02/21/2019	32.82	22.86	-	-	-	-	-	9.96	9:56	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	03/07/2019	32.82	24.84	-	-	-	-	29.48	7.98	9:24	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-10S	03/19/2019	32.82	24.37	-	-	-	-	8.45	9:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	04/02/2019	32.82	24.07	-	-	-	-	8.75	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	04/22/2019	32.82	24.35	-	-	-	-	8.47	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/06/2019	32.82	23.30	-	-	-	-	9.52	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/20/2019	32.82	24.42	-	-	-	-	8.40	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	05/22/2019	32.82	23.02	-	-	-	-	9.80	12:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	06/04/2019	32.82	24.49	-	-	-	-	8.33	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	06/18/2019	32.82	24.53	-	-	-	-	8.29	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/09/2019	32.82	24.01	-	-	-	-	8.81	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	07/23/2019	32.82	23.80	-	-	-	-	9.02	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/09/2019	32.82	23.02	-	-	-	-	9.80	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/19/2019	32.82	22.94	-	-	-	-	27.27	9.88	11:58	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	08/21/2019	31.24	21.95	-	-	-	-	26.68	9.29	11:39	-	-	-	-	-	-	-	-	-	-	-	11,000
MW/RW-10S	09/03/2019	32.82	24.57	-	-	-	-	8.25	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	09/17/2019	32.82	24.80	-	-	-	-	8.02	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	10/01/2019	32.82	25.28	-	-	-	-	7.54	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/18/2019	31.24	22.35	-	-	-	-	26.11	8.89	11:15	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	11/21/2019	31.24	22.38	-	-	-	-	26.09	8.86	11:05	~2	~2	~2	~8	-	-	-	-	-	-	-	26,000
MW/RW-10S	12/05/2019	31.24	22.38	-	-	-	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	01/14/2020	31.24	22.47	-	-	-	-	8.77	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/17/2020	31.24	22.52	-	-	-	-	26.17	8.72	12:02	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-10S	02/19/2020	31.24	22.58	-	-	-	-	8.66	14:36	-	-	-	-	-	-	-	-	-	-	-	-	18,000
MW/RW-10S	03/10/2020	31.24	22.53	-	-	-	-	8.71	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/25/2014	30.85	26.90	-	-	-	-	33.40	3.95	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/08/2014	30.85	26.76	-	-	-	-	34.00	4.09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/11/2014	30.85	26.57	-	-	-	-	4.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/15/2014	30.85	27.15	-	-	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/16/2014	30.85	26.81	-	-	-	-	34.00	4.04	-	-	-	-	-	-	-	-	-	-	-	423	
MW-11	08/18/2014	30.85	26.77	-	-	-	-	4.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/25/2014	30.85	26.43	-	-	-	-	4.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/02/2014	30.85	26.83	-	-	-	-	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/15/2014	30.85	26.75	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/22/2014	30.85	26.64	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/24/2014	30.85	27.08	-	-	-	-	3.77	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/01/2014	30.85	26.87	-	-	-	-	34.02	3.98	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/13/2014	30.85	26.86	-	-	-	-	3.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/20/2014	30.85	26.96	-	-	-	-	33.99	3.89	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments	
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )							
MW-11	10/22/2014	30.85	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	840	
MW-11	02/24/2015	30.85	27.03	-	-	-	-	-	3.82	13:39	-	-	-	-	-	-	-	-	-	-	-	-	920
MW-11	02/26/2015	30.85	27.07	-	-	-	-	34.00	3.78	10:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	03/04/2015	30.85	26.95	-	-	-	-	-	3.90	14:09	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	03/11/2015	30.85	26.58	-	-	-	-	-	4.27	12:39	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	03/18/2015	30.85	26.74	-	-	-	-	-	4.11	10:59	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	03/26/2015	30.85	26.56	-	-	-	-	33.90	4.29	11:22	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	04/02/2015	30.85	26.69	-	-	-	-	33.90	4.16	11:12	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	04/08/2015	30.85	27.00	-	-	-	-	33.82	3.85	9:25	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	04/13/2015	30.85	26.88	-	-	-	-	-	3.97	10:32	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	04/23/2015	30.85	26.40	-	-	-	-	33.85	4.45	11:40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	04/29/2015	30.85	26.56	-	-	-	-	33.80	4.29	14:09	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/04/2015	30.85	26.39	-	-	-	-	-	4.46	11:33	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/11/2015	30.85	26.35	-	-	-	-	33.80	4.50	15:05	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/12/2015	30.85	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/21/2015	30.85	26.88	-	-	-	-	33.90	3.97	12:12	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/28/2015	30.85	26.83	-	-	-	-	33.80	4.02	11:38	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	06/02/2015	30.85	26.50	-	-	-	-	-	4.35	12:58	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	06/09/2015	30.85	26.23	-	-	-	-	-	4.62	10:24	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	06/16/2015	30.85	26.28	-	-	-	-	-	4.57	11:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	06/26/2015	30.85	26.22	-	-	-	-	33.80	4.63	10:32	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	07/01/2015	30.85	25.73	-	-	-	-	-	5.12	12:09	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	08/04/2015	30.85	25.94	-	-	-	-	33.86	4.91	12:13	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	08/05/2015	30.85	26.31	-	-	-	-	33.84	4.54	8:46	-	-	-	-	-	-	-	-	-	-	-	-	5,300
MW-11	09/28/2015	30.85	25.92	25.90	0.02	-	33.92	4.95	9:58	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	10/05/2015	30.85	25.72	-	-	-	33.92	5.13	9:29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	11/10/2015	30.85	26.35	-	-	-	-	4.50	13:23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	12/01/2015	30.85	26.48	-	-	-	33.92	4.37	13:38	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	12/02/2015	30.85	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,000
MW-11	01/27/2016	30.85	26.68	-	-	-	-	-	4.17	10:31	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	02/15/2016	30.85	27.03	-	-	-	-	-	3.82	10:03	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	03/14/2016	30.85	26.63	-	-	-	34.06	4.22	8:30	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	04/21/2016	30.85	26.97	-	-	-	-	-	3.88	10:04	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	05/23/2016	30.85	27.68	-	-	-	32.83	3.17	9:59	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	06/21/2016	30.85	26.03	-	-	-	-	-	4.82	10:36	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	07/21/2016	30.85	25.75	-	-	-	-	-	5.10	10:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	08/24/2016	30.85	25.35	-	-	-	30.69	5.50	9:22	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	11/28/2016	30.85	26.25	-	-	-	-	-	4.60	8:10	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-11	11/29/2016	30.85	26.53	-	-	-	29.60	4.32	9:43	-	-	-	-	-	-	-	-	-	-	-	-	-	770

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-11	02/21/2017	30.85	26.25	-	-	-	29.40	4.60	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/22/2017	30.85	26.88	-	-	-	-	3.97	12:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/28/2017	30.85	DRY	-	-	-	29.21	-	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/05/2017	30.85	DRY	-	-	-	29.03	-	14:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/20/2017	30.85	DRY	-	-	-	29.03	-	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/03/2017	30.85	DRY	-	-	-	29.03	-	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/17/2017	30.85	DRY	-	-	-	29.03	-	11:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/02/2017	30.85	DRY	-	-	-	29.03	-	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/28/2017	30.85	DRY	-	-	-	29.03	-	11:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	12/05/2017	30.85	DRY	-	-	-	29.03	-	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	01/03/2018	30.85	DRY	-	-	-	29.03	-	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	01/26/2018	30.85	DRY	-	-	-	29.03	-	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	02/01/2018	30.85	DRY	-	-	-	29.03	-	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	02/20/2018	30.85	28.20	-	-	-	29.11	2.65	10:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/06/2018	30.85	27.58	-	-	-	-	3.27	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/29/2018	30.85	26.98	-	-	-	-	3.87	9:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/11/2018	30.85	27.36	-	-	-	-	3.49	8:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/23/2018	30.85	27.23	-	-	-	-	3.62	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/03/2018	30.85	27.18	-	-	-	-	3.67	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/21/2018	30.85	26.28	-	-	-	29.21	4.57	14:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/12/2018	30.85	25.95	-	-	-	-	4.90	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/26/2018	30.85	26.17	-	-	-	29.03	4.68	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/02/2018	30.85	26.12	-	-	-	-	4.73	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/17/2018	30.85	26.10	-	-	-	-	4.75	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/30/2018	30.85	25.16	-	-	-	-	5.69	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/09/2018	30.85	24.95	-	-	-	-	5.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/13/2018	30.85	27.79	-	-	-	31.37	3.06	11:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/04/2018	30.85	24.82	-	-	-	-	6.03	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/25/2018	30.85	24.13	-	-	-	-	6.72	13:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/02/2018	30.85	24.24	-	-	-	-	6.61	12:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/24/2018	30.85	25.79	-	-	-	-	5.06	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/12/2018	30.85	24.75	-	-	-	-	6.10	13:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/13/2018	30.85	24.52	-	-	-	28.52	6.33	10:35	-	-	-	-	-	-	-	-	-	-	-	7,300	
MW-11	11/27/2018	30.85	24.27	-	-	-	-	6.58	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	12/11/2018	30.85	25.02	-	-	-	-	5.83	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	12/27/2018	30.85	24.87	-	-	-	-	5.98	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	01/10/2019	30.85	25.19	-	-	-	-	5.66	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	01/24/2019	30.85	24.95	-	-	-	-	5.90	9:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	02/11/2019	30.85	25.09	-	-	-	29.81	5.76	13:28	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-11	02/21/2019	30.85	24.87	-	-	-	30.03	5.98	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/07/2019	30.85	25.08	-	-	-	-	5.77	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/19/2019	30.85	25.12	-	-	-	-	5.73	13:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/02/2019	30.85	25.01	-	-	-	-	5.84	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	04/22/2019	30.85	25.15	-	-	-	-	5.70	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/06/2019	30.85	25.07	-	-	-	-	5.78	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	05/20/2019	30.85	24.80	-	-	-	30.17	6.05	10:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/04/2019	30.85	25.27	-	-	-	-	5.58	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	06/18/2019	30.85	25.28	-	-	-	-	5.57	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/09/2019	30.85	24.92	-	-	-	-	5.93	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	07/23/2019	30.85	25.07	-	-	-	-	5.78	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/09/2019	30.85	25.19	-	-	-	-	5.66	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	08/19/2019	30.85	25.20	-	-	-	29.83	5.65	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/03/2019	30.85	25.29	-	-	-	-	5.56	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	09/17/2019	30.85	25.86	-	-	-	-	4.99	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	10/01/2019	30.85	26.07	-	-	-	-	4.78	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/18/2019	30.85	25.89	-	-	-	29.07	4.96	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	11/21/2019	30.85	26.48	-	-	-	29.17	4.37	14:15	-	-	-	-	-	-	-	-	-	-	-	5,000	
MW-11	12/05/2019	30.85	26.45	-	-	-	-	4.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	01/14/2020	30.85	26.68	-	-	-	-	4.17	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	02/17/2020	30.85	26.34	-	-	-	28.82	4.51	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-11	03/10/2020	30.85	26.47	-	-	-	-	4.38	9:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/31/2014	31.22	28.04	-	-	-	38.15	3.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/08/2014	31.22	28.21	-	-	-	38.14	3.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/11/2014	31.22	27.81	-	-	-	-	3.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/15/2014	31.22	27.43	-	-	-	-	3.79	-	-	-	-	-	-	-	-	-	-	-	-	305	
MW/RW-14	08/18/2014	31.22	27.17	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/25/2014	31.22	26.83	-	-	-	-	4.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	09/02/2014	31.22	27.25	-	-	-	-	3.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	09/15/2014	31.22	27.15	-	-	-	-	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	09/22/2014	31.22	27.04	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/01/2014	31.22	27.23	-	-	TRACE	-	37.28	3.99	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/13/2014	31.22	27.25	27.25	TRACE	-	-	3.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/20/2014	31.22	27.32	-	-	-	37.30	3.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/22/2014	31.22	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,100	
MW/RW-14	02/24/2015	31.22	27.42	-	-	-	37.31	3.80	13:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/25/2015	31.22	27.46	-	-	-	37.31	3.76	10:47	-	-	-	-	-	-	-	-	-	-	-	6,000	
MW/RW-14	03/04/2015	31.22	27.39	-	-	-	-	3.83	14:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/11/2015	31.22	26.94	-	-	-	-	4.28	12:36	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW/RW-14	03/18/2015	31.22	27.13	-	-	-	-	4.09	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/26/2015	31.22	26.92	-	-	-	37.30	4.30	11:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/02/2015	31.22	27.04	-	-	-	37.25	4.18	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/08/2015	31.22	27.30	-	-	-	37.21	3.92	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/13/2015	31.22	27.30	-	-	-	-	3.92	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/23/2015	31.22	26.72	-	-	-	37.25	4.50	11:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/29/2015	31.22	26.94	-	-	-	37.25	4.28	14:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/04/2015	31.22	26.77	-	-	-	-	4.45	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/11/2015	31.22	26.71	-	-	-	37.37	4.51	14:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/12/2015	31.22	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/21/2015	31.22	26.93	-	-	-	37.33	4.29	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/28/2015	31.22	27.25	-	-	-	37.25	3.97	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/02/2015	31.22	26.92	-	-	-	-	4.30	12:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/09/2015	31.22	26.67	-	-	-	-	4.55	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/16/2015	31.22	26.73	-	-	-	-	4.49	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/26/2015	31.22	26.65	-	-	-	37.30	4.57	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/01/2015	31.22	26.12	-	-	-	-	5.10	12:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/04/2015	31.22	26.26	-	-	-	37.28	4.96	12:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/05/2015	31.22	26.75	-	-	-	37.27	4.47	8:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	12/01/2015	31.22	26.88	-	-	-	37.30	4.34	13:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	12/02/2015	31.22	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/14/2016	31.22	26.93	-	-	-	37.30	4.29	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/15/2016	31.22	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/21/2016	31.22	28.05	27.42	0.63	0.75	-	3.72	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/05/2016	31.22	29.03	28.20	0.83	-	-	2.92	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/23/2016	31.22	26.82	26.81	0.01	-	-	4.41	11:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/21/2016	31.22	28.18	27.77	0.41	0.06	-	3.40	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/21/2016	31.22	28.85	27.90	0.95	0.44	-	3.20	11:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/04/2016	31.33	28.32	27.75	0.57	0.00	-	3.51	12:00	-	-	-	-	-	-	-	-	-	-	-	-	installed pump & lines & started
MW/RW-14	08/24/2016	31.33	30.32	-	-	-	-	1.01	10:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	08/25/2016	31.33	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15,000
MW/RW-14	09/22/2016	31.33	31.30	-	-	-	-	0.03	13:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	10/20/2016	31.33	31.22	-	-	-	-	0.11	11:14	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	11/28/2016	31.33	30.87	-	-	-	-	0.46	10:12	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	11/29/2016	31.33	27.47	-	-	-	-	3.86	12:25	-	-	-	-	-	-	-	-	-	-	-	-	110,000
MW/RW-14	12/22/2016	31.33	30.25	-	-	-	-	1.08	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	01/30/2017	31.33	27.67	-	-	-	-	3.66	12:16	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-14	02/21/2017	31.33	30.20	-	-	-	-	1.13	12:40	-	-	-	-	-	-	-	-	-	-	-	-	5,600

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW/RW-14	03/29/2017	31.33	31.35	-	-	-	-	-0.02	12:27	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	04/18/2017	31.33	31.35	-	-	-	-	-0.02	12:00	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	05/18/2017	31.33	31.40	-	-	-	-	-0.07	-	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	05/22/2017	31.33	27.11	-	-	-	-	-	4.22	12:57	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	06/22/2017	31.33	31.45	-	-	-	-	-0.12	12:08	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	07/06/2017	31.33	31.10	-	-	-	-	0.23	13:10	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	08/21/2017	31.33	32.20	-	-	-	-	-0.87	9:48	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	08/28/2017	31.33	32.20	-	-	-	-	-0.87	9:15	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	08/31/2017	31.33	32.50	-	-	-	-	36.48	-1.17	9:15	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	09/20/2017	31.33	32.18	-	-	-	-	-0.85	10:25	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	10/17/2017	31.33	31.40	-	-	-	-	-0.07	11:47	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	11/28/2017	31.33	31.47	-	-	-	-	-0.14	11:40	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	11/30/2017	31.33	NR	-	-	-	-	-	-	11:00	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	01/26/2018	31.33	31.35	-	-	-	-	-0.02	12:45	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	02/20/2018	31.33	31.42	-	-	-	-	-0.09	11:10	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	02/21/2018	31.33	-	-	-	-	-	-	14:30	-	-	-	-	-	-	-	-	-	-	-	<83	
MW/RW-14	03/06/2018	31.33	27.5	-	-	-	-	3.83	12:23	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	03/29/2018	31.33	27.22	-	-	-	-	4.11	9:31	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	04/11/2018	31.33	27.75	-	-	-	-	3.58	9:00	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	04/23/2018	31.33	27.73	-	-	-	-	3.60	9:08	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	05/03/2018	31.33	27.6	-	-	-	-	3.73	9:24	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-14	05/24/2018	31.33	26.62	-	-	-	-	36.53	4.71	8:15	-	-	-	-	-	-	-	-	-	-	16,500	
MW/RW-14	06/12/2018	31.33	26.4	-	-	-	-	4.93	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/26/2018	31.33	26.55	-	-	-	-	36.52	4.78	9:59	-	-	-	-	-	-	-	-	-	-	6,720 B	
MW/RW-14	07/02/2018	31.33	26.69	-	-	-	-	4.64	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/17/2018	31.33	26.75	-	-	-	-	4.58	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/30/2018	31.33	26.27	-	-	-	-	39.54	5.06	10:59	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/09/2018	31.33	26.38	-	-	-	-	4.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/13/2018	31.33	26.3	-	-	-	-	5.03	12:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/15/2018	31.33	30.89	-	-	-	-	0.44	9:35	-	-	-	-	-	-	-	-	-	-	-	67 J	
MW/RW-14	09/04/2018	31.33	26.60	-	-	-	-	4.73	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	09/25/2018	31.33	25.53	-	-	-	-	5.80	13:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/02/2018	31.33	25.76	-	-	-	-	5.57	12:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/24/2018	31.33	26.59	-	-	-	-	4.74	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	11/12/2018	32.92	27.20	-	-	-	-	5.72	13:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	11/13/2018	32.92	26.93	-	-	-	-	5.99	13:30	-	-	-	-	-	-	-	-	-	-	-	3,300	
MW/RW-14	11/27/2018	32.92	26.55	-	-	-	-	6.37	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	12/11/2018	32.92	27.4	-	-	-	-	5.52	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	12/27/2018	32.92	27.22	-	-	-	-	5.70	9:44	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-14	01/10/2019	32.92	28.12	-	-	-	-	4.80	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	01/24/2019	32.92	27.42	-	-	-	-	5.50	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/11/2019	32.92	27.93	-	-	-	-	4.99	12:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/13/2019	32.92	27.67	-	-	-	-	5.25	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/21/2019	32.92	26.98	-	-	-	-	5.94	10:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	03/07/2019	32.92	29.02	-	-	-	29.40	3.90	9:40	-	-	-	-	-	-	-	-	-	-	-	2,800	
MW/RW-14	03/19/2019	32.92	28.90	-	-	-	-	4.02	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/02/2019	32.92	29.05	-	-	-	-	3.87	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	04/22/2019	32.92	28.94	-	-	-	-	3.98	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/06/2019	32.92	27.07	-	-	-	-	5.85	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/20/2019	32.92	26.85	-	-	-	38.02	6.07	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	05/22/2019	32.92	29.00	-	-	-	-	3.92	13:10	-	-	-	-	-	-	-	-	-	-	-	-	1,300
MW/RW-14	06/04/2019	32.92	28.99	-	-	-	-	3.93	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	06/18/2019	32.92	28.86	-	-	-	-	4.06	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/09/2019	32.92	28.67	-	-	-	-	4.25	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	07/23/2019	32.92	28.93	-	-	-	-	3.99	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/09/2019	32.92	27.48	-	-	-	-	5.44	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/19/2019	32.92	27.38	-	-	-	39.79	5.54	11:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	08/20/2019	31.33	26.45	-	-	-	37.34	4.88	10:14	-	-	-	-	-	-	-	-	-	-	-	830	
MW/RW-14	09/03/2019	32.92	29.20	-	-	-	-	3.72	9:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	09/17/2019	32.92	29.25	-	-	-	-	3.67	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	10/01/2019	32.92	29.10	-	-	-	-	3.82	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	11/18/2019	31.33	26.28	26.28	TRACE	-	37.27	5.05	12:13	-	-	-	-	-	-	-	-	-	-	-	-	3,600
MW/RW-14	11/19/2019	31.33	26.26	-	-	-	-	5.07	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	12/05/2019	31.33	27.05	-	-	-	-	4.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	01/14/2020	31.33	26.94	-	-	-	-	4.39	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/17/2020	31.33	27.06	-	-	-	31.49	4.27	10:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-14	02/19/2020	31.33	27.07	-	-	-	-	4.26	12:10	-	-	-	-	-	-	-	-	-	-	-	2,500	
MW/RW-14	03/10/2020	31.33	26.84	-	-	-	-	4.49	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/08/2014	31.03	26.11	-	-	-	26.20	4.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/11/2014	31.03	26.11	-	-	-	-	4.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/15/2014	31.03	24.00	-	-	-	-	7.03	-	-	-	-	-	-	-	-	-	-	-	-	-	909
MW-15S	08/18/2014	31.03	24.67	-	-	-	-	6.36	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	08/25/2014	31.03	24.82	-	-	-	-	6.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	09/02/2014	31.03	24.82	-	-	-	-	6.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	09/15/2014	31.03	24.96	-	-	-	-	6.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	09/22/2014	31.03	25.06	-	-	-	-	5.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	10/01/2014	31.03	25.20	-	-	-	25.88	5.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-15S	10/13/2014	31.03	26.37	-	-	-	-	4.66	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-15S	10/20/2014	31.03	25.45	-	-	-	25.90	5.58	-	-	-	-	-	-	-	-	-	-	-	-	-	2,800
MW-15S	10/22/2014	31.03	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,800
MW-15S	02/26/2015	31.03	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	05/11/2015	31.03	25.33	-	-	-	26.00	5.70	9:10	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	05/12/2015	31.03	25.35	-	-	-	-	5.68	12:10	-	-	-	-	-	-	-	-	-	-	-	-	1,800
MW-15S	08/04/2015	31.03	22.16	-	-	-	25.90	8.87	9:47	-	-	-	-	-	-	-	-	-	-	-	-	5,900
MW-15S	12/01/2015	31.03	25.46	-	-	-	25.88	5.57	11:03	-	-	-	-	-	-	-	-	-	-	-	-	4,200
MW-15S	03/14/2016	31.03	25.58	-	-	-	26.00	5.45	8:55	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	05/23/2016	31.03	25.29	-	-	-	26.00	5.74	11:08	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	07/21/2016	31.03	25.44	-	-	-	-	5.59	11:26	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	08/24/2016	31.03	22.07	-	-	-	25.86	8.96	12:16	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	11/28/2016	31.03	25.15	-	-	-	26.70	5.88	10:34	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	11/29/2016	31.03	25.14	-	-	-	25.94	5.89	9:47	-	-	-	-	-	-	-	-	-	-	-	-	160
MW-15S	02/21/2017	31.03	25.45	-	-	-	25.90	5.58	11:07	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	05/22/2017	31.03	24.60	-	-	-	25.90	6.43	11:08	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	08/28/2017	31.03	25.45	-	-	-	25.91	5.58	11:02	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	08/29/2017	31.03	25.33	-	-	-	25.96	5.70	13:43	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	11/28/2017	31.03	25.47	-	-	-	25.60	5.56	14:44	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	11/30/2017	31.03	25.40	-	-	-	25.93	5.63	9:50	-	-	-	-	-	-	-	-	-	-	-	-	1,750
MW-15S	02/20/2018	31.03	21.60	-	-	-	25.90	9.43	12:03	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	05/21/2018	31.03	23.57	-	-	-	25.95	7.46	11:35	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	05/22/2018	31.03	23.41	-	-	-	25.95	7.62	9:44	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	08/13/2018	31.03	23.99	-	-	-	27.92	7.04	9:47	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	11/12/2018	31.03	21.28	-	-	-	25.90	9.75	9:42	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	11/13/2018	31.03	20.62	-	-	-	25.90	10.41	9:42	-	-	-	-	-	-	-	-	-	-	-	-	360
MW-15S	02/11/2019	31.03	21.59	-	-	-	25.94	9.44	10:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	05/20/2019	31.03	22.00	-	-	-	26.52	9.03	10:17	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	08/19/2019	31.03	21.72	-	-	-	26.81	9.31	9:58	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	11/18/2019	31.03	23.49	-	-	-	26.18	7.54	10:22	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-15S	11/22/2019	31.03	23.59	-	-	-	25.92	7.44	9:43	-	-	-	-	-	-	-	-	-	-	-	-	160
MW-15S	02/17/2020	31.03	25.02	-	-	-	25.88	6.01	11:01	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	08/15/2014	31.03	24.13	-	-	-	24.61	6.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	08/16/2014	31.03	24.12	-	-	-	24.48	6.91	-	-	-	-	-	-	-	-	-	-	-	-	-	1,720
MW-16S	08/18/2014	31.03	24.13	-	-	-	-	6.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	08/25/2014	31.03	24.24	-	-	-	-	6.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	09/02/2014	31.03	DRY	-	-	-	24.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	09/15/2014	31.03	DRY	-	-	-	24.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	09/22/2014	31.03	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	10/01/2014	31.03	DRY	-	-	-	24.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-16S	10/10/2014	31.03	DRY	-	-	-	24.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
MW-16S	10/20/2014	31.03	DRY	-	-	-	24.70	-	15:36	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	02/24/2015	31.03	DRY	-	-	-	24.70	-	10:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	05/11/2015	31.03	DRY	-	-	-	24.62	8.40	9:54	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	08/04/2015	31.03	22.63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	09/09/2015	31.03	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	12/01/2015	31.03	DRY	-	-	-	24.64	-	11:07	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	03/14/2016	31.03	DRY	-	-	-	24.70	-	8:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	05/23/2016	31.03	DRY	-	-	-	24.82	-	11:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	08/24/2016	31.03	DRY	-	-	-	24.65	-	12:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	11/28/2016	31.03	DRY	-	-	-	24.68	-	8:21	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	02/21/2017	31.03	DRY	-	-	-	24.67	-	11:10	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	05/22/2017	31.03	DRY	-	-	-	24.55	-	11:10	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	08/28/2017	31.03	DRY	-	-	-	24.69	-	11:05	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	11/28/2017	31.03	DRY	-	-	-	24.62	-	11:33	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	02/20/2018	31.03	DRY	-	-	-	25.87	-	10:40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	05/21/2018	31.03	DRY	-	-	-	24.68	-	11:37	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	08/13/2018	31.03	DRY	-	-	-	25.29	-	10:00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	11/12/2018	31.03	21.21	-	-	-	24.62	9.82	9:44	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	02/11/2019	31.03	21.73	-	-	-	24.82	9.30	10:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	05/20/2019	31.03	21.86	-	-	-	24.87	9.17	10:19	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	08/19/2019	31.03	21.89	-	-	-	24.81	9.14	10:03	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	11/18/2019	31.03	DRY	-	-	-	24.69	-	10:20	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16S	02/17/2020	31.03	DRY	-	-	-	24.68	-	11:03	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	08/15/2014	30.97	26.78	-	-	-	35.74	4.19	-	-	-	-	-	-	-	-	-	-	-	-	-	<300
MW-16	08/18/2014	30.97	26.73	-	-	-	-	4.24	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	08/25/2014	30.97	26.55	-	-	-	-	4.42	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/02/2014	30.97	26.91	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/15/2014	30.97	26.76	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	09/22/2014	30.97	26.80	-	-	-	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	10/01/2014	30.97	26.95	-	-	-	35.53	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	10/10/2014	30.97	26.85	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	10/20/2014	30.97	27.19	-	-	-	35.61	3.78	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	10/22/2014	30.97	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.02	<20	-	<45
MW-16	02/24/2015	30.97	27.25	-	-	-	35.61	3.72	13:34	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	02/25/2015	30.97	27.23	-	-	-	35.62	3.74	11:14	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.03	<20	-	<45
MW-16	05/11/2015	30.97	26.43	-	-	-	35.60	4.54	14:50	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-16	05/12/2015	30.97	26.90	-	-	-	-	4.07	9:52	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	<20	-	<45
MW-16	08/04/2015	30.97	24.75	-	-	-	35.55	6.22	12:06	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-16	08/05/2015	30.97	25.04	-	-	-	35.53	5.93	9:51	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-16	12/01/2015	30.97	26.55	-	-	-	27.90	4.42	13:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	03/14/2016	30.97	26.67	-	-	-	35.55	4.30	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	05/23/2016	30.97	26.65	-	-	-	35.82	4.32	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	08/24/2016	30.97	26.75	-	-	-	35.55	4.22	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	11/28/2016	30.97	27.24	-	-	-	35.49	3.73	8:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	11/29/2016	30.97	27.05	-	-	-	35.80	3.92	-	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	<45	
MW-16	02/21/2017	30.97	27.73	-	-	-	35.63	3.24	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	02/22/2017	30.97	27.39	-	-	-	-	3.58	10:00	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-16	05/22/2017	30.97	26.64	-	-	-	-	4.33	12:51	-	-	-	-	-	-	-	-	-	-	-	<64	
MW-16	08/28/2017	30.97	31.87	-	-	-	35.05	-0.90	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	08/30/2017	30.97	31.69	-	-	-	35.57	-0.72	12:44	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-16	11/28/2017	30.97	29.93	-	-	-	35.59	1.04	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	11/30/2017	30.97	29.85	-	-	-	35.59	1.12	10:15	<0.50	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	103	
MW-16	02/20/2018	30.97	27.86	-	-	-	36.16	3.11	10:37	-	-	-	-	-	-	-	-	-	-	-	103	
MW-16	02/20/2018	30.97	27.91	-	-	-	35.55	3.06	13:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	05/21/2018	30.97	26.17	-	-	-	35.69	4.80	14:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	05/22/2018	30.97	26.41	-	-	-	35.60	4.56	9:48	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-16	08/13/2018	30.97	24.17	-	-	-	35.55	6.80	11:40	-	-	-	-	-	-	-	-	-	-	-	66 J	
MW-16	11/12/2018	30.97	21.92	-	-	-	35.38	9.05	12:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	11/14/2018	30.97	22.02	-	-	-	35.57	8.95	9:30	<0.2	<0.2	<0.2	<0.5	-	-	-	<4	-	-	-	230	
MW-16	02/11/2019	30.97	22.24	-	-	-	35.60	8.73	12:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	02/13/2019	30.97	22.07	-	-	-	34.78	8.90	13:29	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-16	05/20/2019	30.97	22.29	-	-	-	35.85	8.68	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	05/21/2019	30.97	22.37	-	-	-	35.54	8.60	9:32	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-16	08/19/2019	30.97	22.26	-	-	-	36.08	8.71	11:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	08/20/2019	30.97	22.31	-	-	-	34.88	8.66	9:02	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-16	11/18/2019	30.97	25.03	-	-	-	35.23	5.94	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	11/22/2019	30.97	25.06	-	-	-	35.51	5.91	8:55	<0.2	<0.2	<0.2	<0.8	-	-	-	<4	-	-	-	<53	
MW-16	02/17/2020	30.97	25.15	-	-	-	35.49	5.82	11:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-16	02/18/2020	30.97	25.08	-	-	-	-	5.89	9:20	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-25S	08/08/2014	31.07	23.64	-	-	-	25.80	7.43	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/11/2014	31.07	22.35	-	-	-	-	8.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/15/2014	31.07	21.94	-	-	-	-	9.13	-	-	-	-	-	-	-	-	-	-	-	-	49,000	
MW-25S	08/18/2014	31.07	21.95	-	-	-	-	9.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/25/2014	31.07	21.98	-	-	-	-	9.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/02/2014	31.07	21.99	-	-	-	-	9.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/15/2014	31.07	22.04	-	-	-	-	9.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/22/2014	31.07	22.50	-	-	-	-	8.57	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-25S	09/24/2014	31.07	22.12	22.12	TRACE	-	-	8.95	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	10/01/2014	31.07	22.07	-	-	-	25.47	9.00	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	10/10/2014	31.07	22.09	22.09	TRACE	-	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	10/13/2014	31.07	22.13	22.11	0.02	TRACE	-	8.96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	10/20/2014	31.07	22.19	22.18	0.01	TRACE	-	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	10/27/2014	31.07	22.10	22.09	0.01	TRACE	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	10/27/2014	31.07	22.10	22.09	0.01	TRACE	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	11/07/2014	31.07	22.08	22.07	0.01	TRACE	-	9.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	11/12/2014	31.07	22.28	22.10	0.18	0.06	-	8.95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	11/21/2014	31.07	22.43	22.18	0.25	0.09	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	11/26/2014	31.07	22.37	22.17	0.20	0.06	-	8.88	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	12/05/2014	31.07	22.57	22.20	0.37	-	25.50	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	840,000
MW-25S	12/11/2014	31.07	22.22	22.21	0.01	TRACE	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW-25S	12/16/2014	31.07	22.38	22.11	0.27	0.03	-	8.93	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	12/23/2014	31.07	22.43	22.13	0.30	0.05	-	8.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	12/30/2014	31.07	22.50	22.20	0.30	0.04	-	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	01/09/2015	31.07	22.49	22.19	0.30	-	-	8.84	-	-	-	-	-	-	-	-	-	-	-	-	-	2,200,000
MW-25S	01/16/2015	31.07	22.60	22.48	0.12	0.01	-	8.58	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW-25S	01/19/2015	31.07	22.34	22.25	0.09	0.01	-	8.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	01/26/2015	31.07	22.30	22.16	0.14	0.02	-	8.89	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	02/03/2015	31.07	22.25	-	-	-	25.50	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-25S	02/09/2015	31.07	22.31	22.14	0.17	-	-	8.91	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	02/18/2015	31.07	22.37	22.18	0.19	-	-	8.87	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	02/24/2015	31.07	22.59	22.28	0.31	-	-	8.75	14:03	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	03/04/2015	31.07	22.48	22.30	0.18	-	-	8.75	14:31	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	03/11/2015	31.07	22.50	22.30	0.20	-	-	8.75	13:04	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	03/18/2015	31.07	22.46	22.23	0.23	-	-	8.81	11:26	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	03/26/2015	31.07	22.35	22.17	0.18	-	25.50	8.88	11:59	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	04/02/2015	31.07	22.40	22.18	0.22	-	25.45	8.86	12:06	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	04/08/2015	31.07	22.40	22.08	0.32	-	25.47	8.95	9:15	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	04/13/2015	31.07	22.50	22.22	0.28	-	-	8.82	11:03	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	04/23/2015	31.07	22.39	22.16	0.23	-	25.50	8.88	12:25	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	04/29/2015	31.07	22.35	22.12	0.23	-	25.50	8.92	14:48	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	05/04/2015	31.07	22.47	22.19	0.28	-	-	8.85	12:04	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	05/11/2015	31.07	22.45	22.20	0.25	-	-	8.84	11:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	05/21/2015	31.07	22.40	22.23	0.17	-	-	8.82	12:53	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	05/28/2015	31.07	22.60	22.27	0.33	-	25.50	8.76	12:06	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	06/02/2015	31.07	22.53	22.25	0.28	-	-	8.79	13:24	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	06/09/2015	31.07	22.38	22.16	0.22	-	-	8.88	10:46	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-25S	06/16/2015	31.07	22.37	22.13	0.24	-	-	8.91	11:40	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	06/26/2015	31.07	22.35	22.12	0.23	-	25.40	8.92	11:28	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	07/01/2015	31.07	22.23	22.04	0.19	-	-	9.01	12:18	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	07/08/2015	31.07	22.08	21.88	0.20	0.04	-	9.17	12:04	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW-25S	07/13/2015	31.07	21.89	21.74	0.15	-	-	9.31	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/20/2015	31.07	21.37	21.33	0.04	TRACE	-	9.74	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/28/2015	31.07	21.20	-	-	-	25.49	9.87	12:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/04/2015	31.07	21.28	21.24	TRACE	TRACE	-	9.79	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/11/2015	31.07	21.37	21.36	0.01	0.01	25.49	9.71	11:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/18/2015	31.07	21.51	21.46	0.05	TRACE	-	9.60	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/24/2015	31.07	21.60	21.54	0.06	TRACE	-	9.52	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/02/2015	31.07	21.76	21.69	0.07	0.01	25.47	9.37	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/09/2015	31.07	21.81	21.77	0.04	0.01	25.49	9.30	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/17/2015	31.07	21.92	21.89	0.03	0.01	25.52	9.18	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/23/2015	31.07	21.92	21.89	0.03	TRACE	-	9.18	11:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/28/2015	31.07	21.96	21.92	0.04	TRACE	25.48	9.15	9:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/05/2015	31.07	22.01	21.98	0.03	TRACE	25.51	9.09	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/10/2015	31.07	22.09	22.06	0.03	TRACE	-	9.01	13:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/01/2015	31.07	22.19	22.16	0.03	-	25.43	8.91	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/27/2016	31.07	22.10	22.08	0.02	-	-	8.99	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/15/2016	31.07	22.10	22.07	0.03	TRACE	-	9.00	10:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	03/14/2016	31.07	22.02	-	-	-	25.50	9.05	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/21/2016	31.07	22.38	22.35	0.03	TRACE	-	8.72	12:15	-	-	-	-	-	-	-	-	-	-	-	-	strong product odor
MW-25S	05/23/2016	31.07	22.16	22.14	0.02	TRACE	-	8.93	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	06/21/2016	31.07	22.17	22.13	0.04	TRACE	-	8.94	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/21/2016	31.07	22.02	-	-	-	-	9.05	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/24/2016	31.07	22.07	-	-	-	25.65	9.00	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/25/2016	31.07	22.16	-	-	-	25.52	8.91	11:15	-	-	-	-	-	-	-	-	-	-	-	24,000	
MW-25S	11/28/2016	31.07	22.48	-	-	-	25.49	8.59	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/29/2016	31.07	22.51	-	-	-	25.51	8.56	-	3	<0.5	4	2	-	-	-	-	9	-	-	1,200,000	Sheen
MW-25S	02/21/2017	31.07	23.62	23.60	0.02	TRACE	25.41	7.47	11:14	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-25S	03/28/2017	31.07	23.83	-	-	-	25.43	7.24	15:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	03/29/2017	33.28	25.35	-	-	-	25.57	7.93	12:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/18/2017	33.28	27.08	-	-	-	27.17	6.20	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/22/2017	33.28	23.67	-	-	-	27.16	9.61	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/23/2017	33.28	22.03	-	-	-	27.20	11.25	13:10	-	-	-	-	-	-	-	-	-	-	-	42,500	
MW-25S	06/22/2017	33.28	27.05	-	-	-	27.19	6.23	11:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/19/2017	33.28	27.08	-	-	-	27.15	6.20	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/21/2017	33.28	23.56	-	-	-	27.32	9.72	9:40	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-25S	08/28/2017	33.28	23.70	-	-	-	27.35	9.58	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/31/2017	33.28	23.68	-	-	-	27.34	9.60	9:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/05/2017	33.28	23.63	-	-	-	-	9.65	13:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/20/2017	33.28	23.74	-	-	-	-	9.54	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/03/2017	33.28	23.88	-	-	-	-	9.40	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/17/2017	33.28	23.92	-	-	-	-	9.36	11:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/02/2017	33.28	23.98	-	-	-	-	9.30	11:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/28/2017	33.28	24.00	-	-	-	27.28	9.28	14:10	-	<0.50	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	
MW-25S	11/29/2017	33.28	24.00	-	-	-	27.33	9.28	13:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/05/2017	33.28	DRY	-	-	-	24.02	-	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/19/2017	33.28	24.13	-	-	-	-	9.15	10:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/18/2018	33.28	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/18/2018	33.28	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/18/2018	33.28	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/03/2018	33.28	24.25	-	-	-	-	9.03	12:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/26/2018	33.28	24.55	-	-	-	-	8.73	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/01/2018	33.28	24.43	-	-	-	-	8.85	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/20/2018	33.28	24.10	-	-	-	27.24	9.18	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/21/2018	33.28	24.08	-	-	-	27.35	9.20	14:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	03/06/2018	33.28	23.95	-	-	-	-	9.33	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	03/29/2018	33.28	23.88	-	-	-	-	9.40	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/11/2018	33.28	24.02	-	-	-	-	9.26	9:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/23/2018	33.28	23.88	-	-	-	-	9.40	9:12	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/03/2018	33.28	23.85	-	-	-	-	9.43	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/03/2018	31.22	22.08	-	-	-	-	9.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/21/2018	31.22	21.81	-	-	-	25.44	9.41	9:58	-	-	-	-	-	-	-	-	-	-	-	64,100	
MW-25S	06/12/2018	31.22	21.91	-	-	-	-	9.31	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	06/26/2018	31.22	21.84	-	-	-	25.43	9.38	10:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/02/2018	31.22	21.85	-	-	-	-	9.37	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/17/2018	31.22	21.89	-	-	-	-	9.33	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/30/2018	31.22	21.33	-	-	-	-	9.89	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/09/2018	31.22	21.27	-	-	-	-	9.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/13/2018	31.22	21.20	-	-	-	25.46	10.02	11:54	-	-	-	-	-	-	-	-	-	-	-	34,000	
MW-25S	09/04/2018	31.22	20.88	-	-	-	-	10.34	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/25/2018	31.22	24.76	-	-	-	-	-	13:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/02/2018	31.22	22.05	-	-	-	26.87	-	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/24/2018	31.22	26.70	-	-	-	27.02	-	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/12/2018	32.44	22.34	-	-	-	-	10.10	9:47	<0.2	0.3 J	<0.2	<0.5	-	-	-	<4	-	-	11,000	-	
MW-25S	11/27/2018	32.44	22.57	-	-	-	-	9.87	9:53	-	-	-	-	-	-	-	-	-	-	-	-	

See Notes  
See Notes  
See Notes

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-25S	12/11/2018	32.44	22.32	-	-	-	-	10.12	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	12/27/2018	32.44	22.17	-	-	-	-	10.27	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/10/2019	32.44	22.27	-	-	-	-	10.17	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/24/2019	32.44	26.60	-	-	-	-	5.84	14:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/11/2019	32.44	22.46	-	-	-	-	9.98	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/12/2019	32.44	22.41	-	-	-	-	10.03	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/21/2019	32.44	OBST	-	-	-	-	-	9:50	-	-	-	-	-	-	-	-	-	-	-	-	5,200
MW-25S	03/07/2019	32.44	22.44	-	-	-	-	10.00	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	03/19/2019	32.44	22.69	-	-	-	-	9.75	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/02/2019	32.44	22.40	-	-	-	-	10.04	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	04/22/2019	32.44	22.65	-	-	-	-	9.79	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/06/2019	32.44	22.86	-	-	-	-	9.58	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/20/2019	32.44	22.73	-	-	-	26.82	9.71	10:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	05/22/2019	32.44	22.68	-	-	-	-	9.76	12:14	-	-	-	-	-	-	-	-	-	-	-	-	6,300
MW-25S	06/04/2019	32.44	23.15	-	-	-	-	9.29	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	06/18/2019	32.44	23.19	-	-	-	-	9.25	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/09/2019	32.44	22.81	-	-	-	-	9.63	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	07/23/2019	32.44	22.33	-	-	-	-	10.11	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/09/2019	32.44	22.48	-	-	-	-	9.96	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/19/2019	32.44	22.76	-	-	-	26.68	9.68	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	08/20/2019	31.22	21.79	-	-	-	25.87	9.43	11:15	-	-	-	-	-	-	-	-	-	-	-	-	8,400
MW-25S	09/03/2019	32.44	23.24	-	-	-	-	9.20	9:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	09/17/2019	32.44	23.37	-	-	-	-	9.07	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	10/01/2019	32.44	23.48	-	-	-	-	8.96	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/18/2019	31.22	22.18	-	-	-	25.49	9.04	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	11/19/2019	31.22	22.18	-	-	-	25.49	9.04	11:24	0.8 J	<0.2	0.3 J	<0.8	-	-	-	-	-	-	-	-	13,000
MW-25S	12/05/2019	31.22	22.29	-	-	-	-	8.93	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	01/14/2020	31.22	22.31	-	-	-	-	8.91	11:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/17/2020	31.22	22.27	-	-	-	25.49	8.95	11:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-25S	02/19/2020	31.22	22.30	-	-	-	-	8.92	10:00	-	-	-	-	-	-	-	-	-	-	-	-	13,000
MW-25S	03/10/2020	31.22	22.37	-	-	-	-	8.85	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/08/2014	31.13	27.97	27.60	0.37	0.08	36.69	3.48	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducer installed for pump test
MW/RW-25	08/11/2014	31.13	27.61	27.37	0.24	NA	-	3.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/13/2014	31.13	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,280
MW/RW-25	08/15/2014	31.13	28.11	28.05	0.06	NA	-	3.07	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducer installed for pump test
MW/RW-25	08/16/2014	31.13	27.81	27.75	0.06	NA	-	3.37	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducer installed for pump test

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW/RW-25	08/18/2014	31.13	27.94	27.71	0.23	NA	-	3.39	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducer installed for pump test
MW/RW-25	08/25/2014	31.13	26.89	26.74	0.15	0.05	-	4.37	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	09/02/2014	31.13	27.77	27.03	0.74	0.50	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	09/15/2014	31.13	27.69	26.87	0.82	NR	-	4.16	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	09/19/2014	31.13	28.10	26.95	1.15	0.93	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	09/22/2014	31.13	27.53	26.91	0.62	0.38	-	4.14	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	09/24/2014	31.13	27.73	27.23	0.50	NR	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	10/01/2014	31.13	27.47	27.02	0.45	0.19	35.90	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	10/10/2014	31.13	27.65	26.91	0.74	0.50	-	4.13	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	10/13/2014	31.13	27.60	27.03	0.57	NR	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	10/20/2014	31.13	27.49	27.19	0.30	0.13	-	3.90	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	10/27/2014	31.13	27.87	27.25	0.62	NR	-	3.80	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	11/07/2014	31.13	27.53	27.08	0.45	0.19	-	4.00	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	11/12/2014	31.13	27.50	27.07	0.43	0.19	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	11/21/2014	31.13	28.53	27.81	0.72	0.16	-	3.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-25	11/26/2014	31.13	27.70	27.23	0.47	0.19	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-25	12/05/2014	31.13	27.63	27.15	0.48	-	35.87	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	50,000 HIT event
MW/RW-25	12/11/2014	31.13	27.31	26.98	0.33	0.06	-	4.11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-25	12/16/2014	31.13	27.27	27.04	0.23	0.03	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-25	12/23/2014	31.13	27.20	26.95	0.25	0.04	-	4.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-25	12/30/2014	31.13	28.02	27.33	0.69	0.28	-	3.72	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-25	01/09/2015	31.13	27.80	27.38	0.42	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	-	56,000 HIT event
MW/RW-25	01/16/2015	31.13	27.24	27.16	0.08	0.00	-	3.96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-25	01/19/2015	31.13	27.28	26.97	0.31	0.06	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-25	01/26/2015	31.13	27.27	26.98	0.29	0.05	-	4.11	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	02/03/2015	31.13	28.10	27.52	0.58	-	35.86	3.54	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	02/09/2015	31.13	27.43	27.06	0.37	-	-	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	02/18/2015	31.13	27.63	27.24	0.39	-	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	02/24/2015	31.13	27.68	27.18	0.50	-	-	3.89	14:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	03/04/2015	31.13	27.85	27.19	0.66	-	-	3.86	14:35	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	03/11/2015	31.13	27.27	26.76	0.51	-	-	4.31	13:08	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	03/18/2015	31.13	27.63	26.93	0.70	-	-	4.11	11:30	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	03/26/2015	31.13	27.31	26.70	0.61	-	35.90	4.36	12:03	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	04/02/2015	31.13	27.60	26.85	0.75	-	35.80	4.19	12:09	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	04/08/2015	31.13	28.00	27.15	0.85	-	35.90	3.88	9:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	04/13/2015	31.13	27.98	27.05	0.93	-	-	3.97	11:06	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	04/23/2015	31.13	27.21	26.47	0.74	-	35.90	4.57	12:28	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	04/29/2015	31.13	27.50	26.67	0.83	-	35.90	4.36	14:52	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW/RW-25	05/04/2015	31.13	27.37	26.57	0.80	-	-	4.46	12:08	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	05/11/2015	31.13	27.50	27.43	0.07	-	-	3.69	15:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	05/13/2015	31.13	28.31	27.19	1.12	1.50	-	3.80	12:53	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	05/21/2015	31.13	26.85	26.82	0.03	-	-	4.31	12:50	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	05/28/2015	31.13	27.55	27.09	0.46	-	35.80	3.98	12:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	06/02/2015	31.13	27.10	26.74	0.36	-	-	4.35	13:28	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	06/09/2015	31.13	26.91	26.46	0.45	-	-	4.62	10:50	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	06/16/2015	31.13	26.86	26.56	0.30	-	-	4.53	11:43	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	06/26/2015	31.13	26.91	26.48	0.43	-	35.80	4.60	11:31	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	07/01/2015	31.13	26.43	25.98	0.45	-	-	5.10	12:22	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	07/08/2015	31.13	26.63	26.13	0.50	0.25	-	4.94	12:00	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-25	07/13/2015	31.13	26.13	25.89	0.24	-	-	5.21	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/20/2015	31.13	26.23	26.23	TRACE	TRACE	-	4.90	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/28/2015	31.13	26.37	26.23	0.14	TRACE	36.00	4.88	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/04/2015	31.13	26.27	26.20	0.07	0.02	-	4.92	12:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/11/2015	31.13	26.05	25.90	0.15	0.03	35.88	5.21	11:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/18/2015	31.13	26.52	26.42	0.10	0.01	-	4.70	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/24/2015	31.13	26.55	26.33	0.22	0.02	-	4.77	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/02/2015	31.13	26.80	26.62	0.18	0.02	35.92	4.49	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/09/2015	31.13	26.51	26.45	0.06	0.02	35.93	4.67	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/17/2015	31.13	26.73	26.53	0.20	0.04	35.95	4.58	10:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/23/2015	31.13	26.82	26.63	0.19	0.02	-	4.48	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	09/28/2015	31.13	26.34	26.31	0.03	0.01	35.89	4.82	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	10/05/2015	31.13	26.21	26.06	0.15	0.05	35.87	5.05	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	11/10/2015	31.13	26.05	26.02	0.03	-	-	5.11	13:31	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-25	12/01/2015	30.52	26.19	26.06	0.13	-	-	4.44	13:54	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	01/27/2016	30.52	26.68	26.38	0.30	-	-	4.10	11:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	02/15/2016	30.52	26.88	26.59	0.29	-	-	3.89	10:39	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	03/14/2016	30.52	26.42	26.27	0.15	-	-	4.23	10:30	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	03/30/2016	30.52	32.73	-	-	-	-	-2.21	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	04/21/2016	30.52	32.76	-	-	-	-	-2.24	10:18	-	-	-	-	-	-	-	-	-	-	-	-	5,800
MW/RW-25	05/23/2016	30.52	32.81	-	-	-	33.70	-2.29	11:39	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	05/24/2016	30.52	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,900
MW/RW-25	06/21/2016	30.52	32.76	-	-	-	-	-2.24	10:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	07/21/2016	30.52	32.75	-	-	-	-	-2.23	11:12	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/24/2016	30.52	30.20	-	-	-	-	0.32	10:40	-	-	-	-	-	-	-	-	-	-	-	-	4,600
MW/RW-25	09/22/2016	30.52	32.70	-	-	-	-	-2.18	13:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	10/20/2016	30.52	32.85	-	-	-	-	-2.33	11:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	11/28/2016	30.52	32.65	-	-	-	-	-2.13	9:30	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	<1	-	-	-	250	pump in well

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-25	12/22/2016	30.52	32.83	-	-	-	-	-2.31	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	01/30/2017	30.52	26.83	-	-	-	-	3.69	12:11	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	02/21/2017	30.52	32.85	-	-	-	-	-2.33	12:44	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	03/29/2017	31.16	32.87	-	-	-	-	-1.71	12:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	04/18/2017	31.16	32.85	-	-	-	-	-1.69	11:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	05/18/2017	31.16	32.85	-	-	-	-	-1.69	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	05/22/2017	31.16	26.60	-	-	-	-	4.56	13:09	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	06/22/2017	31.16	32.90	-	-	-	-	-1.74	12:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	07/06/2017	31.16	32.62	-	-	-	-	-1.46	12:38	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	07/19/2017	31.16	32.25	-	-	-	-	-1.09	12:01	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/21/2017	31.16	32.95	-	-	-	-	-1.79	9:36	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/28/2017	31.16	32.12	-	-	-	-	-0.96	9:40	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/31/2017	31.16	31.91	-	-	-	35.14	-0.75	9:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	09/20/2017	31.16	32.95	-	-	-	-	-1.79	10:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	10/17/2017	31.16	NR	-	-	-	32.40	-	11:42	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	11/28/2017	31.16	NR	-	-	-	26.28	-	12:36	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	11/30/2017	31.16	NR	-	-	-	-	-	11:45	<0.50	<1.0	<1.0	<1.0	<1.0	-	-	-	<5.0	-	153	162	pump in well
MW/RW-25	01/26/2018	31.16	32.90	-	-	-	-	-1.74	12:40	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	02/20/2018	31.16	27.70	-	-	-	-	3.46	10:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	02/22/2018	31.16	32.85	-	-	-	-	-1.69	10:10	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	03/06/2018	31.16	26.77	-	-	-	-	4.39	12:19	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	03/29/2018	31.16	26.43	-	-	-	-	4.73	9:43	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	04/11/2018	31.16	26.97	-	-	-	-	4.19	9:11	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	04/23/2018	31.16	26.95	-	-	-	-	4.21	9:16	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	05/03/2018	31.16	26.77	-	-	-	-	4.39	9:27	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	05/21/2018	31.16	25.81	-	-	-	35.21	5.35	14:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	05/22/2018	31.16	25.87	-	-	-	35.15	5.29	9:55	-	-	-	-	-	-	-	-	-	-	-	20,600	pump in well
MW/RW-25	06/12/2018	31.16	25.74	-	-	-	-	5.42	10:27	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	06/26/2018	31.16	25.79	-	-	-	35.00	5.37	10:09	-	-	-	-	-	-	-	-	-	963 B	8,260	pump in well	
MW/RW-25	07/02/2018	31.16	25.99	-	-	-	-	5.17	10:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	07/17/2018	31.16	26.07	-	-	-	-	5.09	10:03	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	07/30/2018	31.16	25.60	-	-	-	-	5.56	10:37	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/09/2018	31.16	26.43	-	-	-	-	4.73	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/13/2018	31.16	25.53	-	-	-	35.12	5.63	11:26	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	08/14/2018	31.16	25.72	-	-	-	37.64	5.44	9:29	-	-	-	-	-	-	-	-	-	-	-	180,000	pump in well
MW/RW-25	09/04/2018	31.16	25.62	-	-	-	-	5.54	10:12	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	09/25/2018	31.16	24.79	-	-	-	-	6.37	13:22	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	10/02/2018	31.16	24.96	-	-	-	-	6.20	12:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-25	10/24/2018	31.16	27.02	-	-	-	-	4.14	9:57	-	-	-	-	-	-	-	-	-	-	-	-	See Notes

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-25	11/12/2018	32.75	25.96	-	-	-	-	6.79	13:09	<0.2	-	<0.2	-	-	-	-	-	-	-	-	2,500	
MW/RW-25	11/27/2018	32.75	25.27	-	-	-	-	7.48	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	12/11/2018	32.75	26.02	-	-	-	-	6.73	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	12/27/2018	32.75	26.05	-	-	-	-	6.70	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	01/10/2019	32.75	26.49	-	-	-	-	6.26	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	01/24/2019	32.75	27.05	-	-	-	-	5.70	14:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	02/11/2019	32.75	26.13	-	-	-	-	35.40	6.62	13:50	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	02/12/2019	32.75	26.13	-	-	-	-	-	6.62	11:35	-	-	-	-	-	-	-	-	-	-	-	4,200
MW/RW-25	02/15/2019	32.75	25.96	-	-	-	-	-	6.79	9:28	-	-	-	-	-	-	-	-	-	-	-	5,900
MW/RW-25	02/21/2019	32.75	25.87	-	-	-	-	-	6.88	9:46	-	-	-	-	-	-	-	-	-	-	-	Grab
MW/RW-25	03/07/2019	32.75	26.13	-	-	-	-	-	6.62	9:33	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	03/19/2019	32.75	26.18	-	-	-	-	-	6.57	9:29	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	04/02/2019	32.75	26.25	-	-	-	-	-	6.50	9:35	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	04/22/2019	34.00	27.40	-	-	-	-	-	6.60	9:12	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	05/06/2019	32.75	25.97	-	-	-	-	-	6.78	9:29	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	05/20/2019	32.75	25.84	-	-	-	-	36.34	6.91	10:37	-	-	-	-	-	-	-	-	-	-	-	3,500
MW/RW-25	05/20/2019	32.75	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	210,000
MW/RW-25	06/04/2019	34.00	27.58	-	-	-	-	-	6.42	10:15	-	-	-	-	-	-	-	-	-	-	-	Grab
MW/RW-25	06/18/2019	34.00	27.47	-	-	-	-	-	6.53	9:40	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/09/2019	34.00	27.28	-	-	-	-	-	6.72	9:14	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	07/23/2019	34.00	27.42	-	-	-	-	-	6.58	9:45	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/09/2019	34.00	26.35	-	-	-	-	-	7.65	10:40	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/19/2019	34.00	26.41	-	-	-	-	36.56	7.59	11:54	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	08/20/2019	32.75	25.65	-	-	-	-	35.65	7.10	12:25	-	-	-	-	-	-	-	-	-	-	-	3,100
MW/RW-25	08/21/2019	34.00	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31,000
MW/RW-25	09/03/2019	34.00	27.69	-	-	-	-	-	6.31	9:18	-	-	-	-	-	-	-	-	-	-	-	Grab
MW/RW-25	09/17/2019	34.00	27.77	-	-	-	-	-	6.23	9:47	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	10/01/2019	34.00	27.61	-	-	-	-	-	6.39	10:04	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	11/18/2019	32.75	25.53	-	-	-	-	34.80	7.22	12:18	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	11/19/2019	32.75	25.43	-	-	-	-	34.77	7.32	12:14	0.3 J	<0.2	<0.2	<0.8	-	-	-	<4	-	-	-	5,400
MW/RW-25	11/22/2019	32.75	25.83	-	-	-	-	-	6.92	8:48	-	-	-	-	-	-	-	-	-	-	-	330,000
MW/RW-25	12/05/2019	32.75	26.19	-	-	-	-	-	6.56	-	-	-	-	-	-	-	-	-	-	-	-	Grab
MW/RW-25	01/14/2020	32.75	26.37	-	-	-	-	-	6.38	11:56	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	02/17/2020	32.75	26.32	-	-	-	-	34.81	6.43	10:34	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-25	02/19/2020	32.75	26.26	-	-	-	-	-	6.49	10:55	-	-	-	-	-	-	-	-	-	-	-	5,700
MW/RW-25	02/19/2020	32.75	-	-	-	-	-	-	-	13:35	-	-	-	-	-	-	-	-	-	-	-	21,000
MW/RW-25	03/10/2020	32.75	26.14	-	-	-	-	-	6.61	9:11	-	-	-	-	-	-	-	-	-	-	-	Grab
MW-27	07/24/2014	31.44	27.59	-	-	-	-	-	3.85	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/31/2014	31.44	27.58	-	-	-	-	34.47	3.86	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-27	08/08/2014	31.44	27.69	-	-	-	34.46	3.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/11/2014	31.44	27.33	-	-	-	-	4.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/15/2014	31.44	27.90	-	-	-	-	3.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/16/2014	31.44	27.65	-	-	-	34.48	3.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/18/2014	31.44	27.62	-	-	-	-	3.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/25/2014	31.44	27.09	-	-	-	-	4.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/02/2014	31.44	27.52	-	-	-	-	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/15/2014	31.44	27.38	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/22/2014	31.44	27.24	-	-	-	-	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	10/01/2014	31.44	27.44	-	-	-	34.27	4.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	10/10/2014	31.44	27.24	-	-	-	-	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	10/20/2014	31.44	27.59	-	-	-	34.13	3.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	10/23/2014	31.44	NR	-	-	-	-	-	-	0.5	<0.5	2	2	2	<0.5	2	<0.5	<0.5	6	100	1,900	
MW-27	10/27/2014	31.44	27.66	-	-	-	-	3.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/07/2014	31.44	27.43	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/12/2014	31.44	27.43	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/21/2014	31.44	28.23	-	-	-	-	3.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/26/2014	31.44	27.64	-	-	-	-	3.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/05/2014	31.44	27.50	-	-	-	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/11/2014	31.44	27.38	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/16/2014	31.44	27.34	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/23/2014	31.44	27.22	-	-	-	-	4.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/30/2014	31.44	27.80	-	-	-	-	3.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	01/09/2015	31.44	27.59	-	-	-	-	3.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	01/16/2015	31.44	27.46	-	-	-	-	3.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	01/19/2015	31.44	27.38	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	01/26/2015	31.44	27.40	-	-	-	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/03/2015	31.44	28.01	-	-	-	34.05	3.43	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/09/2015	31.44	27.43	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/18/2015	31.44	27.52	-	-	-	-	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/24/2015	31.44	26.61	-	-	-	-	4.83	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	02/25/2015	31.44	27.45	-	-	-	34.06	3.99	13:38	<0.5	<0.5	1	0.5	<0.5	<0.5	<2	<0.5	<0.5	8.3	120	1,700	
MW-27	03/04/2015	31.44	27.63	-	-	-	-	3.81	13:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	03/11/2015	31.44	27.11	-	-	-	-	4.33	12:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	03/18/2015	31.44	27.36	-	-	-	-	4.08	10:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	03/26/2015	31.44	27.20	-	-	-	34.00	4.24	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	04/02/2015	31.44	27.28	-	-	-	34.05	4.16	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	04/08/2015	31.44	27.55	-	-	-	34.04	3.89	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	04/13/2015	31.44	27.53	-	-	-	-	3.91	10:14	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-27	04/23/2015	31.44	26.92	-	-	-	34.05	4.52	11:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	04/29/2015	31.44	27.18	-	-	-	34.05	4.26	13:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/04/2015	31.44	26.96	-	-	-	-	4.48	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/11/2015	31.44	26.86	-	-	-	34.04	4.58	15:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/13/2015	31.44	27.55	-	-	-	-	3.89	9:52	<0.5	<0.5	2	1	<0.5	2 J	<0.5	30	260	-	-	19,000	
MW-27	05/21/2015	31.44	27.12	-	-	-	34.12	4.32	12:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/28/2015	31.44	27.51	-	-	-	34.00	3.93	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	06/02/2015	31.44	27.11	-	-	-	-	4.33	12:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	06/09/2015	31.44	26.92	-	-	-	-	4.52	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	06/16/2015	31.44	26.86	-	-	-	-	4.58	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	06/26/2015	31.44	26.87	-	-	-	34.00	4.57	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/01/2015	31.44	26.38	-	-	-	-	5.06	11:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/08/2015	31.44	26.64	-	-	-	-	4.80	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/13/2015	31.44	26.19	-	-	-	-	5.25	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/20/2015	31.44	26.51	-	-	-	-	4.93	8:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/28/2015	31.44	26.55	-	-	-	34.13	4.89	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/04/2015	31.44	26.58	-	-	-	34.05	4.86	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/05/2015	31.44	27.06	27.06	TRACE	TRACE	34.07	4.38	8:16	-	-	-	-	-	-	-	-	-	-	-	2,100	
MW-27	08/11/2015	31.44	26.16	26.16	TRACE	TRACE	34.03	5.28	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/18/2015	31.44	26.77	-	-	-	-	4.67	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	08/24/2015	31.44	26.75	-	-	-	-	4.69	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/02/2015	31.44	27.09	27.09	TRACE	TRACE	34.08	4.35	9:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/09/2015	31.44	26.82	26.82	TRACE	TRACE	34.05	4.62	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/17/2015	31.44	27.16	-	-	-	34.08	4.28	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/23/2015	31.44	27.03	-	-	-	-	4.41	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	09/28/2015	31.44	26.52	-	-	-	34.09	4.92	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	10/05/2015	31.44	26.39	-	-	-	34.05	5.05	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	11/10/2015	31.44	26.97	-	-	-	-	4.47	12:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/01/2015	31.44	26.98	-	-	-	33.35	4.46	13:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	12/03/2015	31.44	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	-	-	-	1.00 J	-	-	-	1,700	
MW-27	01/27/2016	31.44	27.28	-	-	-	-	4.16	10:14	-	-	-	-	-	-	-	-	-	-	-	-	Sheen
MW-27	02/15/2016	31.44	27.64	-	-	-	-	3.80	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	03/14/2016	31.44	27.32	-	-	-	34.03	4.12	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	03/15/2016	31.44	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33,000	
MW-27	04/21/2016	31.44	27.85	-	-	-	33.80	3.59	10:30	-	-	-	-	-	-	-	-	-	-	-	8,400	Sheen
MW-27	05/23/2016	31.44	26.84	-	-	-	33.70	4.60	11:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	05/25/2016	31.44	28.07	-	-	-	33.81	3.37	-	-	-	-	-	-	-	-	-	-	-	-	18,000	
MW-27	06/21/2016	31.44	27.63	-	-	-	-	3.81	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-27	07/21/2016	31.44	27.53	-	-	-	-	3.91	9:44	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Xylenes Total ( $\mu\text{g/L}$ )	Methyl tert-butyl ether ( $\mu\text{g/L}$ )	tert-Butyl alcohol ( $\mu\text{g/L}$ )	1,2-Dibromoethane ( $\mu\text{g/L}$ )	1,2-Dichloroethane ( $\mu\text{g/L}$ )	Naphthalene ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	TPH-DRO - Silica Gel ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	Comments
MW-27	08/24/2016	31.44	27.59	-	-	-	33.50	3.85	10:10	-	-	-	-	-	-	-	-	-	-	-	-	3,100
MW-27	08/25/2016	31.44	27.62	-	-	-	33.60	3.82	11:10	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	09/22/2016	31.44	26.96	-	-	-	-	4.48	14:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	11/28/2016	31.44	27.84	-	-	-	34.40	3.60	8:51	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	11/29/2016	31.44	27.31	-	-	-	33.58	4.13	13:00	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	880
MW-27	02/21/2017	31.44	28.25	-	-	-	33.78	3.19	12:29	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	02/22/2017	31.44	27.94	-	-	-	33.78	3.50	13:00	-	-	-	-	-	-	-	-	-	-	-	-	940
MW-27	05/22/2017	31.44	27.18	-	-	-	33.71	4.26	13:17	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	05/23/2017	31.44	27.39	-	-	-	33.75	4.05	13:50	-	-	-	-	-	-	-	-	-	-	-	-	3,130
MW-27	08/28/2017	31.44	33.15	-	-	-	33.63	-1.71	9:55	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	08/30/2017	31.44	32.96	-	-	-	33.64	-1.52	15:03	-	-	-	-	-	-	-	-	-	-	-	-	11,900
MW-27	11/28/2017	31.44	31.39	-	-	-	32.45	0.05	10:53	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	11/29/2017	31.44	31.02	-	-	-	33.68	0.42	11:20	<0.50	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	-	782
MW-27	02/20/2018	31.44	28.62	-	-	-	35.53	2.82	10:06	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	02/21/2018	31.44	28.77	-	-	-	33.75	2.67	11:52	-	-	-	-	-	-	-	-	-	-	-	-	13,400
MW-27	05/21/2018	31.44	26.60	-	-	-	33.70	4.84	13:56	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	05/24/2018	31.44	26.71	-	-	-	33.67	4.73	8:25	-	-	-	-	-	-	-	-	-	-	-	-	4,440
MW-27	08/13/2018	31.44	26.46	-	-	-	33.71	4.98	11:43	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	08/14/2018	31.44	26.66	-	-	-	33.70	4.78	10:04	-	-	-	-	-	-	-	-	-	-	-	-	2,300
MW-27	11/12/2018	31.44	26.37	-	-	-	33.78	5.07	13:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	11/14/2018	31.44	26.83	-	-	-	33.78	4.61	9:48	<0.2	<0.2	<0.2	<0.5	-	-	-	-	<4	-	-	-	1,600
MW-27	02/11/2019	31.44	26.50	-	-	-	33.79	4.94	13:38	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	02/14/2019	31.44	26.51	-	-	-	34.31	4.93	9:20	-	-	-	-	-	-	-	-	-	-	-	-	420
MW-27	05/20/2019	31.44	25.99	-	-	-	34.78	5.45	10:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	05/21/2019	31.44	26.36	-	-	-	33.74	5.08	12:20	-	-	-	-	-	-	-	-	-	-	-	-	630
MW-27	08/19/2019	31.44	26.50	-	-	-	33.78	4.94	11:36	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-27	08/20/2019	31.44	26.64	-	-	-	-	4.80	10:50	-	-	-	-	-	-	-	-	-	-	-	-	670
MW-27	11/18/2019	31.44	26.45	-	-	-	33.69	4.99	12:46	-	-	-	-	-	-	-	<4	-	-	-	-	-
MW-27	11/21/2019	31.44	27.27	-	-	-	-	4.17	12:30	<0.2	<0.2	<0.2	<0.8	-	-	-	-	-	-	-	-	1,100
MW-27	02/17/2020	31.44	27.23	-	-	-	-	4.21	10:51	-	-	-	-	-	-	-	-	-	-	-	-	910
MW-30S	08/08/2014	30.67	23.31	-	-	-	25.28	7.36	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-30S	08/11/2014	30.67	23.33	-	-	-	-	7.34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-30S	08/15/2014	30.67	24.84	-	-	-	-	5.83	-	-	-	-	-	-	-	-	-	-	-	-	-	7,040
MW-30S	08/18/2014	30.67	24.84	-	-	-	-	5.83	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-30S	08/25/2014	30.67	24.79	-	-	-	-	5.88	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-30S	09/02/2014	30.67	24.83	-	-	-	-	5.84	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-30S	09/15/2014	30.67	24.85	-	-	-	-	5.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-30S	09/22/2014	30.67	24.88	-	-	-	-	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-30S	10/01/2014	30.67	24.88	-	-	-	25.28	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-30S	10/10/2014	30.67	24.87	-	-	-	-	5.80	-	<0.5	<0.5	<0.5	<0.5	<0.5	3	<0.5	-	-	-	-	-	
MW-30S	10/20/2014	30.67	24.77	-	-	-	25.29	5.90	-	-	-	-	-	-	-	-	-	-	-	-	-	2,900
MW-30S	10/23/2014	30.67	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	10/27/2014	30.67	24.78	-	-	-	-	5.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	11/07/2014	30.67	24.85	-	-	-	-	5.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	11/12/2014	30.67	24.87	-	-	-	-	5.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	11/21/2014	30.67	24.94	-	-	-	-	5.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	11/26/2014	30.67	24.93	-	-	-	-	5.74	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	12/05/2014	30.67	24.92	-	-	-	-	5.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	12/11/2014	30.67	24.72	-	-	-	-	5.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	12/16/2014	30.67	24.74	-	-	-	-	5.93	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	12/23/2014	30.67	24.70	-	-	-	-	5.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	12/30/2014	30.67	24.68	-	-	-	-	5.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	01/09/2015	30.67	24.66	-	-	-	-	6.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	01/16/2015	30.67	24.62	-	-	-	-	6.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	01/19/2015	30.67	24.60	-	-	-	-	6.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	01/26/2015	30.67	24.48	-	-	-	-	6.19	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	02/03/2015	30.67	24.56	-	-	-	25.34	6.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	02/09/2015	30.67	24.57	-	-	-	-	6.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	02/18/2015	30.67	24.63	-	-	-	-	6.04	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	02/24/2015	30.67	24.24	-	-	-	25.31	6.43	15:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	02/25/2015	30.67	24.10	-	-	-	25.31	6.57	13:10	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.9	22	3,500
MW-30S	03/04/2015	30.67	24.20	-	-	-	-	6.47	14:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	03/11/2015	30.67	24.20	-	-	-	-	6.47	12:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	03/18/2015	30.67	24.22	-	-	-	-	6.45	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	03/26/2015	30.67	24.32	-	-	-	25.30	6.35	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	04/02/2015	30.67	24.27	-	-	-	25.30	6.40	11:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	04/08/2015	30.67	24.30	-	-	-	25.29	6.37	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	04/13/2015	30.67	24.31	-	-	-	-	6.36	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	04/23/2015	30.67	DRY	-	-	-	25.28	DRY	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	04/29/2015	30.67	24.27	-	-	-	25.25	6.40	13:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	05/04/2015	30.67	24.32	-	-	-	-	6.35	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	05/11/2015	30.67	24.41	-	-	-	25.20	6.26	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	05/13/2015	30.67	24.41	-	-	-	-	6.26	9:50	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<20	3,200	
MW-30S	05/21/2015	30.67	24.68	-	-	-	25.15	5.99	12:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	05/28/2015	30.67	24.67	-	-	-	25.28	6.00	11:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	06/02/2015	30.67	24.55	-	-	-	-	6.12	12:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	06/09/2015	30.67	24.30	-	-	-	-	6.37	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-30S	06/16/2015	30.67	24.33	-	-	-	-	6.34	11:08	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Xylenes Total ( $\mu\text{g/L}$ )	Methyl tert-butyl ether ( $\mu\text{g/L}$ )	tert-Butyl alcohol ( $\mu\text{g/L}$ )	1,2-Dibromoethane ( $\mu\text{g/L}$ )	1,2-Dichloroethane ( $\mu\text{g/L}$ )	Naphthalene ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	TPH-DRO - Silica Gel ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	Comments
MW-30S	06/22/2015																					
MW/RW-31	08/08/2014	31.23	27.31	-	-	-	36.35	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/11/2014	31.23	26.88	-	-	-	-	4.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/15/2014	31.23	27.00	-	-	-	-	4.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/16/2014	31.23	26.92	-	-	-	35.00	4.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/18/2014	31.23	27.11	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	08/25/2014	31.23	26.90	-	-	-	-	4.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/02/2014	31.23	27.31	-	-	-	-	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/15/2014	31.23	27.18	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	09/22/2014	31.23	27.05	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/01/2014	31.23	27.21	-	-	-	35.50	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/10/2014	31.23	27.02	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/20/2014	31.23	27.40	-	-	-	35.50	3.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	10/23/2014	31.23	NR	-	-	-	-	-	-	<0.5	<0.5	0.6	0.6	<0.5	<2	<0.5	<0.5	4	140	-	7,200	
MW/RW-31	10/27/2014	31.23	27.43	-	-	-	-	3.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/07/2014	31.23	24.23	-	-	-	-	7.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/12/2014	31.23	27.18	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/21/2014	31.23	28.03	-	-	-	-	3.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	11/26/2014	31.23	27.39	-	-	-	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/05/2014	31.23	27.33	-	-	-	-	3.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/11/2014	31.23	27.14	-	-	-	-	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/16/2014	31.23	27.15	-	-	-	-	4.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/23/2014	31.23	27.02	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	12/30/2014	31.23	27.61	-	-	-	-	3.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/09/2015	31.23	27.42	-	-	-	-	3.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/16/2015	31.23	27.26	-	-	-	-	3.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/19/2015	31.23	27.20	-	-	-	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	01/26/2015	31.23	27.18	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/03/2015	31.23	27.81	-	-	-	35.49	3.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/09/2015	31.23	27.18	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/18/2015	31.23	27.34	-	-	-	-	3.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	02/24/2015	31.23	27.27	-	-	-	-	3.96	13:09	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	2.7	97	-	1,800	
MW/RW-31	02/25/2015	31.23	27.50	-	-	-	35.52	3.73	10:28	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	2.7	97	-	-	
MW/RW-31	03/04/2015	31.23	27.45	-	-	-	-	3.78	14:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	03/11/2015	31.23	26.78	-	-	-	-	4.45	12:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	03/18/2015	31.23	27.13	-	-	-	-	4.10	10:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	03/26/2015	31.23	26.99	-	-	-	35.50	4.24	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	04/02/2015	31.23	27.04	-	-	-	35.45	4.19	11:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-31	04/08/2015	31.23	27.27	-	-	-	35.42	3.96	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
Destroyed during overdrilling activities; replaced with RW-30S																						

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Xylenes Total ( $\mu\text{g/L}$ )	Methyl tert-butyl ether ( $\mu\text{g/L}$ )	tert-Butyl alcohol ( $\mu\text{g/L}$ )	1,2-Dibromoethane ( $\mu\text{g/L}$ )	1,2-Dichloroethane ( $\mu\text{g/L}$ )	Naphthalene ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	TPH-DRO - Silica Gel ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	Comments
MW/RW-31	04/13/2015	31.23	27.35	-	-	-	-	3.88	10:25	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	04/23/2015	31.23	26.67	-	-	-	35.45	4.56	11:27	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	04/29/2015	31.23	26.97	-	-	-	35.40	4.26	13:34	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	05/04/2015	31.23	26.75	-	-	-	-	4.48	11:20	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	05/11/2015	31.23	26.65	-	-	-	35.40	4.58	14:55	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	05/13/2015	31.23	27.35	-	-	-	-	3.88	9:47	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW/RW-31	05/21/2015	31.23	26.87	-	-	-	35.50	4.36	12:06	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	05/28/2015	31.23	27.31	-	-	-	35.40	3.92	11:23	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	06/02/2015	31.23	26.87	-	-	-	-	4.36	12:48	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	06/09/2015	31.23	26.71	-	-	-	-	4.52	10:14	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	06/16/2015	31.23	26.68	-	-	-	-	4.55	11:11	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	06/26/2015	31.23	26.58	-	-	-	35.20	4.65	9:20	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	07/01/2015	31.23	26.02	-	-	-	-	5.21	12:00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	07/08/2015	31.23	26.26	-	-	-	-	4.97	10:48	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	07/13/2015	31.23	25.88	-	-	-	-	5.35	9:13	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	07/20/2015	31.23	26.22	-	-	-	-	5.01	8:58	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	07/28/2015	31.23	26.31	-	-	-	35.56	4.92	10:22	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	08/04/2015	31.23	29.82	-	-	-	35.42	1.41	12:09	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	08/05/2015	31.23	26.78	-	-	-	35.47	4.45	8:22	-	-	-	-	-	-	-	-	-	-	-	-	2,400
MW/RW-31	08/11/2015	31.23	25.93	-	-	-	35.43	5.30	9:48	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	08/18/2015	31.23	26.56	-	-	-	-	4.67	9:56	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	08/24/2015	31.23	26.55	-	-	-	-	4.68	10:00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	09/02/2015	31.23	26.87	-	-	-	35.42	4.36	9:20	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	09/09/2015	31.23	26.61	-	-	-	35.47	4.62	10:03	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	09/17/2015	31.23	26.96	-	-	-	35.50	4.27	10:01	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	09/23/2015	31.23	26.82	-	-	-	-	4.41	10:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	09/28/2015	31.23	26.29	-	-	-	35.44	4.94	9:35	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	10/05/2015	31.23	26.11	-	-	-	35.42	5.12	9:02	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	11/10/2015	31.23	26.61	-	-	-	-	4.62	12:47	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	12/01/2015	31.23	26.27	-	-	-	-	4.96	13:47	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	12/03/2015	31.23	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,200
MW/RW-31	01/27/2016	31.23	26.24	-	-	-	-	4.99	10:06	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	02/15/2016	31.23	27.21	-	-	-	-	4.02	9:49	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	03/14/2016	31.23	26.76	-	-	-	-	4.47	9:33	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	03/15/2016	31.23	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11,000
MW/RW-31	03/30/2016	31.42	32.98	-	-	-	-	-1.56	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	04/21/2016	31.42	33.03	-	-	-	-	-1.61	10:27	-	-	-	-	-	-	-	-	-	-	-	-	440
MW/RW-31	05/23/2016	31.42	NR	-	-	-	-	-	11:13	-	-	-	-	-	-	-	-	-	-	-	-	Pump Obstruction during gauging

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW/RW-31	05/24/2016	31.42	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,200	pump in well
MW/RW-31	06/21/2016	31.42	33.05	-	-	-	-	-	-	-1.63	10:00	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	07/21/2016	31.42	33.05	-	-	-	-	-	-	-1.63	9:48	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	08/24/2016	31.42	27.31	-	-	-	-	-	-	4.11	10:05	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	08/25/2016	31.42	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	09/22/2016	31.42	27.60	-	-	-	-	-	-	3.82	13:15	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	10/20/2016	31.42	31.47	-	-	-	-	-	-	-0.05	10:54	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	11/28/2016	31.42	30.92	-	-	-	-	-	-	0.50	8:41	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	12/22/2016	31.42	31.20	-	-	-	-	-	-	0.22	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	01/30/2017	31.42	27.74	-	-	-	-	-	-	3.68	12:21	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	02/21/2017	31.42	31.60	-	-	-	-	-	-	-0.18	12:36	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	03/29/2017	31.42	31.40	-	-	-	-	-	-	0.02	12:43	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	04/18/2017	31.42	31.52	-	-	-	-	-	-	-0.10	11:57	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	05/18/2017	31.42	31.60	-	-	-	-	-	-	-0.18	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	05/22/2017	31.42	26.76	-	-	-	-	-	-	4.66	10:55	-	-	-	-	-	-	-	-	-	-	655
MW/RW-31	06/22/2017	31.42	31.10	-	-	-	-	-	-	0.32	11:47	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	07/06/2017	31.42	31.12	-	-	-	-	-	-	0.30	12:55	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	07/19/2017	31.42	31.45	-	-	-	-	-	-	-0.03	11:35	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	08/21/2017	31.42	31.30	-	-	-	-	-	-	0.12	9:24	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	08/28/2017	31.42	31.05	-	-	-	-	-	-	31.05	0.37	9:41	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	08/31/2017	31.42	33.02	-	-	-	-	-	-	33.73	-1.60	9:05	-	-	-	-	-	-	-	-	-	3,770
MW/RW-31	09/20/2017	31.42	31.42	-	-	-	-	-	-	0.00	10:00	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	10/17/2017	31.42	31.05	-	-	-	-	-	-	0.37	11:22	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	11/28/2017	31.42	NR	-	-	-	-	-	-	29.40	-	11:30	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	11/30/2017	31.42	NR	-	-	-	-	-	-	-	11:00	-	-	-	-	-	-	-	-	-	-	167
MW/RW-31	12/05/2017	31.42	31.70	-	-	-	-	-	-	29.20	-0.28	12:00	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	01/26/2018	31.42	OBST	-	-	-	-	-	-	29.95	-	12:30	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	02/20/2018	31.42	OBST	-	-	-	-	-	-	28.65	-	11:15	-	-	-	-	-	-	-	-	-	180
MW/RW-31	03/06/2018	31.42	27.27	-	-	-	-	-	-	4.15	12:27	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	03/29/2018	31.42	26.68	-	-	-	-	-	-	4.74	10:20	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-31	04/11/2018	31.42	27.73	-	-	-	-	-	-	3.69	11:30	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	04/23/2018	31.42	27.53	-	-	-	-	-	-	3.89	8:58	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	05/03/2018	31.42	27.35	-	-	-	-	-	-	4.07	9:22	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	05/21/2018	31.42	25.83	-	-	-	-	-	-	33.72	5.59	13:53	-	-	-	-	-	-	-	-	-	-
MW/RW-31	05/22/2018	31.42	25.96	-	-	-	-	-	-	33.72	5.46	9:36	-	-	-	-	-	-	-	-	-	1,010
MW/RW-31	06/12/2018	31.42	25.60	-	-	-	-	-	-	5.82	10:40	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	06/26/2018	31.42	26.33	-	-	-	-	-	-	33.65	5.09	10:17	-	-	-	-	-	-	-	-	-	-
MW/RW-31	07/02/2018	31.42	26.53	-	-	-	-	-	-	4.89	11:08	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	07/17/2018	31.42	26.70	-	-	-	-	-	-	4.72	10:22	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW/RW-31	07/30/2018	31.42	25.89	-	-	-	-	5.53	11:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	08/09/2018	31.42	25.98	-	-	-	-	5.44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	08/13/2018	31.42	25.36	-	-	-	-	36.34	6.06	12:22	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	08/14/2018	31.42	25.55	-	-	-	-	33.70	5.87	9:58	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	09/04/2018	31.42	25.53	-	-	-	-	-	5.89	10:33	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	09/25/2018	31.42	24.77	-	-	-	-	-	6.65	13:16	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	10/02/2018	31.42	24.66	-	-	-	-	-	6.76	12:00	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	10/24/2018	31.42	25.89	-	-	-	-	-	5.53	9:41	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	11/12/2018	31.42	24.46	-	-	-	-	33.75	6.96	13:21	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	11/14/2018	31.42	24.39	-	-	-	-	33.75	7.03	9:44	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	11/27/2018	31.42	23.94	-	-	-	-	-	7.48	10:08	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	12/11/2018	31.42	24.96	-	-	-	-	-	6.46	11:26	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	12/27/2018	31.42	24.78	-	-	-	-	-	6.64	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	01/10/2019	31.42	24.82	-	-	-	-	-	6.60	9:56	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	01/24/2019	31.42	23.50	-	-	-	-	-	7.92	8:53	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	02/11/2019	31.42	24.88	-	-	-	-	34.28	6.54	13:36	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	02/14/2019	31.42	24.99	-	-	-	-	33.69	6.43	11:55	-	-	-	-	-	-	-	-	-	-	-	120
MW/RW-31	02/21/2019	31.42	23.98	-	-	-	-	34.25	7.44	10:07	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	03/07/2019	31.42	24.77	-	-	-	-	-	6.65	11:22	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	03/19/2019	31.42	24.83	-	-	-	-	-	6.59	13:21	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	04/02/2019	31.42	24.85	-	-	-	-	-	6.57	12:05	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	04/22/2019	31.42	24.67	-	-	-	-	-	6.75	11:09	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	05/06/2019	31.42	24.59	-	-	-	-	-	6.83	9:45	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	05/20/2019	31.42	24.57	-	-	-	-	34.54	6.85	10:50	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	05/21/2019	31.42	24.78	-	-	-	-	-	6.64	9:25	-	-	-	-	-	-	-	-	-	-	-	320
MW/RW-31	06/04/2019	31.42	25.17	-	-	-	-	-	6.25	10:36	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	06/18/2019	31.42	24.67	-	-	-	-	-	6.75	10:25	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	07/09/2019	31.42	25.07	-	-	-	-	-	6.35	9:51	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	07/23/2019	31.42	25.13	-	-	-	-	-	6.29	10:33	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	08/09/2019	31.42	25.48	-	-	-	-	-	5.94	12:17	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	08/19/2019	31.42	25.59	-	-	-	-	33.68	5.83	11:43	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	08/20/2019	31.42	25.63	-	-	-	-	-	5.79	8:57	-	-	-	-	-	-	-	-	-	-	-	240
MW/RW-31	09/03/2019	31.42	25.92	-	-	-	-	-	5.50	9:57	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	09/17/2019	31.42	26.25	-	-	-	-	-	5.17	10:25	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	10/01/2019	31.42	26.33	-	-	-	-	-	5.09	9:39	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	11/18/2019	31.42	26.14	-	-	-	-	33.53	5.28	12:45	-	-	-	-	-	-	-	-	-	-	-	260
MW/RW-31	11/21/2019	31.42	26.50	-	-	-	-	-	4.92	11:47	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	12/05/2019	31.42	26.16	-	-	-	-	-	5.26	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-31	01/14/2020	31.42	26.28	-	-	-	-	-	5.14	11:10	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing	Depth to Water (DTW)	Depth to LNAPL	LNAPL Thickness	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth	Groundwater Elevation	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
		(ft)	(ft)	(ft)	(ft)		(ft)															
MW/RW-31	02/17/2020	31.42	25.95	-	-	-	33.63	5.47	10:46	-	-	-	-	-	-	-	-	-	-	-	190	
MW/RW-31	03/10/2020	31.42	26.41	-	-	-	-	5.01	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/08/2014	30.88	27.91	-	-	-	35.41	2.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/11/2014	30.88	27.41	-	-	-	-	3.47	-	-	-	-	-	-	-	-	-	-	-	-	-	440
MW-33	08/15/2014	30.88	26.98	-	-	-	34.45	3.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/18/2014	30.88	26.76	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/25/2014	30.88	26.47	-	-	-	-	4.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	09/02/2014	30.88	26.87	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	09/15/2014	30.88	26.73	-	-	-	-	4.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	09/22/2014	30.88	26.59	-	-	-	-	4.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	10/01/2014	30.88	26.79	-	-	-	34.47	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	10/10/2014	30.88	26.60	-	-	-	-	4.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	10/20/2014	30.88	26.96	-	-	-	34.47	3.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	10/23/2014	30.88	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.02	<20	<45
MW-33	02/24/2015	30.88	26.99	-	-	-	-	3.89	13:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	02/25/2015	30.88	27.03	-	-	-	34.45	3.85	10:08	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.03	<20	<45
MW-33	05/11/2015	30.88	26.22	-	-	-	34.40	4.66	14:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	05/13/2015	30.88	26.90	-	-	-	34.40	3.98	9:45	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.1	<20	<45
MW-33	08/04/2015	30.88	25.91	-	-	-	34.39	4.97	12:14	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/05/2015	30.88	26.43	-	-	-	34.42	4.45	8:26	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-33	12/01/2015	30.88	26.37	-	-	-	34.40	4.51	13:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	12/03/2015	30.88	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-33	03/14/2016	30.88	26.59	-	-	-	34.46	4.29	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	05/23/2016	30.88	26.58	-	-	-	34.40	4.30	10:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/24/2016	30.88	26.80	-	-	-	34.40	4.08	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/28/2016	30.88	27.11	-	-	-	34.36	3.77	8:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/29/2016	30.88	26.87	-	-	-	34.40	4.01	11:15	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-33	02/21/2017	30.88	27.42	-	-	-	34.50	3.46	12:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	05/22/2017	30.88	26.30	-	-	-	34.40	4.58	13:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/28/2017	30.88	32.85	-	-	-	34.42	-1.97	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/30/2017	30.88	32.54	-	-	-	34.45	-1.66	14:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/28/2017	30.88	30.31	-	-	-	34.41	0.57	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/29/2017	30.88	30.17	-	-	-	34.47	0.71	11:34	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-33	02/20/2018	30.88	27.65	-	-	-	36.16	3.23	10:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	05/21/2018	30.88	25.86	-	-	-	-	5.02	13:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/13/2018	30.88	27.60	-	-	-	37.01	3.28	12:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/12/2018	30.88	25.33	-	-	-	-	5.55	13:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/14/2018	30.88	25.76	-	-	-	34.43	5.12	9:35	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-33	02/11/2019	30.88	25.73	-	-	-	35.08	5.15	13:18	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Analytical Data (µg/L)										Comments	
										Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO
MW-33	05/20/2019	30.88	25.14	-	-	-	35.44	5.74	10:57	-	-	-	-	-	-	-	-	-	-	-	
MW-33	08/19/2019	30.88	25.64	-	-	-	34.40	5.24	11:47	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/18/2019	30.88	25.76	-	-	-	34.41	5.12	12:52	-	-	-	-	-	-	-	-	-	-	-	
MW-33	11/21/2019	30.88	26.58	-	-	-	-	4.30	10:50	-	-	-	-	-	-	-	-	-	-	-	
MW-33	02/17/2020	30.88	26.48	-	-	-	34.38	4.40	10:42	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/08/2014	30.81	21.15	-	-	-	25.27	9.66	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/11/2014	30.81	21.27	-	-	-	-	9.54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/15/2014	30.81	21.17	-	-	-	25.30	9.64	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/18/2014	30.81	21.23	-	-	-	-	9.58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	08/25/2014	30.81	21.34	-	-	-	-	9.47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/02/2014	30.81	21.38	-	-	-	-	9.43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/15/2014	30.81	21.46	-	-	-	-	9.35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/22/2014	30.81	21.48	-	-	-	-	9.33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	09/24/2014	30.81	21.49	-	-	-	-	9.32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/01/2014	30.81	21.32	21.32	TRACE	-	25.30	9.49	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW-51S	10/10/2014	30.81	21.53	-	-	-	-	9.28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/13/2014	30.81	21.52	-	-	-	-	9.29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/20/2014	30.81	21.58	-	-	-	25.33	9.23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/22/2014	30.81	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	10/27/2014	30.81	21.64	-	-	-	-	9.17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/07/2014	30.81	21.53	-	-	-	-	9.28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/12/2014	30.81	21.66	-	-	-	-	9.15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	11/21/2014	30.81	21.73	-	-	-	-	9.08	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/05/2014	30.81	21.64	-	-	-	-	9.17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/11/2014	30.81	21.72	-	-	-	-	9.09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/16/2014	30.81	21.78	-	-	-	-	9.03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/23/2014	30.81	21.83	-	-	-	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	12/30/2014	30.81	21.87	-	-	-	-	8.94	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	01/09/2015	30.81	21.89	-	-	-	-	8.92	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	01/16/2015	30.81	21.80	-	-	-	-	9.01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	01/19/2015	30.81	21.87	-	-	-	-	8.94	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	01/26/2015	30.81	21.82	-	-	-	-	8.99	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/03/2015	30.81	22.00	-	-	-	25.21	8.81	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/09/2015	30.81	21.92	-	-	-	-	8.89	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/18/2015	30.81	21.92	-	-	-	-	8.89	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/24/2015	30.81	21.96	-	-	-	25.33	8.85	16:00	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/26/2015	30.81	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7,100	
MW-51S	03/11/2015	30.81	21.67	-	-	-	-	9.14	12:48	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	03/18/2015	30.81	21.71	-	-	-	-	9.10	11:08	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-51S	03/26/2015	30.81	21.76	-	-	-	25.30	9.05	11:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	04/02/2015	30.81	21.80	-	-	-	25.30	9.01	11:27	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	04/08/2015	30.81	21.75	-	-	-	25.19	9.06	8:55	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	04/13/2015	30.81	21.87	-	-	-	-	8.94	10:44	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	04/23/2015	30.81	21.89	-	-	-	25.25	8.92	11:59	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	04/29/2015	30.81	21.88	-	-	-	25.25	8.93	14:26	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/04/2015	30.81	21.89	-	-	-	-	8.92	11:43	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/11/2015	30.81	21.93	-	-	-	24.50	8.88	10:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/13/2015	30.81	21.95	-	-	-	-	8.86	10:00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/21/2015	30.81	21.68	-	-	-	25.35	9.13	12:12	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/28/2015	30.81	21.93	-	-	-	25.30	8.88	11:47	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	06/09/2015	30.81	21.85	-	-	-	-	8.96	10:34	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	06/16/2015	30.81	21.79	-	-	-	-	9.02	11:27	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	06/26/2015	30.81	21.62	-	-	-	-	9.19	10:35	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	07/08/2015	30.81	21.33	-	-	-	-	9.48	11:40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	07/13/2015	30.81	21.62	-	-	-	-	9.19	9:41	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	07/20/2015	30.81	21.57	-	-	-	-	9.24	9:19	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	07/28/2015	30.81	21.37	-	-	-	25.35	9.44	11:29	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/04/2015	30.81	21.21	-	-	-	25.30	9.60	12:02	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/05/2015	30.81	21.25	-	-	-	25.30	9.56	9:12	-	-	-	-	-	-	-	-	-	-	-	-	11,000
MW-51S	08/11/2015	30.81	21.28	-	-	-	25.31	9.53	10:14	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/18/2015	30.81	21.22	-	-	-	-	9.59	10:19	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/24/2015	30.81	21.27	-	-	-	-	9.54	10:30	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	09/02/2015	30.81	21.35	-	-	-	25.30	9.46	9:54	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	09/09/2015	30.81	21.42	-	-	-	25.32	9.39	10:32	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	09/17/2015	30.81	21.52	-	-	-	25.43	9.29	10:32	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	09/23/2015	30.81	21.48	-	-	-	-	9.33	10:53	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	09/28/2015	30.81	21.56	-	-	-	25.30	9.25	9:44	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	10/05/2015	30.81	21.55	-	-	-	25.61	9.26	9:21	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	11/10/2015	30.81	21.67	-	-	-	-	9.14	13:14	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	12/01/2015	30.81	21.80	-	-	-	25.30	9.01	10:48	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	12/02/2015	30.81	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14,000
MW-51S	01/27/2016	30.81	21.95	-	-	-	-	8.86	10:36	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	02/15/2016	30.81	21.31	-	-	-	-	9.50	10:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	03/14/2016	30.81	21.23	-	-	-	25.30	9.58	12:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	03/15/2016	30.81	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67,000
MW-51S	04/21/2016	30.81	22.04	-	-	-	25.30	8.77	10:58	-	-	-	-	-	-	-	-	-	-	-	-	27,000
MW-51S	05/23/2016	30.81	21.93	-	-	-	25.21	8.88	11:20	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/24/2016	30.81	21.77	-	-	-	25.28	9.04	10:08	-	-	-	-	-	-	-	-	-	-	-	-	11,000

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-51S	06/21/2016	30.81	22.20	-	-	-	-	8.61	11:00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	07/21/2016	30.81	21.27	-	-	-	-	9.54	11:08	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/24/2016	30.81	21.89	-	-	-	-	25.30	8.92	10:45	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/25/2016	30.81	21.60	-	-	-	-	25.45	9.21	11:05	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	11/28/2016	30.81	22.23	-	-	-	-	25.25	8.58	9:25	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	11/29/2016	30.81	22.37	-	-	-	-	25.35	8.44	9:51	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	02/21/2017	30.81	22.51	-	-	-	-	25.30	8.30	11:25	9	<0.5	-	12	3	-	-	-	-	-	-	19,000
MW-51S	03/28/2017	30.81	23.00	-	-	-	-	25.38	7.81	15:20	-	-	-	-	-	-	-	-	-	-	-	68,000
MW-51S	03/29/2017	32.99	25.53	-	-	-	-	26.93	7.46	12:13	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	04/18/2017	32.99	26.83	-	-	-	-	26.92	6.16	11:26	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/22/2017	32.99	23.05	-	-	-	-	26.90	9.94	10:21	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/24/2017	32.99	21.37	-	-	-	-	26.92	11.62	9:12	-	-	-	-	-	-	-	-	-	-	-	36,000
MW-51S	06/22/2017	32.99	26.82	-	-	-	-	27.67	6.17	11:36	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	07/19/2017	32.99	26.83	-	-	-	-	27.07	6.16	11:23	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/21/2017	32.99	22.67	-	-	-	-	27.22	10.32	9:08	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/28/2017	32.99	22.90	-	-	-	-	27.25	10.09	11:35	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/29/2017	32.99	22.91	-	-	-	-	-	10.08	11:40	-	-	-	-	-	-	-	-	-	-	-	25,600
MW-51S	09/20/2017	32.99	23.12	-	-	-	-	-	9.87	9:43	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	10/17/2017	32.99	23.47	-	-	-	-	-	9.52	11:04	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	11/28/2017	32.99	23.61	-	-	-	-	27.18	9.38	13:57	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	11/29/2017	32.99	23.68	-	-	-	-	27.15	9.31	11:59	-	-	-	-	-	-	-	-	-	-	-	15,000
MW-51S	01/18/2018	32.99	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	01/18/2018	32.99	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	01/18/2018	32.99	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	01/26/2018	32.99	24.73	-	-	-	-	-	8.26	11:24	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	02/20/2018	32.99	23.33	-	-	-	-	27.17	9.66	12:25	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	02/22/2018	32.99	23.36	-	-	-	-	27.22	9.63	11:19	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	03/06/2018	32.99	23.35	-	-	-	-	-	9.64	11:28	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	03/29/2018	32.99	23.32	-	-	-	-	-	9.67	9:50	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	04/11/2018	32.99	23.46	-	-	-	-	-	9.53	11:05	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	04/23/2018	32.99	23.42	-	-	-	-	-	9.57	9:23	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/03/2018	32.99	23.40	-	-	-	-	-	9.59	9:28	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/03/2018	31.00	21.63	-	-	-	-	-	9.37	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/21/2018	31.00	21.60	-	-	-	-	25.37	9.40	9:49	-	-	-	-	-	-	-	-	-	-	-	12,100
MW-51S	05/24/2018	31.00	21.52	-	-	-	-	-	9.48	8:09	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	06/12/2018	31.00	21.42	-	-	-	-	-	9.58	10:30	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	06/26/2018	31.00	21.29	-	-	-	-	25.29	9.71	9:45	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	07/02/2018	31.00	21.37	-	-	-	-	-	9.63	10:52	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	07/17/2018	31.00	21.42	-	-	-	-	-	9.58	9:38	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-51S	07/30/2018	31.00	20.41	-	-	-	-	10.59	10:17	-	-	-	-	-	-	-	-	-	-	-	-	25,000
MW-51S	08/09/2018	31.00	20.73	-	-	-	-	10.27	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/13/2018	31.00	20.78	-	-	-	-	25.40	10.22	12:17	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/15/2018	31.00	20.73	-	-	-	-	26.96	10.27	10:14	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	09/04/2018	31.00	20.27	-	-	-	-	-	10.73	9:42	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	09/25/2018	31.00	20.46	-	-	-	-	-	10.54	13:01	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	10/02/2018	31.00	20.55	-	-	-	-	25.38	10.45	11:44	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	10/09/2018	31.00	20.66	-	-	-	-	25.35	10.34	12:00	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	10/25/2018	31.00	27.18	-	-	-	-	27.54	-	9:47	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	11/12/2018	32.98	22.28	-	-	-	-	-	10.70	10:33	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	11/13/2018	32.98	22.19	-	-	-	-	-	10.79	12:35	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	11/27/2018	32.98	21.90	-	-	-	-	-	11.08	9:26	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	12/11/2018	32.98	22.46	-	-	-	-	-	10.52	9:31	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	12/27/2018	32.98	22.23	-	-	-	-	-	10.75	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	01/10/2019	32.98	22.44	-	-	-	-	-	10.54	9:49	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	01/24/2019	32.98	22.30	-	-	-	-	-	10.68	13:55	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	02/11/2019	32.98	22.60	-	-	-	-	OBST	10.38	11:50	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	02/14/2019	31.00	21.28	-	-	-	-	-	9.72	14:00	-	-	-	-	-	-	-	-	-	-	-	2,100
MW-51S	02/21/2019	32.98	22.73	-	-	-	-	-	10.25	9:40	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	03/07/2019	32.98	22.58	-	-	-	-	-	10.40	9:10	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	03/19/2019	32.98	23.10	-	-	-	-	-	9.88	9:09	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	04/02/2019	32.98	22.67	-	-	-	-	-	10.31	9:25	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	04/22/2019	32.98	22.85	-	-	-	-	-	10.13	9:46	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/06/2019	32.98	23.08	-	-	-	-	-	9.90	9:04	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/20/2019	32.98	22.87	-	-	-	-	27.17	10.11	11:00	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	05/22/2019	32.98	22.91	-	-	-	-	-	10.07	9:23	-	-	-	-	-	-	-	-	-	-	-	5,200
MW-51S	06/04/2019	32.98	22.99	-	-	-	-	-	9.99	9:50	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	06/18/2019	32.98	22.97	-	-	-	-	-	10.01	9:25	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	07/09/2019	32.98	22.58	-	-	-	-	-	10.40	8:57	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	07/23/2019	32.98	22.42	-	-	-	-	-	10.56	9:30	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/09/2019	32.98	22.57	-	-	-	-	-	10.41	10:20	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/19/2019	32.98	22.81	-	-	-	-	24.83	10.17	11:34	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	08/21/2019	31.00	21.56	-	-	-	-	25.76	9.44	10:05	-	-	-	-	-	-	-	-	-	-	-	7,300
MW-51S	09/03/2019	32.98	23.40	-	-	-	-	-	9.58	9:40	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	09/17/2019	32.98	23.53	-	-	-	-	-	9.45	9:40	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	10/01/2019	32.98	23.72	-	-	-	-	-	9.26	10:27	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	11/18/2019	31.00	21.80	-	-	-	-	24.98	9.20	10:59	-	-	-	-	-	-	-	-	-	-	-	-
MW-51S	11/20/2019	31.00	21.75	-	-	-	-	25.35	9.25	12:50	-	-	-	-	-	-	-	-	-	-	-	4,800
MW-51S	12/05/2019	31.00	22.00	-	-	-	-	-	9.00	-	-	-	-	-	-	-	-	-	-	-	-	-

See Notes

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-51S	01/14/2020	31.00	22.20	-	-	-	-	8.80	12:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/17/2020	31.00	22.24	-	-	-	25.35	8.76	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	02/18/2020	31.00	22.29	-	-	-	-	8.71	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-51S	03/10/2020	31.00	22.33	-	-	-	-	8.67	9:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	07/25/2014	30.97	27.25	-	-	-	35.95	3.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/08/2014	30.97	27.00	27.00	TRACE	-	36.48	3.97	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	08/11/2014	30.97	26.70	-	-	-	-	4.27	-	-	-	-	-	-	-	-	-	-	-	-	-	1,180
MW/RW-51	08/13/2014	30.97	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,650
MW/RW-51	08/15/2014	30.97	27.30	-	-	-	-	3.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/16/2014	30.97	26.99	26.99	TRACE	-	34.65	3.98	-	-	-	-	-	-	-	-	-	-	-	-	-	281,000
MW/RW-51	08/18/2014	30.97	26.94	26.94	TRACE	-	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	08/25/2014	30.97	26.59	26.59	TRACE	-	-	4.38	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	09/02/2014	30.97	26.93	26.93	TRACE	-	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	09/15/2014	30.97	26.88	26.85	0.03	TRACE	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	09/22/2014	30.97	26.83	26.80	0.03	TRACE	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	09/24/2014	30.97	27.19	27.15	0.04	-	-	3.82	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	10/01/2014	30.97	26.93	26.93	TRACE	-	36.15	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	10/10/2014	30.97	26.84	26.81	0.03	-	-	4.16	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	10/13/2014	30.97	27.01	26.94	0.07	-	-	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	10/20/2014	30.97	27.05	27.03	0.02	TRACE	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	10/27/2014	30.97	27.16	27.12	0.04	TRACE	-	3.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/07/2014	30.97	27.11	27.07	0.04	TRACE	-	3.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/12/2014	30.97	26.92	26.90	0.02	TRACE	-	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/21/2014	30.97	27.57	27.50	0.07	TRACE	-	3.46	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	11/26/2014	30.97	27.20	27.17	0.03	TRACE	-	3.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/05/2014	30.97	26.98	26.96	0.02	TRACE	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/11/2014	30.97	26.88	26.87	0.01	TRACE	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/16/2014	30.97	26.83	26.80	0.03	TRACE	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/23/2014	30.97	26.83	26.83	TRACE	TRACE	-	4.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	12/30/2014	30.97	27.28	27.22	0.06	TRACE	-	3.74	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/09/2015	30.97	27.20	27.15	0.05	TRACE	-	3.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/16/2015	30.97	26.95	26.91	0.04	TRACE	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/19/2015	30.97	26.88	26.83	0.05	TRACE	-	4.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	01/26/2015	30.97	26.98	26.92	0.06	TRACE	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	02/03/2015	30.97	27.52	27.45	0.07	-	36.15	3.51	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	02/09/2015	30.97	26.93	26.91	0.02	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	02/18/2015	30.97	27.07	27.02	0.05	-	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	02/24/2015	30.97	27.07	27.06	0.01	TRACE	-	3.91	13:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	03/04/2015	30.97	27.24	27.17	0.07	-	-	3.79	14:25	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW/RW-51	03/11/2015	30.97	26.68	26.65	0.03	-	-	4.32	12:51	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	03/18/2015	30.97	26.94	26.84	0.10	-	-	4.12	11:11	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	03/26/2015	30.97	26.74	26.60	0.14	-	36.10	4.35	11:50	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	04/02/2015	30.97	27.78	27.75	0.03	-	36.05	3.22	11:46	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	04/08/2015	30.97	27.15	27.02	0.13	-	36.11	3.93	9:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	04/13/2015	30.97	27.09	26.98	0.11	-	-	3.98	10:47	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	04/23/2015	30.97	26.42	26.35	0.07	-	36.05	4.61	12:17	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	04/29/2015	30.97	26.71	26.60	0.11	-	36.00	4.36	14:39	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	05/04/2015	30.97	26.54	26.48	0.06	-	-	4.48	11:46	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	05/11/2015	30.97	26.44	26.40	0.04	-	-	4.57	15:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	05/13/2015	30.97	27.31	27.10	0.21	0.03	-	3.84	12:35	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	05/21/2015	30.97	26.74	26.71	0.03	-	-	4.26	12:10	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	05/28/2015	30.97	27.10	26.95	0.15	-	36.05	4.00	11:58	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	06/02/2015	30.97	26.85	26.82	0.03	-	-	4.15	13:07	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	06/09/2015	30.97	26.75	26.72	0.03	-	-	4.25	10:37	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	06/16/2015	30.97	26.57	26.54	0.03	-	-	4.43	11:30	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	06/26/2015	30.97	26.44	26.31	0.13	-	36.00	4.64	11:23	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	07/01/2015	30.97	25.86	25.85	0.01	-	-	5.12	12:30	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	07/08/2015	30.97	26.28	26.05	0.23	0.05	-	4.89	11:54	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	07/13/2015	30.97	26.03	25.90	0.13	-	-	5.05	9:46	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-51	07/20/2015	30.97	25.97	25.92	0.05	TRACE	-	5.04	9:52	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	07/28/2015	30.97	26.16	26.10	0.06	TRACE	36.18	4.86	11:55	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	08/04/2015	30.97	26.11	26.02	0.09	0.01	-	4.94	12:28	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	08/11/2015	30.97	25.78	25.70	0.08	0.01	36.14	5.26	11:07	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	08/18/2015	30.97	27.29	27.23	0.06	TRACE	-	3.73	10:43	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	08/24/2015	30.97	26.18	26.16	0.02	TRACE	-	4.81	10:46	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	09/02/2015	30.97	26.42	26.40	0.02	0.01	36.10	4.57	10:50	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	09/09/2015	30.97	26.35	26.27	0.08	0.02	36.12	4.69	10:35	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	09/17/2015	30.97	26.61	-	-	-	36.14	4.36	10:54	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	09/23/2015	30.97	26.49	26.47	0.02	TRACE	-	4.50	11:06	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	09/28/2015	30.97	26.00	26.00	TRACE	-	36.10	4.97	10:01	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-51	10/05/2015	30.97	26.67	-	-	-	36.15	4.30	12:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	11/10/2015	30.97	26.52	26.48	0.04	-	-	4.49	13:42	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	12/01/2015	30.97	26.57	26.55	0.02	-	-	4.42	13:53	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	01/27/2016	31.62	26.86	26.73	0.13	-	-	4.87	10:48	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	02/15/2016	31.62	27.22	27.14	0.08	-	-	4.47	10:23	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	03/14/2016	31.62	26.72	26.63	0.09	-	-	4.98	10:25	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	03/30/2016	31.62	33.60	-	-	-	-	-1.98	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	04/21/2016	31.62	33.00	-	-	-	-1.38	-10:13	-	-	-	-	-	-	-	-	-	-	-	-	2,900	pump in well

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Xylenes Total ( $\mu\text{g/L}$ )	Methyl tert-butyl ether ( $\mu\text{g/L}$ )	tert-Butyl alcohol ( $\mu\text{g/L}$ )	1,2-Dibromoethane ( $\mu\text{g/L}$ )	1,2-Dichloroethane ( $\mu\text{g/L}$ )	Naphthalene ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	TPH-DRO - Silica Gel ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	Comments	
MW/RW-51	05/23/2016	31.62	33.31	-	-	-	34.52	-1.69	11:30	-	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-51	05/24/2016	31.62	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	06/21/2016	31.62	33.00	-	-	-	-	-1.38	11:05	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	07/21/2016	31.62	33.70	-	-	-	-	-2.08	11:05	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/24/2016	31.62	32.95	-	-	-	-	-1.33	11:03	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	09/22/2016	31.62	33.35	-	-	-	-	-1.73	13:00	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	10/20/2016	31.62	32.92	-	-	-	-	-1.30	11:50	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	11/28/2016	31.62	30.64	-	-	-	-	0.98	9:19	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	12/22/2016	31.62	31.35	-	-	-	-	0.27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	01/30/2017	31.62	27.30	-	-	-	-	4.32	11:56	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	02/21/2017	31.62	33.80	-	-	-	-	-2.18	12:49	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	03/29/2017	31.62	32.55	-	-	-	-	-0.93	12:10	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	04/18/2017	31.62	33.45	-	-	-	-	-1.83	12:05	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	05/18/2017	31.62	33.80	-	-	-	-	-2.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	05/22/2017	31.62	26.79	-	-	-	-	4.83	13:11	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	06/22/2017	31.62	33.80	-	-	-	-	-2.18	12:35	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	07/06/2017	31.62	33.50	-	-	-	-	-1.88	13:00	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	07/19/2017	31.62	33.80	-	-	-	-	-2.18	12:05	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/21/2017	31.62	33.80	-	-	-	-	-2.18	9:12	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/28/2017	31.62	32.65	-	-	-	-	-1.03	9:35	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/31/2017	31.62	32.42	-	-	-	36.18	-0.80	9:31	-	-	-	-	-	-	-	-	-	-	-	-	-	2,500
MW/RW-51	09/20/2017	31.62	33.80	-	-	-	-	-2.18	9:40	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	10/17/2017	31.62	33.80	-	-	-	-	-2.18	11:00	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	11/28/2017	31.62	33.76	-	-	-	34.20	-2.14	12:39	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	11/30/2017	31.62	NR	-	-	-	-	-	11:20	<0.50	<1.0	<1.0	<1.0	<1.0	-	-	-	<5.0	-	-	-	149	
MW/RW-51	01/26/2018	31.62	33.45	-	-	-	-	-1.83	12:35	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	02/20/2018	31.62	33.80	-	-	-	-	-2.18	10:45	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	02/21/2018	31.62	-	-	-	-	-	-	14:10	-	-	-	-	-	-	-	-	-	-	-	-	-	<83
MW/RW-51	03/06/2018	31.62	27.30	-	-	-	-	4.32	12:15	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	03/29/2018	31.62	26.92	-	-	-	-	-	4.70	9:47	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	04/11/2018	31.62	27.57	-	-	-	-	-	4.05	11:02	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	04/23/2018	31.62	27.42	-	-	-	-	-	4.20	9:27	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	05/03/2018	31.62	27.28	-	-	-	-	-	4.34	9:29	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	05/21/2018	31.62	26.38	-	-	-	36.18	-5.24	14:01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	05/22/2018	31.62	26.32	-	-	-	36.10	-5.30	10:03	-	-	-	-	-	-	-	-	-	-	-	-	-	19,500
MW/RW-51	06/12/2018	31.62	26.27	-	-	-	-	-	5.35	10:30	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	06/26/2018	31.62	26.21	-	-	-	36.47	-5.41	9:47	-	-	-	-	-	-	-	-	-	-	-	-	-	4,930 B
MW/RW-51	07/02/2018	31.62	26.28	-	-	-	-	-	5.34	10:48	-	-	-	-	-	-	-	-	-	-	-	-	32,400
MW/RW-51	07/17/2018	31.62	26.51	-	-	-	-	-	5.11	9:35	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW/RW-51	07/30/2018	31.62	26.14	-	-	-	38.55	5.48	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-51	08/09/2018	31.62	26.02	-	-	-	-	5.60	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/13/2018	31.62	26.07	-	-	-	-	5.55	12:24	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	08/15/2018	31.62	31.12	-	-	-	-	0.50	10:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	09/04/2018	31.62	26.12	-	-	-	-	5.50	9:46	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	09/25/2018	31.62	25.33	-	-	-	-	6.29	13:29	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	10/02/2018	31.62	25.57	-	-	-	-	6.05	11:48	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	10/24/2018	31.62	26.44	-	-	-	-	5.18	9:48	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	11/12/2018	32.87	27.10	-	-	-	-	5.77	13:06	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-51	11/13/2018	32.87	26.85	-	-	-	-	6.02	10:10	2	<0.2	2	0.9 J	-	-	-	-	-	-	-	28,000	pump in well
MW/RW-51	11/27/2018	32.87	26.47	-	-	-	-	6.40	9:23	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	12/11/2018	32.87	27.02	-	-	-	-	5.85	9:28	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	12/27/2018	32.87	27.09	-	-	-	-	5.78	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	01/10/2019	32.87	27.76	-	-	-	-	5.11	9:48	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	01/24/2019	32.87	29.02	-	-	-	-	3.85	13:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	02/11/2019	32.87	27.17	-	-	-	37.12	5.70	13:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	02/14/2019	31.62	26.05	-	-	-	-	5.57	12:52	-	-	-	-	-	-	-	-	-	-	-	1,600	-
MW/RW-51	02/15/2019	32.87	27.07	-	-	-	-	5.80	9:22	-	-	-	-	-	-	-	-	-	-	-	21,000	Grab
MW/RW-51	02/21/2019	32.87	26.79	-	-	-	-	6.08	10:07	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	03/07/2019	32.87	28.08	-	-	-	38.05	4.79	9:07	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	03/19/2019	32.87	28.03	-	-	-	-	4.84	9:06	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	04/02/2019	32.87	28.12	-	-	-	-	4.75	9:20	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	04/22/2019	32.87	27.83	-	-	-	-	5.04	9:06	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	05/06/2019	32.87	26.74	-	-	-	-	6.13	9:29	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	05/20/2019	32.87	26.94	-	-	-	38.05	5.93	11:02	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	05/22/2019	32.87	27.50	-	-	-	-	5.37	10:03	-	-	-	-	-	-	-	-	-	-	-	2,600	-
MW/RW-51	05/23/2019	31.62	26.04	-	-	-	35.90	5.58	9:04	-	-	-	-	-	-	-	-	-	-	-	680	Grab
MW/RW-51	06/04/2019	32.87	28.30	-	-	-	-	4.57	9:53	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	06/18/2019	32.87	28.16	-	-	-	-	4.71	9:30	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	07/09/2019	32.87	27.92	-	-	-	-	4.95	10:06	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	07/23/2019	32.87	28.12	-	-	-	-	4.75	9:35	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	08/09/2019	31.62	26.13	-	-	-	-	5.49	10:24	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	08/19/2019	31.62	26.07	-	-	-	35.95	5.55	12:32	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	08/21/2019	31.62	26.37	-	-	-	36.66	5.25	9:03	-	-	-	-	-	-	-	-	-	-	-	730	-
MW/RW-51	08/21/2019	31.62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1500	Grab
MW/RW-51	09/03/2019	32.87	28.38	-	-	-	-	4.49	9:44	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	09/17/2019	32.87	28.35	-	-	-	-	4.52	10:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	10/01/2019	32.87	28.33	-	-	-	-	4.54	10:31	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-51	11/18/2019	31.62	25.98	-	-	-	35.93	5.64	12:28	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW/RW-51	11/20/2019	31.62	26.22	-	-	-	35.94	5.40	13:47	0.4 J	<0.2	<0.2	-	-	-	-	-	-	-	2,000	Grab	
MW/RW-51	11/22/2019	31.62	26.24	-	-	-	-	5.38	8:45	-	-	-	-	-	-	-	-	-	-	3,200		
MW/RW-51	12/05/2019	31.62	26.75	-	-	-	-	4.87	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-51	01/14/2020	31.62	26.79	-	-	-	-	4.83	12:06	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-51	02/17/2020	31.62	26.73	-	-	-	35.87	4.89	10:28	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-51	02/18/2020	31.62	26.64	-	-	-	-	4.98	11:45	-	-	-	-	-	-	-	-	-	-	1,700		
MW/RW-51	02/18/2020	31.62	-	-	-	-	-	-	14:35	-	-	-	-	-	-	-	-	-	-	11,000		
MW/RW-51	03/10/2020	31.62	26.60	-	-	-	-	5.02	9:05	-	-	-	-	-	-	-	-	-	-	-		
MW-52	08/15/2014	30.17	28.11	-	-	-	35.78	2.06	-	-	-	-	-	-	-	-	-	-	-	<600	Manhole flooded	
MW-52	08/18/2014	30.17	26.07	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-		
MW-52	08/25/2014	30.17	25.76	-	-	-	-	4.41	-	-	-	-	-	-	-	-	-	-	-	-		
MW-52	09/02/2014	30.17	26.15	-	-	-	-	4.02	-	-	-	-	-	-	-	-	-	-	-	-		
MW-52	09/15/2014	30.17	25.99	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-		
MW-52	09/22/2014	30.17	26.00	-	-	-	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-		
MW-52	10/01/2014	30.17	26.03	-	-	-	35.65	4.14	-	-	-	-	-	-	-	-	-	-	-	-		
MW-52	10/10/2014	30.17	26.07	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-		
MW-52	10/20/2014	30.17	26.24	-	-	-	35.64	3.93	-	-	-	-	-	-	-	-	-	-	-	-		
MW-52	10/22/2014	30.17	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	120		
MW-52	05/11/2015	30.17	25.81	-	-	-	35.65	4.36	14:45	-	-	-	-	-	-	-	-	-	-	-		
MW-52	05/12/2015	30.17	26.10	-	-	-	-	4.07	9:50	-	-	-	-	-	-	-	-	-	-	<45		
MW-52	08/04/2015	30.17	25.21	-	-	-	35.55	4.96	12:01	-	-	-	-	-	-	-	-	-	-	-		
MW-52	08/05/2015	30.17	25.68	-	-	-	35.49	4.49	9:47	-	-	-	-	-	-	-	-	-	-	110		
MW-52	12/01/2015	30.17	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW-52	03/14/2016	30.17	26.61	-	-	-	35.30	3.56	9:10	-	-	-	-	-	-	-	-	-	-	-		
MW-52	05/23/2016	30.17	26.29	-	-	-	35.22	3.88	10:40	-	-	-	-	-	-	-	-	-	-	-		
MW-52	08/24/2016	30.17	26.38	-	-	-	35.30	3.79	9:46	-	-	-	-	-	-	-	-	-	-	-		
MW-52	11/28/2016	30.17	26.62	-	-	-	35.24	3.55	8:33	-	-	-	-	-	-	-	-	-	-	-		
MW-52	02/21/2017	30.17	26.78	-	-	-	35.27	3.39	12:22	-	-	-	-	-	-	-	-	-	-	-		
MW-52	05/22/2017	30.17	24.98	-	-	-	-	5.19	13:19	-	-	-	-	-	-	-	-	-	-	-		
MW-52	08/28/2017	30.17	30.97	-	-	-	35.04	-0.80	9:33	-	-	-	-	-	-	-	-	-	-	-		
MW-52	11/28/2017	30.17	28.97	-	-	-	35.03	1.20	12:23	-	-	-	-	-	-	-	-	-	-	-		
MW-52	02/20/2018	30.17	27.05	-	-	-	35.69	3.12	10:42	-	-	-	-	-	-	-	-	-	-	-		
MW-52	05/21/2018	30.17	25.39	-	-	-	35.15	4.78	14:09	-	-	-	-	-	-	-	-	-	-	-		
MW-52	08/13/2018	30.17	25.06	-	-	-	35.73	5.11	12:03	-	-	-	-	-	-	-	-	-	-	-		
MW-52	11/12/2018	30.17	25.01	-	-	-	35.03	5.16	12:44	-	-	-	-	-	-	-	-	-	-	-		
MW-52	02/11/2019	30.17	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Manhole flooded	
MW-52	05/20/2019	30.17	24.62	-	-	-	35.30	5.55	10:23	-	-	-	-	-	-	-	-	-	-	-		
MW-52	08/19/2019	30.17	25.09	-	-	-	35.58	5.08	11:37	-	-	-	-	-	-	-	-	-	-	-		
MW-52	11/18/2019	30.17	25.28	-	-	-	34.98	4.89	12:08	-	-	-	-	-	-	-	-	-	-	-		

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-52	02/17/2020	30.17	26.01	-	-	-	34.92	4.16	11:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-70	08/15/2014	30.86	26.63	-	-	-	34.95	4.23	-	-	-	-	-	-	-	-	-	-	-	-	-	<153
MW-70	08/18/2014	30.86	26.61	-	-	-	-	4.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	08/25/2014	30.86	26.25	-	-	-	-	4.61	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	09/02/2014	30.86	26.68	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	09/15/2014	30.86	26.63	-	-	-	-	4.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	09/22/2014	30.86	26.47	-	-	-	-	4.39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	10/01/2014	30.86	26.66	-	-	-	34.88	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	10/10/2014	30.86	26.57	-	-	-	-	4.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	10/20/2014	30.86	26.79	-	-	-	34.90	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	10/21/2014	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-70	02/24/2015	30.86	26.62	-	-	-	-	4.24	13:00	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	02/26/2015	30.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,200
MW-70	05/11/2015	30.86	26.02	-	-	-	35.15	4.84	14:55	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	05/12/2015	30.86	26.21	-	-	-	-	4.65	14:05	-	-	-	-	-	-	-	-	-	-	-	-	100
MW-70	08/04/2015	30.86	25.73	-	-	-	35.16	5.13	12:28	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	08/05/2015	30.86	26.10	-	-	-	35.05	4.76	9:55	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-70	12/01/2015	30.86	26.23	-	-	-	35.05	4.63	13:32	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	03/14/2016	30.86	26.45	-	-	-	35.11	4.41	9:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	05/23/2016	30.86	26.71	-	-	-	35.05	4.15	10:22	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	08/24/2016	30.86	26.64	-	-	-	35.05	4.22	9:52	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	11/28/2016	30.86	26.91	-	-	-	35.04	3.95	8:27	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	02/21/2017	30.86	27.08	-	-	-	35.13	3.78	12:06	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	05/22/2017	30.86	25.92	-	-	-	33.05	4.94	12:53	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	08/28/2017	30.86	32.22	-	-	-	35.05	-1.36	9:23	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	11/28/2017	30.86	29.64	-	-	-	35.09	1.22	12:20	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	02/20/2018	30.86	27.01	-	-	-	35.78	3.85	10:24	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	05/21/2018	30.86	25.25	-	-	-	35.19	5.61	13:55	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	08/13/2018	30.86	25.11	-	-	-	35.91	5.75	12:39	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	11/12/2018	30.86	25.08	-	-	-	35.12	5.78	12:50	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	02/11/2019	30.86	25.17	-	-	-	35.48	5.69	13:09	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	05/20/2019	30.86	24.58	-	-	-	35.53	6.28	11:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	08/19/2019	30.86	25.15	-	-	-	35.93	5.71	12:08	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	11/18/2019	30.86	25.32	-	-	-	35.09	5.54	12:35	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-70	02/17/2020	30.86	25.50	-	-	-	35.03	5.36	10:14	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72S	08/08/2014	30.63	23.33	-	-	-	25.30	7.30	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72S	08/11/2014	30.63	22.85	-	-	-	-	7.78	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72S	08/15/2014	30.63	21.35	-	-	-	23.90	9.28	-	-	-	-	-	-	-	-	-	-	-	-	-	5,980
MW/RW-72S	08/18/2014	30.63	21.34	-	-	-	-	9.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments	
MW/RW-72S	08/25/2014	30.63	21.41	-	-	-	-	9.22	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	09/02/2014	30.63	21.45	-	-	-	-	9.18	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	09/15/2014	30.63	21.54	-	-	-	-	9.09	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	09/22/2014	30.63	21.56	-	-	-	-	9.07	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	10/01/2014	30.63	21.63	-	-	-	-	23.90	9.00	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	10/10/2014	30.63	21.69	-	-	-	-	8.94	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	10/20/2014	30.63	21.73	-	-	-	-	23.88	8.90	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	10/22/2014	30.63	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	10/27/2014	30.63	21.80	-	-	-	-	8.83	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	11/07/2014	30.63	21.83	-	-	-	-	8.80	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	11/12/2014	30.63	21.88	-	-	-	-	8.75	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	11/21/2014	30.63	22.04	-	-	-	-	8.59	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	11/26/2014	30.63	22.10	-	-	-	-	8.53	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	12/05/2014	30.63	22.23	-	-	-	-	8.40	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	12/11/2014	30.63	22.11	-	-	-	-	8.52	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	12/16/2014	30.63	22.00	-	-	-	-	8.63	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	12/23/2014	30.63	21.99	-	-	-	-	8.64	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	12/30/2014	30.63	21.98	-	-	-	-	8.65	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	01/09/2015	30.63	21.94	-	-	-	-	8.69	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	01/16/2015	30.63	21.93	-	-	-	-	8.70	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	01/19/2015	30.63	21.88	-	-	-	-	8.75	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	01/26/2015	30.63	21.78	-	-	-	-	8.85	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	02/03/2015	30.63	21.79	-	-	-	-	23.93	8.84	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	02/09/2015	30.63	21.77	-	-	-	-	8.86	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	02/18/2015	30.63	21.85	-	-	-	-	8.78	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	02/24/2015	30.63	21.90	-	-	-	-	23.89	8.73	15:53	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	02/25/2015	30.63	21.87	-	-	-	-	23.75	8.76	14:10	-	-	-	-	-	-	-	-	-	-	3,400		
MW/RW-72S	03/04/2015	30.63	21.79	-	-	-	-	8.84	13:45	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	03/11/2015	30.63	21.75	-	-	-	-	8.88	12:12	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	03/18/2015	30.63	21.70	-	-	-	-	8.93	10:35	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	03/26/2015	30.63	21.73	-	-	-	-	23.90	8.90	11:10	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	04/02/2015	30.63	21.78	-	-	-	-	23.90	8.85	10:55	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	04/08/2015	30.63	21.82	-	-	-	-	23.87	8.81	9:35	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	04/13/2015	30.63	21.86	-	-	-	-	8.77	10:08	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	04/23/2015	30.63	21.86	-	-	-	-	23.87	8.77	11:12	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	04/29/2015	30.63	21.85	-	-	-	-	23.85	8.78	13:56	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	05/04/2015	30.63	21.84	-	-	-	-	8.79	11:06	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72S	05/11/2015	30.63	21.91	-	-	-	-	23.90	8.72	10:48	-	-	-	-	-	-	<0.5	<0.5	<0.5	16.00	-	4,000	
MW/RW-72S	05/13/2015	30.63	21.90	-	-	-	-	8.73	9:57	13	<0.5	24	<0.5	<0.5	<0.5	<2	<0.5	<0.5	16.00	-	-	3,300	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-72S	05/21/2015	30.63	21.88	-	-	-	23.90	8.75	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/28/2015	30.63	22.04	-	-	-	23.90	8.59	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	06/02/2015	30.63	22.03	-	-	-	-	8.60	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	06/09/2015	30.63	21.67	-	-	-	-	8.96	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	06/16/2015	30.63	21.68	-	-	-	-	8.95	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	06/26/2015	30.63	21.55	-	-	-	23.80	9.08	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	07/01/2015	30.63	21.38	-	-	-	-	9.25	11:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/04/2015	30.63	21.55	-	-	-	23.90	9.08	12:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/05/2015	30.63	21.51	-	-	-	23.90	9.12	9:25	-	-	-	-	-	-	-	-	-	-	-	3,700	
MW/RW-72S	12/01/2015	30.63	24.65	-	-	-	26.17	5.98	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	12/03/2015	30.63	NR	-	-	-	-	-	-	8	<0.5	15	<0.5	-	-	-	-	-	-	-	2,100	
MW/RW-72S	03/14/2016	30.63	23.71	-	-	-	26.02	6.92	12:25	-	-	-	-	-	-	-	-	-	-	-	8,200	
MW/RW-72S	05/23/2016	30.63	25.75	-	-	-	-	4.88	11:43	-	-	-	-	-	-	-	-	-	-	-	-	Obstruction during gauging
MW/RW-72S	05/25/2016	30.63	24.22	-	-	-	25.85	6.41	-	-	-	-	-	-	-	-	-	-	-	-	3,800	
MW/RW-72S	06/21/2016	30.63	26.04	-	-	-	-	4.59	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	07/21/2016	30.63	26.02	-	-	-	-	4.61	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/24/2016	30.63	25.60	-	-	-	26.15	5.03	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/25/2016	30.63	23.95	-	-	-	-	6.68	13:00	-	-	-	-	-	-	-	-	-	-	-	5,300	
MW/RW-72S	09/22/2016	30.63	26.07	-	-	-	26.13	4.56	12:16	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	10/20/2016	30.63	26.02	-	-	-	-	4.61	11:02	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW/RW-72S	11/28/2016	30.63	DRY	-	-	-	25.79	-	9:59	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW/RW-72S	11/29/2016	30.63	26.04	-	-	-	26.10	4.59	13:30	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.	
MW/RW-72S	12/07/2016	30.63	26.07	-	-	-	26.13	4.56	12:26	-	-	-	-	-	-	-	-	-	-	-	DRY	
MW/RW-72S	12/22/2016	30.63	DRY	-	-	-	26.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW/RW-72S	01/30/2017	30.63	26.06	-	-	-	26.23	4.57	10:11	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.	
MW/RW-72S	02/21/2017	30.63	26.01	-	-	-	26.19	4.62	10:22	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.	
MW/RW-72S	02/22/2017	30.63	26.03	-	-	-	26.19	4.60	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.	
MW/RW-72S	03/29/2017	30.63	22.90	-	-	-	23.83	7.73	12:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/22/2017	30.63	21.23	-	-	-	21.23	9.40	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	05/23/2017	30.63	21.30	-	-	-	23.90	9.33	13:00	-	-	-	-	-	-	-	-	-	-	-	55,500	
MW/RW-72S	08/28/2017	30.63	21.29	-	-	-	23.98	9.34	11:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	08/30/2017	30.63	21.22	-	-	-	23.93	9.41	12:53	-	-	-	-	-	-	-	<0.66	-	4,870	15,800		
MW/RW-72S	11/28/2017	30.63	21.57	-	-	-	23.91	9.06	14:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	11/30/2017	30.63	21.69	-	-	-	23.92	8.94	9:25	<0.50	<1.0	<1.0	<1.0	<1.0	-	-	<5.0	-	8,070	9,100		
MW/RW-72S	02/20/2018	30.63	21.22	-	-	-	23.92	9.41	12:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-72S	02/21/2018	30.63	21.25	-	-	-	23.83	9.38	9:35	-	-	-	-	-	-	-	-	-	6,050	26,900		
MW/RW-72S	05/21/2018	30.63	20.45	-	-	-	23.94	10.18	10:38	-	-	-	-	-	-	-	-	-	-	-	13,700	
MW/RW-72S	05/24/2018	30.63	20.72	-	-	-	23.96	9.91	8:21	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-72S	08/13/2018	30.63	20.76	-	-	-	23.89	9.87	11:32	-	-	-	-	-	-	-	-	-	-	-	-	4,500
MW/RW-72S	08/14/2018	30.63	20.73	-	-	-	23.97	9.90	10:10	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72S	11/12/2018	30.63	20.60	-	-	-	23.90	10.03	10:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72S	11/14/2018	30.63	20.46	-	-	-	23.90	10.17	9:51	<0.2	<0.2	<0.2	<0.2	<0.5	-	-	-	-	-	-	-	3,500
MW/RW-72S	02/11/2019	30.63	21.18	-	-	-	23.98	9.45	12:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72S	02/14/2019	30.63	21.20	-	-	-	-	9.43	10:40	-	-	-	-	-	-	-	-	-	-	-	-	1,600
MW/RW-72S	05/20/2019	30.63	21.05	-	-	-	24.58	9.58	10:41	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72S	05/22/2019	30.63	21.18	-	-	-	23.85	9.45	10:30	-	-	-	-	-	-	-	-	-	-	-	-	1,900
MW/RW-72S	08/19/2019	30.63	21.42	-	-	-	23.92	9.21	11:30	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72S	08/22/2019	30.63	21.48	-	-	-	24.32	9.15	10:46	-	-	-	-	-	-	-	-	-	-	-	-	1,700
MW/RW-72S	11/18/2019	30.63	22.20	-	-	-	23.85	8.43	11:05	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72S	11/19/2019	30.63	22.18	-	-	-	23.91	8.45	13:22	<0.2	<0.2	<0.2	<0.8	-	-	-	-	-	-	-	-	3,300
MW/RW-72S	02/17/2020	30.63	21.77	-	-	-	23.91	8.86	10:49	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72S	02/18/2020	30.63	21.75	-	-	-	-	8.88	12:15	-	-	-	-	-	-	-	-	-	-	-	-	2,000
MW/RW-72	08/08/2014	31.06	26.97	-	-	-	34.55	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	08/11/2014	31.06	26.85	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	<300
MW/RW-72	08/13/2014	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,100
MW/RW-72	08/15/2014	31.06	27.43	-	-	-	-	3.63	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	08/16/2014	31.06	27.05	-	-	-	34.43	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-	1,340
MW/RW-72	08/18/2014	31.06	27.00	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	08/25/2014	31.06	26.66	-	-	-	-	4.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	09/02/2014	31.06	27.11	-	-	-	-	3.95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	09/15/2014	31.06	27.02	-	-	-	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	09/22/2014	31.06	26.88	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	10/01/2014	31.06	27.10	-	-	-	34.48	3.96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	10/10/2014	31.06	26.94	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	10/20/2014	31.06	27.19	-	-	-	34.43	3.87	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	10/22/2014	31.06	NR	-	-	-	-	-	41	<0.5	1	66	0.6	2	<0.5	<0.5	61	480	-	-	2,000	-
MW/RW-72	10/27/2014	31.06	27.34	-	-	-	-	3.72	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	11/07/2014	31.06	27.04	-	-	-	-	4.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	11/12/2014	31.06	27.12	-	-	-	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	11/21/2014	31.06	27.82	-	-	-	-	3.24	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	11/26/2014	31.06	27.36	-	-	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	12/05/2014	31.06	27.01	-	-	-	-	4.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	12/11/2014	31.06	27.03	-	-	-	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	12/16/2014	31.06	26.91	-	-	-	-	4.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	12/23/2014	31.06	26.89	-	-	-	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	12/30/2014	31.06	27.36	-	-	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	01/09/2015	31.06	27.27	-	-	-	-	3.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments	
MW/RW-72	01/16/2015	31.06	27.03	-	-	-	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	01/19/2015	31.06	26.98	-	-	-	-	4.08	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	01/26/2015	31.06	26.96	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	02/03/2015	31.06	27.65	-	-	-	-	34.19	3.41	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	02/09/2015	31.06	27.14	-	-	-	-	-	3.92	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	02/18/2015	31.06	27.11	-	-	-	-	-	3.95	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	02/24/2015	31.06	27.27	-	-	-	-	-	3.79	13:35	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	02/25/2015	31.06	27.33	-	-	-	-	34.28	3.73	9:50	8	<0.5	<0.5	3	<0.5	<2	<0.5	<0.03	65	-	590		
MW/RW-72	03/04/2015	31.06	27.17	-	-	-	-	-	3.89	13:48	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	03/11/2015	31.06	26.98	-	-	-	-	-	4.08	12:15	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	03/18/2015	31.06	26.94	-	-	-	-	-	4.12	10:38	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	03/26/2015	31.06	26.78	-	-	-	-	34.10	4.28	11:13	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	04/02/2015	31.06	26.86	-	-	-	-	34.15	4.20	10:57	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	04/08/2015	31.06	27.20	-	-	-	-	33.98	3.86	9:40	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	04/13/2015	31.06	27.11	-	-	-	-	-	3.95	10:11	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	04/23/2015	31.06	26.61	-	-	-	-	34.13	4.45	11:15	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	04/29/2015	31.06	26.76	-	-	-	-	33.95	4.30	14:00	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	05/04/2015	31.06	26.60	-	-	-	-	-	4.46	11:09	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	05/11/2015	31.06	26.55	-	-	-	-	33.90	4.51	14:58	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	05/13/2015	31.06	27.12	-	-	-	-	-	3.94	9:55	13	<0.5	<0.5	6	<0.5	<2	<0.5	<0.5	13.00	120	-	630	
MW/RW-72	05/21/2015	31.06	26.81	-	-	-	-	34.04	4.25	11:49	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	05/28/2015	31.06	27.05	-	-	-	-	34.00	4.01	11:28	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	06/02/2015	31.06	26.68	-	-	-	-	-	4.38	12:33	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	06/09/2015	31.06	26.46	-	-	-	-	-	4.60	10:00	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	06/16/2015	31.06	26.48	-	-	-	-	-	4.58	10:53	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	06/26/2015	31.06	26.42	-	-	-	-	34.00	4.64	10:19	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	07/01/2015	31.06	25.91	-	-	-	-	-	5.15	11:48	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	08/04/2015	31.06	26.19	-	-	-	-	34.14	4.87	12:35	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	08/05/2015	31.06	26.61	-	-	-	-	34.26	4.45	9:22	-	-	-	-	-	-	-	-	-	-	3,900		
MW/RW-72	12/01/2015	31.06	26.68	-	-	-	-	-	4.38	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	12/03/2015	31.06	NR	-	-	-	-	-	-	-	20	<0.5	29	100	-	-	-	-	26	-	-	960	
MW/RW-72	03/14/2016	31.06	26.87	-	-	-	-	-	4.19	9:05	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-72	03/15/2016	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,200	
MW/RW-72	03/30/2016	31.06	31.47	-	-	-	-	-	-0.41	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	04/21/2016	31.06	31.45	-	-	-	-	-	-0.39	10:22	-	-	-	-	-	-	-	-	-	-	-	350	
MW/RW-72	05/23/2016	31.06	31.50	-	-	-	-	-	-0.44	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-72	05/24/2016	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	360	
MW/RW-72	06/21/2016	31.06	31.50	-	-	-	-	-	-0.44	10:21	-	-	-	-	-	-	-	-	-	-	-	pump in well	
MW/RW-72	07/21/2016	31.06	31.51	-	-	-	-	-	-0.45	10:01	-	-	-	-	-	-	-	-	-	-	-	pump in well	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW/RW-72	08/04/2016	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Uninstalled pump to use in MW-14 due to increasing LNAPL levels in MW-14
MW/RW-72	08/24/2016	31.06	27.21	-	-	-	33.00	3.85	11:43	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	08/25/2016	31.06	27.42	-	-	-	33.18	3.64	11:06	-	-	-	-	-	-	-	-	-	-	-	-	330
MW/RW-72	09/22/2016	31.06	26.54	-	-	-	-	4.52	14:10	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	11/28/2016	31.06	26.36	-	-	-	33.69	4.70	8:50	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	11/29/2016	31.06	26.72	-	-	-	33.07	4.34	-	$\triangle 0.5$	-	-	-	-	-	-	-	-				
MW/RW-72	02/21/2017	31.06	27.88	-	-	-	33.03	3.18	12:26	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	02/22/2017	31.06	27.65	-	-	-	33.03	3.41	12:50	-	-	-	-	-	-	-	-	-	-	-	-	150
MW/RW-72	05/22/2017	31.03	26.79	-	-	-	33.10	4.24	13:20	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	05/23/2017	31.03	26.83	-	-	-	33.15	4.20	13:30	-	-	-	-	-	-	-	-	-	-	-	-	2,410
MW/RW-72	08/28/2017	31.03	32.62	-	-	-	33.02	-1.59	9:50	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	08/30/2017	31.03	32.51	-	-	-	33.10	-1.48	12:56	-	-	-	-	-	-	-	-	-	-	-	-	2,080
MW/RW-72	11/28/2017	31.03	30.61	-	-	-	35.23	0.42	11:06	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	11/29/2017	31.03	30.42	-	-	-	33.08	0.61	11:16	$<0.50$	$<1.0$	$<1.0$	$<1.0$	$<1.0$	-	-	-	-	-	-	-	642
MW/RW-72	02/20/2018	31.03	28.94	-	-	-	35.36	2.09	10:03	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	02/21/2018	31.03	29.49	-	-	-	33.10	1.54	9:40	-	-	-	-	-	-	-	-	-	-	-	-	537
MW/RW-72	05/21/2018	31.03	28.78	-	-	-	33.28	2.25	14:17	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	05/24/2018	31.03	26.22	-	-	-	33.10	4.81	8:18	-	-	-	-	-	-	-	-	-	-	-	-	4,430
MW/RW-72	08/13/2018	31.03	26.06	-	-	-	33.06	4.97	11:36	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	08/14/2018	31.03	26.22	-	-	-	33.10	4.81	10:07	-	-	-	-	-	-	-	-	-	-	-	-	3,100
MW/RW-72	11/12/2018	31.03	25.93	-	-	-	33.18	5.10	13:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	11/14/2018	31.03	26.30	-	-	-	33.18	4.73	9:54	0.3 J	$<0.2$	0.7 J	8	-	-	-	-	12	-	-	-	2,600
MW/RW-72	02/11/2019	31.03	26.19	-	-	-	33.37	4.84	13:49	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	02/14/2019	31.03	25.98	-	-	-	-	5.05	9:25	-	-	-	-	-	-	-	-	-	-	-	-	1,200
MW/RW-72	05/20/2019	31.03	25.55	-	-	-	34.13	5.48	10:44	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	05/21/2019	31.03	25.93	-	-	-	33.11	5.10	13:20	-	-	-	-	-	-	-	-	-	-	-	-	2,100
MW/RW-72	08/19/2019	31.03	26.11	-	-	-	33.10	4.92	11:33	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	08/22/2019	31.03	26.35	-	-	-	34.00	4.68	9:50	-	-	-	-	-	-	-	-	-	-	-	-	2,300
MW/RW-72	11/18/2019	31.03	26.11	-	-	-	32.99	4.92	12:50	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	11/19/2019	31.03	25.91	-	-	-	33.10	5.12	14:23	0.5 J	$\triangle 0.2$	2.00	7	-	-	-	-	17	-	-	-	1,500
MW/RW-72	02/17/2020	31.03	26.78	-	-	-	33.02	4.25	10:50	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-72	02/18/2020	31.03	26.64	-	-	-	-	4.39	10:51	-	-	-	-	-	-	-	-	-	-	-	-	890
MW-100S	08/15/2014	31.06	21.32	-	-	-	24.22	9.74	-	-	-	-	-	-	-	-	-	-	-	-	-	<300
MW-100S	08/18/2014	31.06	21.28	-	-	-	-	9.78	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	08/25/2014	31.06	21.31	-	-	-	-	9.75	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	09/02/2014	31.06	21.39	-	-	-	-	9.67	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-100S	09/15/2014	31.06	21.39	-	-	-	-	9.67	-	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-100S	09/22/2014	31.06	21.52	-	-	-	-	9.54	-	-	-	-	-	-	-	-	-	-	-	-	-	690
MW-100S	10/01/2014	31.06	21.62	-	-	-	-	24.16	9.44	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-100S	10/10/2014	31.06	21.61	-	-	-	-	-	9.45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	10/20/2014	31.06	21.67	-	-	-	-	24.17	9.39	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	10/21/2014	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	02/24/2015	31.06	21.75	-	-	-	-	24.18	9.31	15:18	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	02/26/2015	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	05/11/2015	31.06	21.55	-	-	-	-	24.20	9.51	9:55	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	05/12/2015	31.06	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	08/04/2015	31.06	20.66	-	-	-	-	24.15	10.40	12:44	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	08/05/2015	31.06	20.70	-	-	-	-	24.15	10.36	10:03	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	12/01/2015	31.06	21.57	-	-	-	-	24.16	9.49	11:38	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	03/14/2016	31.06	21.41	-	-	-	-	24.20	9.65	9:40	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	05/23/2016	31.06	21.33	-	-	-	-	24.31	9.73	10:46	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	08/24/2016	31.06	21.11	-	-	-	-	24.24	9.95	11:41	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	11/28/2016	31.06	21.73	-	-	-	-	24.16	9.33	9:08	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	11/29/2016	31.06	21.72	-	-	-	-	24.15	9.34	9:30	-	-	-	-	-	-	-	-	-	-	-	<45
MW-100S	02/21/2017	31.06	21.68	-	-	-	-	24.17	9.38	10:42	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	05/22/2017	31.03	21.06	-	-	-	-	24.21	9.97	12:30	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	08/28/2017	31.03	20.57	-	-	-	-	24.12	10.46	11:16	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	08/30/2017	31.03	20.70	-	-	-	-	24.20	10.33	10:08	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	11/28/2017	31.03	21.42	-	-	-	-	24.72	9.61	12:14	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	11/30/2017	31.03	21.45	-	-	-	-	24.22	9.58	9:30	-	-	-	-	-	-	-	-	-	-	-	192
MW-100S	02/20/2018	31.03	21.21	-	-	-	-	24.18	9.82	11:30	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	05/21/2018	31.03	20.97	-	-	-	-	24.20	10.06	11:40	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	05/22/2018	31.03	20.98	-	-	-	-	24.20	10.05	9:30	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	08/13/2018	31.03	DRY	-	-	-	-	24.81	-	11:06	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	11/12/2018	31.03	20.10	-	-	-	-	24.15	10.93	10:42	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	11/14/2018	31.03	19.71	-	-	-	-	24.18	11.32	9:55	-	-	-	-	-	-	-	-	-	-	-	<53
MW-100S	02/11/2019	31.03	20.41	-	-	-	-	24.27	10.62	10:11	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	05/20/2019	31.03	20.74	-	-	-	-	24.34	10.29	10:01	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	08/19/2019	31.03	24.57	-	-	-	-	26.94	6.46	10:14	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	11/18/2019	31.03	20.97	-	-	-	-	24.18	10.06	11:41	-	-	-	-	-	-	-	-	-	-	-	-
MW-100S	11/20/2019	31.03	21.01	-	-	-	-	24.18	10.02	9:26	-	-	-	-	-	-	-	-	-	-	-	<53
MW-100S	02/17/2020	31.03	20.95	-	-	-	-	24.18	10.08	10:10	-	-	-	-	-	-	-	-	-	-	-	-
MW-100	08/15/2014	30.78	26.80	-	-	-	-	36.90	3.98	-	-	-	-	-	-	-	-	-	-	-	-	<152
MW-100	08/18/2014	30.78	26.66	-	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-100	08/25/2014	30.78	26.26	-	-	-	-	-	4.52	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-100	09/02/2014	30.78	26.70	-	-	-	-	4.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	09/15/2014	30.78	26.65	-	-	-	-	4.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	09/22/2014	30.78	26.48	-	-	-	-	4.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	10/01/2014	30.78	26.69	-	-	-	-	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	10/10/2014	30.78	26.60	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	10/20/2014	30.78	26.86	-	-	-	-	36.58	3.92	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	10/21/2014	30.78	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
MW-100	02/24/2015	30.78	26.88	-	-	-	-	36.61	3.90	13:08	-	-	-	-	-	-	-	-	-	-	-	
MW-100	02/25/2015	30.78	26.87	-	-	-	-	36.62	3.91	11:32	-	-	-	-	-	-	-	-	-	-	-	300
MW-100	05/11/2015	30.78	26.17	-	-	-	-	36.60	4.61	14:57	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/12/2015	30.78	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-100	08/04/2015	30.78	25.80	-	-	-	-	36.80	4.98	12:31	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/05/2015	30.78	26.22	-	-	-	-	36.61	4.56	9:59	-	-	-	-	-	-	-	-	-	-	-	
MW-100	12/01/2015	30.78	26.25	-	-	-	-	36.35	4.53	13:24	-	-	-	-	-	-	-	-	-	-	-	
MW-100	03/14/2016	30.78	26.54	-	-	-	-	36.46	4.24	9:54	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/23/2016	30.78	26.74	-	-	-	-	36.69	4.04	10:28	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/24/2016	30.78	26.72	-	-	-	-	36.42	4.06	11:44	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/28/2016	30.78	26.87	-	-	-	-	27.44	3.91	9:10	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/29/2016	30.78	26.66	-	-	-	-	36.39	4.12	9:35	-	-	-	-	-	-	-	-	-	-	-	
MW-100	02/21/2017	30.78	27.35	-	-	-	-	36.30	3.43	12:03	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/22/2017	30.78	26.34	-	-	-	-	36.40	4.44	12:58	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/28/2017	30.78	33.02	-	-	-	-	36.23	-2.24	9:11	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/30/2017	30.78	32.94	-	-	-	-	36.28	-2.16	10:04	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/28/2017	30.78	29.98	-	-	-	-	36.28	0.80	12:17	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/30/2017	30.78	29.99	-	-	-	-	36.25	0.79	9:34	-	-	-	-	-	-	-	-	-	-	98.5	
MW-100	02/20/2018	30.78	27.79	-	-	-	-	37.12	2.99	10:18	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/21/2018	30.78	26.25	-	-	-	-	36.20	4.53	13:51	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/13/2018	30.78	25.91	-	-	-	-	37.19	4.87	12:36	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/12/2018	30.78	25.70	-	-	-	-	36.23	5.08	13:00	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/14/2018	30.78	26.39	-	-	-	-	36.25	4.39	10:05	-	-	-	-	-	-	-	-	-	-	-	
MW-100	02/11/2019	30.78	25.92	-	-	-	-	36.30	4.86	13:21	-	-	-	-	-	-	-	-	-	-	-	
MW-100	05/20/2019	30.78	25.35	-	-	-	-	37.64	5.43	11:18	-	-	-	-	-	-	-	-	-	-	-	
MW-100	08/19/2019	30.78	25.78	-	-	-	-	36.89	5.00	12:16	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/18/2019	30.78	25.69	-	-	-	-	36.18	5.09	12:37	-	-	-	-	-	-	-	-	-	-	-	
MW-100	11/20/2019	30.78	26.06	-	-	-	-	4.72	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-100	02/17/2020	30.78	26.40	-	-	-	-	36.19	4.38	10:12	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/15/2014	29.72	29.91	-	-	-	-	36.64	-0.19	-	-	-	-	-	-	-	-	-	-	-	<1,500	
MW-102	08/18/2014	29.72	29.81	-	-	-	-	-	-0.09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/25/2014	29.72	28.40	-	-	-	-	-	1.32	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-102	09/02/2014	29.72	27.23	-	-	-	-	2.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	09/15/2014	29.72	24.97	-	-	-	-	4.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	09/22/2014	29.72	24.83	-	-	-	-	4.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	10/01/2014	29.72	24.73	-	-	-	-	36.45	4.99	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	10/10/2014	29.72	24.66	-	-	-	-	-	5.06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	10/20/2014	29.72	24.78	-	-	-	-	36.44	4.94	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	10/21/2014	29.72	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-102	05/11/2015	29.72	24.44	-	-	-	-	36.40	5.28	15:01	-	-	-	-	-	-	-	-	-	-	-	
MW-102	05/12/2015	29.72	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-102	08/04/2015	29.72	23.39	-	-	-	-	36.43	6.33	12:35	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/05/2015	29.72	23.50	-	-	-	-	36.42	6.22	10:14	-	-	-	-	-	-	-	-	-	-	-	<45
MW-102	12/01/2015	29.72	22.61	-	-	-	-	31.80	7.11	13:52	-	-	-	-	-	-	-	-	-	-	-	
MW-102	03/14/2016	29.72	24.11	-	-	-	-	36.41	5.61	10:04	-	-	-	-	-	-	-	-	-	-	-	
MW-102	05/23/2016	29.72	23.33	-	-	-	-	36.40	6.39	10:15	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/24/2016	29.72	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-102	11/28/2016	29.72	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	VO
MW-102	02/21/2017	29.72	25.22	-	-	-	-	36.43	4.50	11:59	-	-	-	-	-	-	-	-	-	-	-	VO
MW-102	05/22/2017	29.72	23.65	-	-	-	-	36.46	6.07	13:03	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/28/2017	29.72	27.11	-	-	-	-	36.40	2.61	11:58	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/30/2017	29.72	27.20	-	-	-	-	36.48	2.52	10:28	-	-	-	-	-	-	-	-	-	-	-	
MW-102	11/28/2017	29.72	26.29	-	-	-	-	36.42	3.43	12:05	-	-	-	-	-	-	-	-	-	-	-	
MW-102	02/20/2018	29.72	25.01	-	-	-	-	37.08	4.71	10:15	-	-	-	-	-	-	-	-	-	-	-	
MW-102	05/21/2018	29.72	21.20	-	-	-	-	25.89	8.52	13:49	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/13/2018	29.72	22.51	-	-	-	-	36.99	7.21	12:13	-	-	-	-	-	-	-	-	-	-	-	
MW-102	11/12/2018	29.72	22.88	-	-	-	-	36.43	6.84	12:56	-	-	-	-	-	-	-	-	-	-	-	
MW-102	02/11/2019	29.72	23.59	-	-	-	-	36.72	6.13	13:12	-	-	-	-	-	-	-	-	-	-	-	
MW-102	05/20/2019	29.72	22.54	-	-	-	-	37.14	7.18	11:28	-	-	-	-	-	-	-	-	-	-	-	
MW-102	08/19/2019	29.72	23.52	-	-	-	-	37.02	6.20	12:11	-	-	-	-	-	-	-	-	-	-	-	
MW-102	11/18/2019	29.72	23.68	-	-	-	-	36.38	6.04	12:56	-	-	-	-	-	-	-	-	-	-	-	
MW-102	02/17/2020	29.72	22.61	-	-	-	-	36.41	7.11	10:06	-	-	-	-	-	-	-	-	-	-	-	
MW-103	07/24/2014	11.07	7.87	-	-	-	-	3.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/08/2014	11.07	4.61	-	-	-	-	15.06	6.46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/11/2014	11.07	4.63	-	-	-	-	6.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/15/2014	11.07	4.26	-	-	-	-	14.95	6.81	-	-	-	-	-	-	-	-	-	-	-	479	
MW-103	08/18/2014	11.07	4.48	-	-	-	-	-	6.59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	08/25/2014	11.07	4.45	-	-	-	-	-	6.62	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	09/02/2014	11.07	4.50	-	-	-	-	-	6.57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-103	09/15/2014	11.07	4.63	-	-	-	-	-	6.44	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-103	09/22/2014	11.07	4.76	-	-	-	-	6.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	10/01/2014	11.07	4.85	-	-	-	-	14.88	6.22	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	10/10/2014	11.07	4.93	-	-	-	-	-	6.14	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	10/20/2014	11.07	4.70	-	-	-	-	14.88	6.37	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	10/21/2014	11.07	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	02/24/2015	11.07	5.02	-	-	-	-	6.05	15.27	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	02/26/2015	11.07	5.21	-	-	-	-	14.90	5.86	11:53	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	54
MW-103	05/11/2015	11.07	4.67	-	-	-	-	14.88	6.40	10:20	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	05/12/2015	11.07	NR	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-
MW-103	08/04/2015	11.07	3.69	-	-	-	-	14.88	7.38	10:19	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	08/05/2015	11.07	3.71	-	-	-	-	14.87	7.36	10:20	-	-	-	-	-	-	-	-	-	-	-	<45
MW-103	12/01/2015	11.07	9.70	-	-	-	-	-	1.37	11:30	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	03/14/2016	11.07	4.15	-	-	-	-	14.89	6.92	10:08	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	05/23/2016	11.07	4.01	-	-	-	-	14.80	7.06	11:28	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	08/24/2016	11.07	4.26	-	-	-	-	14.98	6.81	11:35	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	11/28/2016	11.07	5.15	-	-	-	-	15.05	5.92	11:36	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	02/21/2017	11.07	5.34	-	-	-	-	14.89	5.73	10:56	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	05/22/2017	11.07	4.26	-	-	-	-	14.90	6.81	11:44	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	08/28/2017	11.07	3.90	-	-	-	-	14.90	7.17	11:25	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	08/30/2017	11.07	3.93	-	-	-	-	14.92	7.14	10:20	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	11/28/2017	11.07	4.50	-	-	-	-	14.91	6.57	13:10	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	02/20/2018	11.07	3.99	-	-	-	-	-	7.08	11:20	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	05/21/2018	11.07	2.97	-	-	-	-	-	8.10	11:44	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	08/13/2018	11.07	3.01	-	-	-	-	15.10	8.06	10:42	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	11/12/2018	11.07	3.41	-	-	-	-	14.88	7.66	10:03	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	02/11/2019	11.07	4.06	-	-	-	-	14.84	7.01	10:21	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	05/20/2019	11.07	3.67	-	-	-	-	14.42	7.40	9:54	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	08/19/2019	11.07	4.42	-	-	-	-	15.07	6.65	9:42	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	11/18/2019	11.07	4.84	-	-	-	-	14.87	6.23	10:42	-	-	-	-	-	-	-	-	-	-	-	-
MW-103	02/17/2020	11.07	4.10	-	-	-	-	14.87	6.97	9:07	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	07/24/2014	12.00	5.24	-	-	-	-	6.76	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/08/2014	12.00	4.28	-	-	-	-	12.05	7.72	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/11/2014	12.00	4.40	-	-	-	-	-	7.60	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/15/2014	12.00	3.95	-	-	-	-	12.20	8.05	-	-	-	-	-	-	-	-	-	-	-	-	1,630
MW-104	08/18/2014	12.00	4.22	-	-	-	-	-	7.78	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/25/2014	12.00	4.29	-	-	-	-	-	7.71	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	09/02/2014	12.00	4.38	-	-	-	-	-	7.62	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	09/15/2014	12.00	4.52	-	-	-	-	-	7.48	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	09/22/2014	12.00	4.73	-	-	-	-	-	7.27	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-104	10/01/2014	12.00	4.73	-	-	-	11.98	7.27	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	10/10/2014	12.00	4.77	-	-	-	-	7.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	10/20/2014	12.00	3.98	-	-	-	12.07	8.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	10/21/2014	12.00	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	02/24/2015	12.00	5.43	-	-	-	-	6.57	15:38	-	<0.5	<0.5	0.7	2	<0.5	-	-	-	-	-	-	-
MW-104	02/26/2015	12.00	5.70	-	-	-	12.00	6.30	12:07	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	150	-
MW-104	05/11/2015	12.00	4.51	-	-	-	12.10	7.49	10:25	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	05/12/2015	12.00	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/04/2015	12.00	3.82	-	-	-	12.00	8.18	10:08	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/05/2015	12.00	3.85	-	-	-	12.50	8.15	10:23	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	12/01/2015	12.00	4.29	-	-	-	12.05	7.71	11:42	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	03/14/2016	12.00	3.80	-	-	-	11.99	8.20	10:14	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	05/23/2016	12.00	3.72	-	-	-	12.00	8.28	11:28	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/24/2016	12.00	4.17	-	-	-	12.12	7.83	11:28	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	11/28/2016	12.00	5.13	-	-	-	12.15	6.87	11:19	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	02/21/2017	12.00	5.07	-	-	-	12.05	6.93	10:53	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	05/22/2017	12.00	4.21	-	-	-	12.08	7.79	11:46	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/28/2017	12.00	4.52	-	-	-	12.00	7.48	10:33	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/30/2017	12.00	3.53	-	-	-	12.08	8.47	10:16	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	11/28/2017	12.00	4.70	-	-	-	12.06	7.30	13:04	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	02/20/2018	12.00	3.79	-	-	-	12.02	8.21	9:48	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	05/21/2018	12.00	3.03	-	-	-	-	8.97	11:43	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/13/2018	12.00	2.75	-	-	-	-	9.25	10:53	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	11/12/2018	12.00	7.51	-	-	-	11.90	4.49	9:59	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	02/11/2019	12.00	3.74	-	-	-	11.94	8.26	10:21	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	05/20/2019	12.00	3.48	-	-	-	11.73	8.52	9:52	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	08/19/2019	12.00	4.13	-	-	-	11.76	7.87	9:37	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	11/18/2019	12.00	4.57	-	-	-	11.58	7.43	10:39	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-104	02/17/2020	12.00	3.74	-	-	-	12.01	8.26	9:09	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	07/24/2014	10.94	2.34	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	08/08/2014	10.94	2.15	-	-	-	10.06	8.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	08/11/2014	10.94	2.39	-	-	-	-	8.55	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	08/15/2014	10.94	1.67	-	-	-	9.95	9.27	-	-	-	-	-	-	-	-	-	-	-	-	-	<1,500
MW-105	08/18/2014	10.94	2.06	-	-	-	-	8.88	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	08/25/2014	10.94	2.25	-	-	-	-	8.69	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	09/02/2014	10.94	2.24	-	-	-	-	8.70	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	09/15/2014	10.94	2.32	-	-	-	-	8.62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	09/22/2014	10.94	2.71	-	-	-	-	8.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	10/01/2014	10.94	2.57	-	-	-	9.88	8.37	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-105	10/10/2014	10.94	2.70	-	-	-	-	8.24	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	-	-
MW-105	10/20/2014	10.94	1.70	-	-	-	-	9.93	9.24	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	10/21/2014	10.94	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	05/11/2015	10.94	2.40	-	-	-	-	9.70	8.54	10:35	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	05/12/2015	10.94	NR	-	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-105	08/04/2015	10.94	1.65	-	-	-	-	9.62	9.29	10:15	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	08/05/2015	10.94	1.67	-	-	-	-	9.60	9.27	10:26	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	12/01/2015	10.94	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	03/14/2016	10.94	0.30	-	-	-	-	9.24	10.64	10:17	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	05/23/2016	10.94	0.91	-	-	-	-	9.50	10.03	11:36	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	08/24/2016	10.94	1.70	-	-	-	-	9.22	9.24	11:25	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	11/28/2016	10.94	3.00	-	-	-	-	9.19	7.94	11:14	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	02/21/2017	10.94	3.11	-	-	-	-	9.16	7.83	10:47	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	05/22/2017	10.94	0.10	-	-	-	-	9.20	10.84	11:48	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	08/28/2017	10.94	1.32	-	-	-	-	9.14	9.62	10:30	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	08/30/2017	10.94	0.95	-	-	-	-	9.03	9.99	10:13	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	11/28/2017	10.94	2.45	-	-	-	-	9.09	8.49	12:59	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	02/20/2018	10.94	1.46	-	-	-	-	8.94	9.48	9:46	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	05/21/2018	10.94	0.70	-	-	-	-	-	10.24	11:42	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	08/13/2018	10.94	0.33	-	-	-	-	9.09	10.61	11:00	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	11/12/2018	10.94	0.28	-	-	-	-	-	10.66	9:57	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	02/11/2019	10.94	NR	-	-	-	-	-	-	10:26	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	05/20/2019	10.94	0.91	-	-	-	-	8.84	10.03	9:58	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	08/19/2019	10.94	1.73	-	-	-	-	8.65	9.21	9:34	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	11/18/2019	10.94	2.43	-	-	-	-	8.78	8.51	10:37	-	-	-	-	-	-	-	-	-	-	-	-
MW-105	02/17/2020	10.94	1.67	-	-	-	-	8.89	9.27	9:11	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	08/08/2014	11.12	8.30	-	-	-	-	10.27	2.82	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	08/11/2014	11.12	8.27	-	-	-	-	-	2.85	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	08/15/2014	11.12	7.63	-	-	-	-	9.88	3.49	-	-	-	-	-	-	-	-	-	-	-	-	89,200
MW-106	08/18/2014	11.12	7.58	-	-	-	-	-	3.54	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	08/25/2014	11.12	7.52	-	-	-	-	-	3.60	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	09/02/2014	11.12	7.79	-	-	-	-	-	3.33	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	09/15/2014	11.12	7.90	-	-	-	-	-	3.22	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	09/22/2014	11.12	7.87	-	-	-	-	-	3.25	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	10/01/2014	11.12	7.93	-	-	-	-	9.88	3.19	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	10/10/2014	11.12	7.71	-	-	-	-	-	3.41	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	10/13/2014	11.12	7.92	-	-	-	-	-	3.20	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	10/20/2014	11.12	7.86	-	-	-	-	9.88	3.26	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-106	10/22/2014	11.12	NR	-	-	-	-	-	-	<0.5	<0.5	1	<0.5	<0.5	<2	<0.5	<0.5	23	230	-	2,000	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-106	10/27/2014	11.12	7.77	-	-	-	-	3.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/07/2014	11.12	7.83	-	-	-	-	3.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/12/2014	11.12	7.88	-	-	-	-	3.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/21/2014	11.12	8.23	-	-	-	-	2.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/26/2014	11.12	8.03	-	-	-	-	3.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	12/05/2014	11.12	7.21	-	-	-	-	3.91	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	12/11/2014	11.12	6.95	-	-	-	-	4.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	12/16/2014	11.12	7.18	-	-	-	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	12/23/2014	11.12	7.31	-	-	-	-	3.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	12/30/2014	11.12	6.97	-	-	-	-	4.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	01/09/2015	11.12	7.34	-	-	-	-	3.78	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	01/16/2015	11.12	6.88	-	-	-	-	4.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	01/19/2015	11.12	6.77	-	-	-	-	4.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	01/26/2015	11.12	5.79	-	-	-	-	5.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/03/2015	11.12	7.24	-	-	-	9.90	3.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/09/2015	11.12	7.42	-	-	-	-	3.70	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/18/2015	11.12	7.63	-	-	-	-	3.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/24/2015	11.12	7.76	-	-	-	9.84	3.36	13:18	-	<0.5	<0.5	2	<0.5	<0.5	<2	<0.5	<0.5	4.1	130	-	9,500
MW-106	02/25/2015	11.12	7.80	-	-	-	9.79	3.32	10:20	<0.5	<0.5	-	-	-	-	-	-	-	-	-	-	
MW-106	03/04/2015	11.12	7.57	-	-	-	-	3.55	13:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	03/11/2015	11.12	5.17	-	-	-	-	5.95	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	03/18/2015	11.12	6.39	-	-	-	-	4.73	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	03/26/2015	11.12	7.02	-	-	-	9.90	4.10	11:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/02/2015	11.12	7.15	-	-	-	9.85	3.97	10:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/08/2015	11.12	7.55	-	-	-	9.87	3.57	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/13/2015	11.12	7.63	-	-	-	-	3.49	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/23/2015	11.12	6.70	-	-	-	9.85	4.42	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/29/2015	11.12	7.15	-	-	-	9.85	3.97	13:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/04/2015	11.12	7.23	-	-	-	-	3.89	11:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/11/2015	11.12	7.43	-	-	-	9.85	3.69	14:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/12/2015	11.12	7.50	-	-	-	-	3.62	10:35	<0.5	<0.5	5	<0.5	<0.5	<2	<0.5	<0.5	2 J	75	-	7,800	
MW-106	05/28/2015	11.12	7.81	-	-	-	9.80	3.31	11:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	06/02/2015	11.12	6.66	-	-	-	-	4.46	12:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	06/09/2015	11.12	6.37	-	-	-	-	4.75	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	06/16/2015	11.12	7.21	-	-	-	-	3.91	11:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	06/26/2015	11.12	6.27	-	-	-	9.90	4.85	9:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	07/01/2015	11.12	4.77	-	-	-	-	6.35	11:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/04/2015	11.12	7.42	-	-	-	9.86	3.70	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/05/2015	11.12	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,300	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-106	12/01/2015	11.12	7.65	-	-	-	9.85	3.47	13:45	<0.5	<0.5	1	<0.5	-	-	-	-	-	-	-	-	
MW-106	12/03/2015	11.12	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	03/14/2016	11.12	7.33	-	-	-	9.84	3.79	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	03/15/2016	11.12	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	04/21/2016	11.12	7.85	-	-	-	9.80	3.27	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/05/2016	11.12	6.97	-	-	-	-	4.15	12:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/23/2016	11.12	6.52	-	-	-	9.80	4.60	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/24/2016	11.12	6.26	-	-	-	9.60	4.86	13:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	06/21/2016	11.12	7.90	-	-	-	-	3.22	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	07/21/2016	11.12	7.63	-	-	-	-	3.49	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/24/2016	11.12	7.90	-	-	-	9.60	3.22	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/25/2016	11.12	7.80	-	-	-	-	3.32	14:15	-	-	-	-	-	-	-	-	-	-	-	1,800	
MW-106	09/22/2016	11.12	7.87	-	-	-	-	3.25	14:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/28/2016	11.12	8.51	-	-	-	9.50	2.61	8:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/29/2016	11.12	8.15	-	-	-	9.45	2.97	-	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	8,800	
MW-106	02/21/2017	11.12	DRY	-	-	-	9.50	-	12:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/22/2017	11.12	7.94	-	-	-	9.50	3.18	11:49	-	-	-	-	-	-	-	-	-	-	-	670	
MW-106	05/22/2017	11.12	6.81	-	-	-	8.98	4.31	13:25	-	-	-	-	-	-	-	-	-	-	-	Very muddy	
MW-106	05/23/2017	11.12	6.86	-	-	-	8.89	4.26	13:40	-	-	-	-	-	-	-	-	-	-	-	414	
MW-106	08/28/2017	11.12	DRY	-	-	-	8.73	-	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/28/2017	11.12	DRY	-	-	-	8.80	-	10:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/20/2018	11.12	6.90	-	-	-	8.79	4.22	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/21/2018	11.12	6.98	-	-	-	8.79	4.14	11:20	-	-	-	-	-	-	-	-	-	-	-	560	
MW-106	05/21/2018	11.12	4.15	-	-	-	8.81	6.97	14:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/24/2018	11.12	4.55	-	-	-	8.81	6.57	8:30	-	-	-	-	-	-	-	-	-	-	-	422	
MW-106	08/13/2018	11.12	6.23	-	-	-	8.80	4.89	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/14/2018	11.12	6.25	-	-	-	8.80	4.87	12:23	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-106	11/12/2018	11.12	5.22	-	-	-	7.81	5.90	12:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/14/2018	11.12	4.72	-	-	-	8.80	6.40	11:45	<0.2	<0.2	<0.2	<0.5	-	-	-	<4	-	-	-	<53	
MW-106	02/11/2019	11.12	6.44	-	-	-	8.92	4.68	12:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/14/2019	11.12	5.51	-	-	-	8.89	5.61	12:55	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-106	05/20/2019	11.12	5.62	-	-	-	8.89	5.50	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	05/22/2019	11.12	6.23	-	-	-	8.92	4.89	9:30	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-106	08/19/2019	11.12	7.18	-	-	-	9.80	3.94	11:52	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	08/22/2019	11.12	7.30	-	-	-	8.90	3.82	11:45	-	-	-	-	-	-	-	-	-	-	-	750	
MW-106	11/18/2019	11.12	6.73	-	-	-	8.90	4.39	13:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	11/20/2019	11.12	6.75	-	-	-	8.93	4.37	11:36	0.40	<0.2	<0.2	<0.8	-	-	-	<4	-	-	-	710	
MW-106	02/17/2020	11.12	5.80	-	-	-	8.90	5.32	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-106	02/18/2020	11.12	5.83	-	-	-	5.29	13:45	-	-	-	-	-	-	-	-	-	-	-	-	<53	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
										-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/08/2014	15.74	10.62	-	-	-	-	5.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	08/11/2014	15.74	9.02	-	-	-	-	6.72	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	08/15/2014	15.74	8.94	-	-	-	-	6.80	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	08/16/2014	15.74	8.93	-	-	-	-	6.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	08/18/2014	15.74	8.89	-	-	-	-	6.85	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	08/25/2014	15.74	8.38	-	-	-	-	7.36	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	09/02/2014	15.74	8.43	-	-	-	-	7.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	09/15/2014	15.74	9.39	-	-	-	-	6.35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	09/22/2014	15.74	9.92	-	-	-	-	5.82	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	10/01/2014	15.74	10.32	-	-	-	-	5.42	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	10/10/2014	15.74	10.53	-	-	-	-	5.21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	10/13/2014	15.74	10.67	-	-	-	-	5.07	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	10/20/2014	15.74	8.43	-	-	-	-	7.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	10/22/2014	15.74	NR	-	-	-	-	-	-	<0.5	<0.5	2	2	<0.5	<2	<0.5	<0.5	0.9	49	-	840	-
MW-107	10/27/2014	15.74	7.97	-	-	-	-	7.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	11/07/2014	15.74	8.32	-	-	-	-	7.42	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	11/12/2014	15.74	8.63	-	-	-	-	7.11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	11/21/2014	15.74	9.38	-	-	-	-	6.36	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	11/26/2014	15.74	8.93	-	-	-	-	6.81	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	12/05/2014	15.74	7.47	-	-	-	-	8.27	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	12/11/2014	15.74	7.43	-	-	-	-	8.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	12/16/2014	15.74	8.28	-	-	-	-	7.46	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	12/23/2014	15.74	8.35	-	-	-	-	7.39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	12/30/2014	15.74	8.20	-	-	-	-	7.54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	01/09/2015	15.74	8.03	-	-	-	-	7.71	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	01/16/2015	15.74	7.68	-	-	-	-	8.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	01/19/2015	15.74	6.76	-	-	-	-	8.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	01/26/2015	15.74	5.84	-	-	-	-	9.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	02/03/2015	15.74	8.63	-	-	-	-	11.04	7.11	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	02/09/2015	15.74	8.73	-	-	-	-	7.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	02/18/2015	15.74	9.21	-	-	-	-	6.53	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	02/24/2015	15.74	9.78	-	-	-	-	11.00	5.96	13:23	1	<0.5	0.7	0.7	<0.5	<2	<0.5	<0.5	37	-	480	-
MW-107	02/25/2015	15.74	9.64	-	-	-	-	11.00	6.10	11:40	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	03/04/2015	15.74	9.48	-	-	-	-	6.26	13:55	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	03/11/2015	15.74	4.08	-	-	-	-	11.66	12:22	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	03/18/2015	15.74	7.44	-	-	-	-	8.30	10:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	03/26/2015	15.74	8.98	-	-	-	-	11.00	6.76	11:05	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	04/02/2015	15.74	8.63	-	-	-	-	11.00	7.11	10:49	-	-	-	-	-	-	-	-	-	-	-	-
MW-107	04/08/2015	15.74	9.00	-	-	-	-	6.74	9:45	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-107	04/13/2015	15.74	9.06	-	-	-	-	6.68	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-107	04/23/2015	15.74	7.18	-	-	-	-	11.00	8.56	11:04	-	-	-	-	-	-	-	-	-	-	-	
MW-107	04/29/2015	15.74	9.14	-	-	-	-	11.00	6.60	13:39	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/04/2015	15.74	9.03	-	-	-	-	-	6.71	11:14	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/11/2015	15.74	9.19	-	-	-	-	11.00	6.55	14:49	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/12/2015	15.74	9.25	-	-	-	-	-	6.49	10:37	<0.5	<0.5	-	-	-	-	-	-	-	-	-	
MW-107	05/21/2015	15.74	9.21	-	-	-	-	11.00	6.53	11:57	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/28/2015	15.74	9.27	-	-	-	-	11.00	6.47	11:13	-	-	-	-	-	-	-	-	-	-	-	
MW-107	06/02/2015	15.74	3.95	-	-	-	-	-	11.79	12:41	-	-	-	-	-	-	-	-	-	-	-	
MW-107	06/09/2015	15.74	6.78	-	-	-	-	-	8.96	10:07	-	-	-	-	-	-	-	-	-	-	-	
MW-107	06/16/2015	15.74	9.05	-	-	-	-	-	6.69	10:58	-	-	-	-	-	-	-	-	-	-	-	
MW-107	06/26/2015	15.74	6.86	-	-	-	-	11.00	8.88	9:15	-	-	-	-	-	-	-	-	-	-	-	
MW-107	07/01/2015	15.74	4.03	-	-	-	-	-	11.71	11:51	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/04/2015	15.74	9.40	-	-	-	-	11.00	6.34	12:21	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/05/2015	15.74	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	280
MW-107	12/01/2015	15.74	8.80	-	-	-	-	11.01	6.94	13:47	-	-	-	-	-	-	-	-	-	-	-	
MW-107	12/03/2015	15.74	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	730
MW-107	03/14/2016	15.74	8.09	-	-	-	-	11.03	7.65	9:15	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/23/2016	15.74	7.29	-	-	-	-	10.90	8.45	10:26	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/24/2016	15.74	DRY	-	-	-	-	11.02	-	9:30	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-107	11/28/2016	15.74	DRY	-	-	-	-	11.00	-	8:27	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-107	12/07/2016	15.74	DRY	-	-	-	-	11.00	-	12:18	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-107	02/21/2017	15.74	DRY	-	-	-	-	11.00	-	12:28	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-107	02/22/2017	15.74	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-107	05/22/2017	15.74	7.42	-	-	-	-	11.02	8.32	11:29	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/28/2017	15.74	9.95	-	-	-	-	10.96	5.79	10:01	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/28/2017	15.74	9.96	-	-	-	-	11.02	5.78	10:50	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/30/2017	15.74	10.66	-	-	-	-	10.93	5.08	10:35	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-107	02/20/2018	15.74	8.08	-	-	-	-	11.01	7.66	10:00	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/21/2018	15.74	6.19	-	-	-	-	10.98	9.55	14:03	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/13/2018	15.74	6.23	-	-	-	-	11.03	9.51	11:23	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/12/2018	15.74	7.17	-	-	-	-	10.98	8.57	12:55	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/14/2018	15.74	5.97	-	-	-	-	11.10	9.77	11:46	-	-	-	-	-	-	-	-	-	-	400	
MW-107	02/11/2019	15.74	9.80	-	-	-	-	11.07	5.94	10:34	-	-	-	-	-	-	-	-	-	-	-	
MW-107	05/20/2019	15.74	8.34	-	-	-	-	11.05	7.40	10:40	-	-	-	-	-	-	-	-	-	-	-	
MW-107	08/19/2019	15.74	10.58	-	-	-	-	11.04	5.16	10:06	-	-	-	-	-	-	-	-	-	-	-	
MW-107	11/18/2019	15.74	10.60	-	-	-	-	11.05	5.14	13:03	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-107	02/17/2020	15.74	8.24	-	-	-	-	11.02	7.50	10:28	-	-	-	-	-	-	-	-	-	-	-	
MW-108	08/08/2014	15.61	DRY	-	-	-	-	9.49	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-108	08/11/2014	15.61	DRY	-	-	-	9.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/15/2014	15.61	9.01	-	-	-	9.22	6.60	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/18/2014	15.61	9.07	-	-	-	-	6.54	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/25/2014	15.61	DRY	-	-	-	9.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	09/02/2014	15.61	DRY	-	-	-	9.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	09/15/2014	15.61	DRY	-	-	-	9.22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	09/22/2014	15.61	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	10/01/2014	15.61	DRY	-	-	-	10.48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	10/10/2014	15.61	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	10/20/2014	15.61	DRY	-	-	-	10.48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	05/11/2015	15.61	DRY	-	-	-	9.20	-	14:47	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	05/12/2015	15.61	DRY	-	-	-	-	-	10:40	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/04/2015	15.61	DRY	-	-	-	9.21	-	12:27	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	12/01/2015	15.61	DRY	-	-	-	9.21	-	13:49	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	03/14/2016	15.61	DRY	-	-	-	9.22	-	9:18	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	05/23/2016	15.61	8.37	-	-	-	9.20	7.24	10:28	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	05/25/2016	15.61	8.34	-	-	-	9.20	7.27	12:13	-	-	-	-	-	-	-	-	-	-	-	51 J	DRY
MW-108	08/24/2016	15.61	DRY	-	-	-	9.23	-	9:32	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/25/2016	15.61	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	11/28/2016	15.61	9.07	-	-	-	9.25	6.54	8:29	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-108	12/07/2016	15.61	DRY	-	-	-	9.24	-	12:21	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	02/21/2017	15.61	DRY	-	-	-	9.21	-	12:33	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	02/22/2017	15.61	9.19	-	-	-	9.22	6.42	11:52	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-108	05/22/2017	15.61	DRY	-	-	-	9.21	-	11:31	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	05/23/2017	15.61	DRY	-	-	-	9.20	-	13:45	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-108	08/28/2017	15.61	9.09	-	-	-	9.20	6.52	10:05	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-108	11/28/2017	15.61	DRY	-	-	-	9.25	-	10:53	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	02/20/2018	15.61	9.05	-	-	-	9.25	6.56	10:04	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-108	05/21/2018	15.61	6.02	-	-	-	9.23	9.59	14:06	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	05/22/2018	15.61	6.94	-	-	-	9.23	8.67	14:10	-	-	-	-	-	-	-	-	-	-	-	<83	Insufficient GW Vol.
MW-108	08/13/2018	15.61	9.20	-	-	-	9.23	6.41	11:26	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/14/2018	15.61	9.02	-	-	-	9.23	6.59	12:20	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
MW-108	11/12/2018	15.61	7.78	-	-	-	9.20	7.83	12:53	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	11/14/2018	15.61	6.41	-	-	-	9.21	9.20	11:48	-	-	-	-	-	-	-	-	-	-	-	<53	Insufficient GW Vol.
MW-108	02/11/2019	15.61	DRY	-	-	-	9.24	-	10:37	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	02/15/2019	15.61	8.50	-	-	-	-	7.11	10:35	-	-	-	-	-	-	-	-	-	-	-	<53	DRY
MW-108	05/20/2019	15.61	9.17	-	-	-	9.23	6.44	10:43	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	08/19/2019	15.61	DRY	-	-	-	9.27	-	10:11	-	-	-	-	-	-	-	-	-	-	-	-	DRY
MW-108	11/18/2019	15.61	DRY	-	-	-	9.23	-	13:00	-	-	-	-	-	-	-	-	-	-	-	-	DRY

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-108	02/17/2020	15.61	8.91	-	-	-	9.23	6.70	10:31	-	-	-	-	-	-	-	-	-	-	<53	Grab	
MW-109S	08/21/2014	19.27	10.08	-	-	-	13.35	9.19	13:50	-	-	-	-	-	-	-	-	-	-	-	7,500	
MW-109S	09/15/2014	19.27	10.19	-	-	-	-	9.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	09/22/2014	19.27	10.24	-	-	-	-	9.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	10/01/2014	19.27	10.33	-	-	-	13.20	8.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	10/10/2014	19.27	10.47	-	-	-	-	8.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	10/13/2014	19.27	10.58	-	-	-	-	8.69	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	10/20/2014	19.27	10.67	-	-	-	13.20	8.60	-	-	-	-	-	-	-	-	-	-	-	-	12,000	
MW-109S	10/27/2014	19.27	10.83	-	-	-	-	8.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/07/2014	19.27	10.76	-	-	-	-	8.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/12/2014	19.27	10.85	-	-	-	-	8.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/21/2014	19.27	11.04	-	-	-	-	8.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/26/2014	19.27	11.02	-	-	-	-	8.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	02/24/2015	19.27	11.43	-	-	-	13.06	7.84	13:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	02/26/2015	19.27	11.36	-	-	-	13.06	7.91	10:40	-	-	-	-	-	-	-	-	-	-	-	1,800	
MW-109S	05/11/2015	19.27	11.31	-	-	-	13.20	7.96	15:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	05/12/2015	19.27	11.28	-	-	-	13.20	7.99	10:00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	4 J	<0.5	<0.5	<1	-	180	
MW-109S	05/21/2015	19.27	11.40	-	-	-	13.06	7.87	12:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/28/2016	19.27	10.97	-	-	-	13.25	8.30	9:25	-	-	-	-	-	-	-	-	-	-	-	2,300	
MW-109S	11/28/2017	19.27	11.52	-	-	-	13.24	7.75	12:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/29/2017	19.27	11.50	-	-	-	13.25	7.77	10:03	-	-	-	-	-	-	-	-	-	-	184	351	
MW-109S	11/12/2018	19.27	9.15	-	-	-	13.28	10.12	12:26	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109S	11/13/2018	19.27	9.08	-	-	-	13.28	10.19	10:47	-	-	-	-	-	-	-	-	-	-	-	1,300	
MW-109S	11/18/2019	19.27	10.25	-	-	-	12.24	9.02	12:46	-	-	-	-	-	-	-	-	-	-	-	2,500	
MW-109S	11/19/2019	19.27	10.28	-	-	-	-	8.99	14:35	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	08/21/2014	19.16	14.82	-	-	-	22.40	4.34	13:55	-	-	-	-	-	-	-	-	-	-	-	<600	
MW-109	08/25/2014	19.16	14.59	-	-	-	-	4.57	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	09/15/2014	19.16	14.98	-	-	-	-	4.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	09/22/2014	19.16	14.88	-	-	-	-	4.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	10/01/2014	19.16	15.07	-	-	-	22.79	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	10/10/2014	19.16	14.96	-	-	-	-	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	10/13/2014	19.16	15.09	-	-	-	-	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	10/20/2014	19.16	15.22	-	-	-	22.72	3.94	-	-	-	-	-	-	-	-	-	-	-	-	200	
MW-109	10/27/2014	19.16	15.27	-	-	-	-	3.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/07/2014	19.16	15.07	-	-	-	-	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/12/2014	19.16	15.13	-	-	-	-	4.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/21/2014	19.16	15.81	-	-	-	-	3.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/26/2014	19.16	15.33	-	-	-	-	3.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	02/24/2015	19.16	15.25	-	-	-	22.80	3.91	13:58	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW-109	02/26/2015	19.16	15.25	-	-	-	22.80	3.91	10:44	-	-	-	-	-	-	-	-	-	-	-	100	
MW-109	05/11/2015	19.16	14.61	-	-	-	22.84	4.55	15:04	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-109	05/12/2015	19.16	14.77	-	-	-	22.84	4.39	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	05/21/2015	19.16	15.23	-	-	-	22.80	3.93	12:36	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/28/2016	19.16	16.95	-	-	-	22.24	2.21	9:29	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-109	11/28/2017	19.16	18.70	-	-	-	22.54	0.46	12:25	-	-	-	-	-	-	-	-	-	-	-	-	<83
MW-109	11/12/2018	19.16	14.27	-	-	-	22.67	4.89	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/13/2018	19.16	13.84	-	-	-	22.67	5.32	10:50	-	-	-	-	-	-	-	-	-	-	-	-	<53
MW-109	11/18/2019	19.16	14.30	-	-	-	22.70	4.86	12:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-109	11/19/2019	19.16	14.23	-	-	-	-	4.93	13:55	-	-	-	-	-	-	-	-	-	-	-	-	<53
MW-110S	08/25/2014	19.13	10.05	-	-	-	12.70	9.08	-	-	-	-	-	-	-	-	-	-	-	-	-	6,630
MW-110S	09/15/2014	19.13	10.23	-	-	-	-	8.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	09/22/2014	19.13	10.28	-	-	-	-	8.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	10/01/2014	19.13	10.33	-	-	-	12.65	8.80	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	10/10/2014	19.13	10.41	-	-	-	-	8.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	10/20/2014	19.13	10.45	-	-	-	12.66	8.68	-	-	-	-	-	-	-	-	-	-	-	-	-	8,500
MW-110S	10/27/2014	19.13	10.48	-	-	-	-	8.65	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/07/2014	19.13	10.50	-	-	-	-	8.63	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/12/2014	19.13	10.53	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/21/2014	19.13	10.60	-	-	-	-	8.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/26/2014	19.13	10.60	-	-	-	-	8.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	02/24/2015	19.13	11.53	-	-	-	12.67	7.60	13:49	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	02/26/2015	19.13	11.59	-	-	-	12.67	7.54	10:33	-	-	-	-	-	-	-	-	-	-	-	-	6,700
MW-110S	05/11/2015	19.13	12.24	-	-	-	12.65	6.89	14:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	05/12/2015	19.13	12.24	-	-	-	12.65	6.89	9:47	-	-	-	-	-	-	-	-	-	-	-	-	2,300
MW-110S	05/21/2015	19.13	11.55	-	-	-	12.67	7.58	12:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/28/2016	19.13	11.98	-	-	-	12.70	7.15	9:19	-	-	-	-	-	-	-	-	-	-	-	-	5,900
MW-110S	11/28/2017	19.13	12.27	-	-	-	12.70	6.86	12:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/29/2017	19.13	12.28	-	-	-	12.70	6.85	9:59	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol. to analyze for TPH-DRO
MW-110S	11/12/2018	19.13	9.17	-	-	-	12.70	9.96	12:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110S	11/13/2018	19.13	9.13	-	-	-	12.70	10.00	10:41	-	-	-	-	-	-	-	-	-	-	-	-	460
MW-110S	11/18/2018	19.13	10.32	-	-	-	12.70	8.81	12:35	-	-	-	-	-	-	-	-	-	-	-	-	720
MW-110	08/25/2014	19.51	14.70	-	-	-	24.40	4.81	-	-	-	-	-	-	-	-	-	-	-	-	-	<153
MW-110	09/15/2014	19.51	15.11	-	-	-	-	4.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	09/22/2014	19.51	14.98	-	-	-	-	4.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-110	10/01/2014	19.51	15.18	-	-	-	23.33	4.33	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW-110	10/10/2014	19.51	15.07	-	-	-	-	4.44	-	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-110	10/20/2014	19.51	14.35	-	-	-	23.34	5.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-110	10/27/2014	19.51	14.39	-	-	-	-	5.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-110	11/07/2014	19.51	15.18	-	-	-	-	4.33	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-110	11/12/2014	19.51	15.25	-	-	-	-	4.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-110	11/21/2014	19.51	15.97	-	-	-	-	3.54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-110	11/26/2014	19.51	15.45	-	-	-	-	4.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-110	02/24/2015	19.51	15.38	-	-	-	23.36	4.13	13:52	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-110	02/26/2015	19.51	15.38	-	-	-	23.36	4.13	10:36	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-110	05/11/2015	19.51	14.74	-	-	-	23.42	4.77	14:54	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-110	05/12/2015	19.51	14.91	-	-	-	23.42	4.60	9:44	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-110	05/21/2015	19.51	15.40	-	-	-	23.36	4.11	12:40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-110	11/28/2016	19.51	15.67	-	-	-	23.52	3.84	9:22	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-110	11/28/2017	19.51	18.32	-	-	-	23.48	1.19	12:28	-	-	-	-	-	-	-	-	-	-	-	-	<83
MW-110	11/12/2018	19.51	13.85	-	-	-	23.60	5.66	12:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-110	11/13/2018	19.51	13.58	-	-	-	23.60	5.93	10:44	-	-	-	-	-	-	-	-	-	-	-	-	<53
MW-110	11/18/2019	19.51	14.16	-	-	-	23.47	5.35	12:38	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-110	11/20/2019	19.51	14.38	-	-	-	-	5.13	9:25	-	-	-	-	-	-	-	-	-	-	-	-	<53
MW-111	08/21/2014	19.17	14.80	-	-	-	22.00	4.37	14:47	-	-	-	-	-	-	-	-	-	-	-	-	<600
MW-111	10/10/2014	19.17	14.97	-	-	-	-	4.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-111	10/20/2014	19.17	14.25	-	-	-	21.97	4.92	-	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-111	02/24/2015	19.17	15.30	-	-	-	21.96	3.87	13:43	-	-	-	-	-	-	-	-	-	-	-	-	260
MW-111	02/26/2015	19.17	15.28	-	-	-	21.96	3.89	10:25	-	-	-	-	-	-	-	-	-	-	-	-	150
MW-111	05/11/2015	19.17	14.66	-	-	-	21.87	4.51	14:51	-	-	-	-	-	-	-	-	-	-	-	-	<45
MW-111	05/12/2015	19.17	14.78	-	-	-	21.87	4.39	9:41	-	-	-	-	-	-	-	-	-	-	-	-	251
MW-111	11/28/2016	19.17	15.57	-	-	-	21.62	3.60	9:08	-	-	-	-	-	-	-	-	-	-	-	-	<53
MW-111	11/28/2017	19.17	18.15	-	-	-	21.65	1.02	12:17	-	-	-	-	-	-	-	-	-	-	-	-	110
MW-111	11/12/2018	19.17	12.84	-	-	-	21.60	6.33	12:14	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-111	11/13/2018	19.17	12.60	-	-	-	21.60	6.57	10:38	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-111	11/18/2019	19.17	13.82	-	-	-	21.55	5.35	12:25	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-111	11/19/2019	19.17	13.80	-	-	-	-	5.37	11:30	-	-	-	-	-	-	-	-	-	-	-	-	<53
MW-112S	08/15/2014	19.22	10.31	-	-	-	12.40	8.91	-	-	-	-	-	-	-	-	-	-	-	-	-	<1,500
MW-112S	08/18/2014	19.22	10.22	-	-	-	12.45	9.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-112S	08/25/2014	19.22	10.29	-	-	-	-	8.93	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-112S	09/15/2014	19.22	10.43	-	-	-	-	8.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-112S	09/22/2014	19.22	10.56	-	-	-	-	8.66	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-112S	10/01/2014	19.22	10.58	-	-	-	12.46	8.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW-112S	10/10/2014	19.22	10.64	-	-	-	-	8.58	-	-	-	-	-	-	-	-	-	-	-	-	-	380
MW-112S	10/20/2014	19.22	10.75	-	-	-	12.47	8.47	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-112S	02/24/2015	19.22	11.30	-	-	-	12.48	7.92	13:37	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112S	02/26/2015	19.22	11.34	-	-	-	12.48	7.88	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	05/11/2015	19.22	11.21	-	-	-	12.44	8.01	15:01	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	05/12/2015	19.22	11.21	-	-	-	12.44	8.01	9:54	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112S	11/28/2016	19.22	11.05	-	-	-	12.50	8.17	9:15	-	-	-	-	-	-	-	-	-	-	-	73 J	
MW-112S	11/28/2017	19.22	11.37	-	-	-	12.35	7.85	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	11/29/2017	19.22	11.37	-	-	-	12.50	10.02	12:38	-	-	-	-	-	-	-	-	-	-	172	209	
MW-112S	11/12/2018	19.22	9.20	-	-	-	12.50	10.07	10:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	11/13/2018	19.22	9.15	-	-	-	12.45	8.91	12:50	-	-	-	-	-	-	-	-	-	-	-	1,600	
MW-112S	11/18/2019	19.22	10.31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112S	11/19/2019	19.22	10.35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3,100	
MW-112	08/15/2014	19.08	15.11	-	-	-	22.55	3.97	-	-	-	-	-	-	-	-	-	-	-	-	<1,500	
MW-112	08/18/2014	19.08	14.43	-	-	-	22.31	4.65	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	08/25/2014	19.08	14.53	-	-	-	-	4.55	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	09/02/2014	19.08	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	No Access to Gauge	
MW-112	09/15/2014	19.08	14.85	-	-	-	-	4.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	09/22/2014	19.08	14.77	-	-	-	-	4.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	10/01/2014	19.08	14.92	-	-	-	22.83	4.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	10/10/2014	19.08	14.87	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	10/20/2014	19.08	15.15	-	-	-	22.83	3.93	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112	02/24/2015	19.08	15.19	-	-	-	22.75	3.89	13:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	02/26/2015	19.08	15.15	-	-	-	22.75	3.93	10:22	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112	05/11/2015	19.08	14.52	-	-	-	22.83	4.56	14:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	05/12/2015	19.08	14.64	-	-	-	22.83	4.44	9:51	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112	11/28/2016	19.08	15.50	-	-	-	22.85	3.58	9:12	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-112	11/28/2017	19.08	18.09	-	-	-	22.85	0.99	12:20	-	-	-	-	-	-	-	-	-	-	-	<83	
MW-112	11/12/2018	19.08	13.72	-	-	-	22.85	5.36	12:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	11/13/2018	19.08	13.48	-	-	-	22.85	5.60	10:56	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-112	11/18/2019	19.08	14.00	-	-	-	22.82	5.08	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW-112	11/19/2019	19.08	13.92	-	-	-	-	5.16	12:12	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-113	08/25/2014	19.11	14.49	-	-	-	-	4.62	-	-	-	-	-	-	-	-	-	-	-	-	<600	
MW-113	09/15/2014	19.11	14.96	-	-	-	-	4.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	09/22/2014	19.11	14.83	-	-	-	-	4.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	10/01/2014	19.11	15.04	-	-	-	22.95	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	10/10/2014	19.11	14.84	-	-	-	-	4.27	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	10/20/2014	19.11	15.20	-	-	-	22.95	3.91	-	-	-	-	-	-	-	-	-	-	-	-	61	
MW-113	02/24/2015	19.11	15.24	-	-	-	22.95	3.87	13:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	02/26/2015	19.11	15.27	-	-	-	22.95	3.84	10:29	-	-	-	-	-	-	-	-	-	-	-	90	
MW-113	05/11/2015	19.11	14.58	-	-	-	22.77	4.53	14:48	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-113	05/12/2015	19.11	14.81	-	-	-	22.77	4.30	9:38	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-113	11/28/2016	19.11	15.54	-	-	-	22.83	3.57	9:04	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-113	11/28/2017	19.11	18.14	-	-	-	22.82	0.97	12:14	-	-	-	-	-	-	-	-	-	-	-	1,050	
MW-113	11/12/2018	19.11	11.20	-	-	-	22.82	7.91	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	11/13/2018	19.11	10.98	-	-	-	22.82	8.13	10:35	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-113	11/18/2019	19.11	12.96	-	-	-	22.80	6.15	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-113	11/19/2019	19.11	12.93	-	-	-	-	6.18	10:51	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-114	08/25/2014	19.26	14.62	-	-	-	22.78	4.64	-	-	-	-	-	-	-	-	-	-	-	-	<600	
MW-114	09/15/2014	19.26	14.89	-	-	-	-	4.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	09/22/2014	19.26	14.87	-	-	-	-	4.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	10/01/2014	19.26	14.96	-	-	-	22.77	4.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	10/10/2014	19.26	15.01	-	-	-	-	4.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	10/20/2014	19.26	15.29	-	-	-	22.77	3.97	-	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-114	02/24/2015	19.26	15.25	-	-	-	22.77	4.01	13:34	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	02/26/2015	19.26	15.10	-	-	-	22.77	4.16	10:15	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-114	05/11/2015	19.26	14.52	-	-	-	22.75	4.74	14:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	05/12/2015	19.26	14.51	-	-	-	22.75	4.75	9:35	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-114	11/28/2016	19.26	15.62	-	-	-	22.80	3.64	9:00	-	-	-	-	-	-	-	-	-	-	-	<45	
MW-114	11/28/2017	19.26	17.98	-	-	-	22.77	1.28	12:10	-	-	-	-	-	-	-	-	-	-	-	130	
MW-114	11/12/2018	19.26	13.02	-	-	-	22.78	6.24	12:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	11/13/2018	19.26	12.71	-	-	-	22.78	6.55	11:00	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-114	11/18/2019	19.26	13.75	-	-	-	22.73	5.51	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-114	11/19/2019	19.26	13.75	-	-	-	-	5.51	10:01	-	-	-	-	-	-	-	-	-	-	-	<53	
MW-121	07/08/2015	31.43	26.52	-	-	-	-	4.91	11:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	07/13/2015	31.43	26.14	-	-	-	36.93	5.29	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	07/20/2015	31.43	26.37	-	-	-	-	5.06	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	07/28/2015	31.43	26.53	-	-	-	37.06	4.90	11:38	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/04/2015	31.43	25.91	-	-	-	36.33	5.52	12:22	-	-	-	-	-	-	-	-	-	-	-	9,400	
MW-121	08/11/2015	31.43	25.58	-	-	-	36.31	5.85	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/18/2015	31.43	26.12	-	-	-	-	5.31	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/24/2015	31.43	26.02	-	-	-	-	5.41	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/02/2015	31.43	26.38	-	-	-	36.31	5.05	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/09/2015	31.43	26.11	-	-	-	36.29	5.32	10:23	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/17/2015	31.43	26.51	-	-	-	36.41	4.92	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/23/2015	31.43	26.32	-	-	-	-	5.11	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/28/2015	31.43	26.18	-	-	-	36.25	5.25	9:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	10/05/2015	31.43	26.02	-	-	-	36.25	5.41	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/10/2015	31.43	26.62	-	-	-	-	4.81	13:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	12/01/2015	31.43	26.48	-	-	-	36.20	4.95	13:56	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-121	12/02/2015	31.43	NR	-	-	-	-	-	-	2.00	<0.5	8.00	<0.5	-	-	-	-	-	-	4,500		
MW-121	01/27/2016	31.43	26.58	-	-	-	-	4.85	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	02/15/2016	31.43	27.11	-	-	-	-	4.32	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	03/14/2016	31.43	26.57	-	-	-	-	36.28	4.86	8:45	-	-	-	-	-	-	-	-	-	-	-	
MW-121	03/15/2016	31.43	NR	-	-	-	-	-	-	0.95	9:38	-	-	-	-	-	-	-	-	-	5,500	
MW-121	04/21/2016	31.43	30.48	-	-	-	-	37.06	4.17	10:10	-	-	-	-	-	-	-	-	-	-	-	
MW-121	05/23/2016	31.43	27.26	-	-	-	-	36.60	1.70	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	05/25/2016	31.43	29.73	-	-	-	-	-	2.26	11:07	-	-	-	-	-	-	-	-	-	-	12,000	
MW-121	06/21/2016	31.43	29.17	-	-	-	-	-	1.86	10:50	-	-	-	-	-	-	-	-	-	-	-	
MW-121	07/21/2016	31.43	29.57	-	-	-	-	-	36.39	3.87	9:26	-	-	-	-	-	-	-	-	-	-	
MW-121	08/24/2016	31.43	27.56	-	-	-	-	36.35	4.53	11:02	-	-	-	-	-	-	-	-	-	-	2,400	
MW-121	08/25/2016	31.43	26.90	-	-	-	-	-	2.91	14:05	-	-	-	-	-	-	-	-	-	-	-	
MW-121	09/22/2016	31.43	28.52	-	-	-	-	37.35	3.30	8:54	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/28/2016	31.43	28.13	-	-	-	-	36.36	2.68	9:33	<0.5	<0.5	0.9 J	<0.5	-	-	-	-	-	-	3,400	
MW-121	11/29/2016	31.43	28.75	-	-	-	-	36.37	3.56	12:12	-	-	-	-	-	-	-	-	-	-	-	
MW-121	02/21/2017	31.43	27.87	-	-	-	-	36.35	-1.07	9:22	-	-	-	-	-	-	-	-	-	-	-	
MW-121	02/22/2017	31.43	29.66	-	-	-	-	-	1.77	9:49	-	-	-	-	-	-	-	-	-	-	720,000	
MW-121	03/07/2017	31.43	29.10	-	-	-	-	36.35	2.33	11:13	-	-	-	-	-	-	-	-	-	-	21,000	
MW-121	05/22/2017	31.43	26.60	-	-	-	-	-	4.83	13:04	-	-	-	-	-	-	-	-	-	-	-	
MW-121	05/24/2017	31.43	26.17	-	-	-	-	36.35	5.26	9:55	0.38	<1	0.81 J	<1	-	-	-	-	-	-	57,100	
MW-121	08/28/2017	31.43	32.50	-	-	-	-	36.35	-1.07	9:22	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/29/2017	31.43	32.40	-	-	-	-	36.35	-0.97	10:56	-	-	-	-	-	-	-	-	-	-	5,030	
MW-121	11/28/2017	31.43	30.61	-	-	-	-	38.47	0.82	10:59	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/29/2017	31.43	30.32	-	-	-	-	36.34	1.11	10:58	<0.50	<1.0	<1.0	<1.0	-	-	-	-	-	-	18,400	
MW-121	02/20/2018	31.43	28.30	-	-	-	-	38.21	3.13	9:59	-	-	-	-	-	-	-	-	-	-	-	
MW-121	02/22/2018	31.43	28.65	-	-	-	-	36.40	2.78	9:10	-	-	-	-	-	-	-	-	-	-	2,860	
MW-121	05/24/2018	31.43	26.23	-	-	-	-	36.35	5.20	8:06	-	-	-	-	-	-	-	-	-	-	51,400	
MW-121	06/26/2018	31.43	26.22	-	-	-	-	36.27	5.21	9:32	-	-	-	-	-	-	-	-	-	-	1,700 B	
MW-121	08/13/2018	31.43	25.92	-	-	-	-	36.40	5.51	12:05	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/15/2018	31.43	27.62	-	-	-	-	38.92	3.81	10:51	-	-	-	-	-	-	-	-	-	-	44,000	
MW-121	11/12/2018	31.43	25.82	-	-	-	-	36.38	5.61	12:53	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/14/2018	31.43	26.23	-	-	-	-	36.38	5.20	10:27	<0.2	<0.2	<0.2	<0.5	-	-	-	-	-	-	7,900	
MW-121	02/11/2019	31.43	25.99	-	-	-	-	37.55	5.44	13:03	-	-	-	-	-	-	-	-	-	-	-	
MW-121	02/13/2019	31.43	25.67	-	-	-	-	-	5.76	9:15	-	-	-	-	-	-	-	-	-	-	12,000	
MW-121	02/15/2019	31.43	25.67	-	-	-	-	36.37	5.76	9:00	-	-	-	-	-	-	-	-	-	-	3,700	Grab
MW-121	05/20/2019	31.43	25.41	-	-	-	-	37.39	6.02	11:05	-	-	-	-	-	-	-	-	-	-	13,000	
MW-121	05/20/2019	31.43	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23,000	Grab
MW-121	08/19/2019	31.43	25.87	-	-	-	-	37.73	5.56	12:03	-	-	-	-	-	-	-	-	-	-	-	
MW-121	08/19/2019	31.43	25.85	-	-	-	-	-	5.58	12:47	-	-	-	-	-	-	-	-	-	-	9,700	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-121	08/21/2019	31.43	26.11	-	-	-	36.35	5.32	9:20	-	-	-	-	-	-	-	-	-	-	3,100	Grab	
MW-121	11/18/2019	31.43	25.88	-	-	-	36.34	5.55	12:24	-	-	-	-	-	-	-	-	-	-	-	-	
MW-121	11/20/2019	31.43	26.22	-	-	-	-	5.21	11:05	<0.2	<0.2	<0.2	<0.8	-	-	-	-	-	-	15,000		
MW-121	11/21/2019	31.43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33,000	Grab	
MW-121	02/17/2020	31.43	26.61	-	-	-	36.86	4.82	10:24	-	-	-	-	-	-	-	-	-	-	11,000		
MW-121	02/17/2020	31.43	-	-	-	-	-	-	14:15	-	-	-	-	-	-	-	-	-	-	28,000	Grab	
MW-122	07/08/2015	31.64	25.58	-	-	-	-	6.06	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	07/13/2015	31.64	25.36	-	-	-	34.72	6.28	9:29	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	07/20/2015	31.64	25.20	-	-	-	-	6.44	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	07/28/2015	31.64	25.38	-	-	-	34.85	6.26	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/04/2015	31.64	25.54	-	-	-	34.61	6.10	12:24	-	-	-	-	-	-	-	-	-	-	2,000		
MW-122	08/11/2015	31.64	25.46	-	-	-	34.79	6.18	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/18/2015	31.64	25.98	-	-	-	-	5.66	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/24/2015	31.64	25.83	-	-	-	-	5.81	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	09/02/2015	31.64	26.21	-	-	-	34.76	5.43	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	09/09/2015	31.64	26.03	-	-	-	34.78	5.61	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	09/17/2015	31.64	26.45	-	-	-	34.83	5.19	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	09/23/2015	31.64	26.18	-	-	-	-	5.46	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	09/28/2015	31.64	25.98	-	-	-	34.72	5.66	9:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	10/05/2015	31.64	25.50	25.50	TRACE	-	34.72	6.14	9:13	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB	
MW-122	11/10/2015	31.64	26.32	-	-	-	-	5.32	13:07	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	12/01/2015	31.64	26.57	-	-	-	34.72	5.07	13:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	12/02/2015	31.64	NR	-	-	-	-	-	-	1.00	<0.5	8.00	<0.5	-	-	-	<1	-	-	1,600		
MW-122	01/27/2016	31.64	26.63	-	-	-	-	5.01	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	02/15/2016	31.64	27.05	-	-	-	-	4.59	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	03/14/2016	31.64	26.47	-	-	-	34.77	5.17	8:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	03/15/2016	31.64	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,800		
MW-122	04/21/2016	31.64	27.32	-	-	-	-	4.32	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	05/23/2016	31.64	27.35	-	-	-	34.82	4.29	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	05/25/2016	31.64	27.51	-	-	-	34.90	4.13	-	-	-	-	-	-	-	-	-	-	-	4,000		
MW-122	06/21/2016	31.64	27.33	-	-	-	-	4.31	11:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	07/21/2016	31.64	27.22	-	-	-	-	4.42	10:45	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/24/2016	31.64	27.07	-	-	-	34.80	4.57	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/25/2016	31.64	26.93	-	-	-	36.77	4.71	10:58	-	-	-	-	-	-	-	-	-	-	1,900		
MW-122	09/22/2016	31.64	27.03	-	-	-	-	4.61	14:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	11/28/2016	31.64	27.24	-	-	-	35.80	4.40	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	11/29/2016	31.64	27.28	-	-	-	34.78	4.36	9:30	2	<0.5	<0.5	<0.5	-	-	<1	-	-	-	1,300		
MW-122	02/21/2017	31.64	27.60	-	-	-	34.80	4.04	12:09	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	02/22/2017	31.64	27.36	-	-	-	-	4.28	9:46	-	-	-	-	-	-	-	-	-	-	1,900		

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
MW-122	05/22/2017	31.64	26.61	-	-	-	5.03	13:06	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	05/24/2017	31.64	25.52	-	-	-	34.70	6.12	9:50	-	-	-	-	-	-	-	-	-	-	-	5,340	
MW-122	08/28/2017	31.64	32.76	-	-	-	34.80	-1.12	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/29/2017	31.64	32.72	-	-	-	34.80	-1.08	11:00	-	-	-	-	-	-	-	-	-	-	-	2,780	
MW-122	08/30/2017	31.64	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	11/28/2017	31.64	30.61	-	-	-	37.25	1.03	11:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	11/29/2017	31.64	30.42	-	-	-	37.25	1.22	10:55	<0.50	0.47 J	0.84 J	1.4	-	-	-	-	-	-	-	950	
MW-122	02/20/2018	31.64	28.39	-	-	-	37.83	3.25	10:01	-	-	-	-	-	-	-	-	-	-	-	6,280	
MW-122	02/22/2018	31.64	28.55	-	-	-	34.80	3.09	9:05	-	-	-	-	-	-	-	-	-	-	-	11,200	
MW-122	05/24/2018	31.64	26.33	-	-	-	34.82	5.31	8:03	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	06/26/2018	31.64	26.22	-	-	-	36.27	5.42	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/13/2018	31.64	26.07	-	-	-	34.83	5.57	12:02	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	08/15/2018	31.64	26.22	-	-	-	37.13	5.42	11:29	-	-	-	-	-	-	-	-	-	-	-	2,600	
MW-122	11/12/2018	31.64	25.90	-	-	-	34.83	5.74	12:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	11/14/2018	31.64	26.15	-	-	-	34.83	5.49	10:23	<0.2	<0.2	0.9 J	1 J	-	-	-	-	-	-	-	6,300	
MW-122	02/11/2019	31.64	26.13	-	-	-	29.82	5.51	13:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	02/12/2019	31.64	25.92	-	-	-	-	5.72	12:45	-	-	-	-	-	-	-	-	-	-	-	520	
MW-122	05/20/2019	31.64	25.54	-	-	-	35.69	6.10	11:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW-122	05/21/2019	31.64	25.87	-	-	-	35.79	5.77	11:47	-	-	-	-	-	-	-	-	-	-	-	790	
MW-122	08/19/2019	31.64	24.98	-	-	-	36.54	6.66	12:06	-	-	-	-	-	-	-	-	-	-	-	780	
MW-122	11/18/2019	31.64	25.98	-	-	-	34.73	5.66	12:32	<0.2	<0.2	<0.2	<0.8	-	-	-	-	-	-	-	-	
MW-122	11/19/2019	31.64	26.20	-	-	-	-	5.44	12:25	<0.2	<0.2	<0.2	<0.8	-	-	-	-	-	-	-	1,200	
MW-122	02/17/2020	31.64	26.51	-	-	-	34.72	5.13	10:16	-	-	-	-	-	-	-	-	-	-	-	920	
MW-122	02/18/2020	31.64	26.52	-	-	-	-	5.12	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/08/2015	31.09	DRY	-	-	-	24.92	-	11:35	-	-	-	-	-	-	-	-	-	-	-	DRY	
MW/RW-123S	07/13/2015	31.09	23.96	-	-	-	24.90	7.13	9:17	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/20/2015	31.09	22.37	-	-	-	-	8.72	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/28/2015	31.09	22.15	-	-	-	24.98	8.94	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/04/2015	31.09	22.04	-	-	-	24.91	9.05	13:08	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/05/2015	31.09	22.07	-	-	-	24.93	9.02	9:16	-	-	-	-	-	-	-	-	-	-	-	2,400	
MW/RW-123S	08/11/2015	31.09	22.04	-	-	-	24.91	9.05	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/18/2015	31.09	22.05	-	-	-	-	9.04	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/24/2015	31.09	22.08	-	-	-	-	9.01	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/02/2015	31.09	22.26	22.25	0.01	TRACE	24.92	8.84	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/09/2015	31.09	22.33	-	-	-	24.92	8.76	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/17/2015	31.09	22.56	-	-	-	24.97	8.53	10:19	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/23/2015	31.09	22.57	-	-	-	-	8.52	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/28/2015	31.09	22.59	-	-	-	24.91	8.50	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	10/05/2015	31.09	22.61	22.61	TRACE	-	24.92	8.48	9:09	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW/RW-123S	11/10/2015	31.09	25.31	-	-	-	-	5.78	12:43	-	-	-	-	-	-	-	-	-	-	-	-	2,500
MW/RW-123S	12/01/2015	33.54	25.53	-	-	-	27.40	8.01	10:55	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	01/27/2016	33.54	25.76	-	-	-	-	7.78	9:57	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	02/15/2016	33.54	24.93	-	-	-	-	8.61	9:43	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	03/14/2016	33.54	24.35	-	-	-	27.39	9.19	12:00	-	-	-	-	-	-	-	-	-	-	-	-	13,000
MW/RW-123S	04/21/2016	33.54	25.93	-	-	-	27.16	7.61	10:52	-	-	-	-	-	-	-	-	-	-	-	-	150,000
MW/RW-123S	05/23/2016	33.54	26.06	-	-	-	27.32	7.48	11:33	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	05/24/2016	33.54	25.46	-	-	-	27.50	8.08	8:55	-	-	-	-	-	-	-	-	-	-	-	-	100,000
MW/RW-123S	06/21/2016	33.54	26.05	-	-	-	-	7.49	10:04	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	07/21/2016	33.54	26.03	-	-	-	-	7.51	9:54	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	08/24/2016	33.54	26.09	-	-	-	27.00	7.45	11:59	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	08/25/2016	33.54	24.11	-	-	-	-	9.43	9:50	-	-	-	-	-	-	-	-	-	-	-	-	1,200,000
MW/RW-123S	09/22/2016	33.54	26.14	-	-	-	27.02	7.40	12:48	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	10/20/2016	33.54	26.16	-	-	-	-	7.38	11:45	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	11/28/2016	33.54	26.12	-	-	-	27.00	7.42	11:09	-	-	-	-	-	-	-	-	-	-	-	-	190,000
MW/RW-123S	12/22/2016	33.54	26.15	-	-	-	27.05	7.39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	01/30/2017	33.54	26.13	-	-	-	26.90	7.41	9:58	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	02/21/2017	33.54	26.06	-	-	-	26.85	7.48	10:13	-	-	-	-	-	-	-	-	-	-	-	-	530,000
MW/RW-123S	03/29/2017	33.54	26.10	-	-	-	26.90	7.44	12:57	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	04/18/2017	33.54	26.10	-	-	-	26.84	7.44	11:30	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	05/22/2017	33.54	23.25	-	-	-	26.90	10.29	10:18	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	05/23/2017	33.54	21.93	-	-	-	26.90	11.61	10:25	-	-	-	-	-	-	-	-	-	-	-	-	50,800
MW/RW-123S	06/22/2017	33.54	26.04	-	-	-	26.65	7.50	11:40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	07/19/2017	33.54	26.07	-	-	-	26.60	7.47	11:27	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	08/21/2017	33.54	22.48	-	-	-	26.62	11.06	9:16	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	08/28/2017	33.54	22.97	-	-	-	26.60	10.57	11:26	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	08/29/2017	33.54	23.05	-	-	-	-	10.49	15:15	-	-	-	-	-	-	-	<2.0	266	11,500	-	-	
MW/RW-123S	09/05/2017	33.54	22.80	-	-	-	-	10.74	13:46	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	09/20/2017	33.54	23.18	-	-	-	-	10.36	9:53	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	10/03/2017	33.54	23.97	-	-	-	-	9.57	11:27	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	10/17/2017	33.54	23.98	-	-	-	-	9.56	11:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	11/02/2017	33.54	23.87	-	-	-	-	9.67	11:34	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	11/28/2017	33.54	23.75	-	-	-	26.57	9.79	13:43	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	11/29/2017	33.54	23.93	-	-	-	26.50	9.61	14:16	-	-	-	-	-	-	-	-	10,600	11,900	-	-	
MW/RW-123S	12/05/2017	33.54	24.03	-	-	-	-	9.51	10:23	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	12/19/2017	33.54	24.25	-	-	-	-	9.29	10:30	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	01/03/2018	33.54	24.48	-	-	-	-	9.06	12:23	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	01/26/2018	33.54	24.91	-	-	-	-	8.63	11:37	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-123S	02/01/2018	33.54	24.83	-	-	-	-	8.71	10:37	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments	
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)		
MW/RW-123S	02/20/2018	33.54	23.32	-	-	-	26.56	10.22	12:29	-	-	-	-	-	-	-	-	-	-	-	363	11,900	
MW/RW-123S	02/22/2018	33.54	24.40	-	-	-	26.61	9.14	11:19	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	03/06/2018	33.54	23.70	-	-	-	-	9.84	11:51	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	03/29/2018	33.54	23.45	-	-	-	-	10.09	10:12	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	04/11/2018	33.54	23.85	-	-	-	-	9.69	11:24	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	04/23/2018	33.54	23.78	-	-	-	-	9.76	10:00	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/03/2018	33.54	23.84	-	-	-	-	9.70	9:40	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/03/2018	31.22	22.34	-	-	-	-	8.88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/21/2018	31.22	22.07	-	-	-	24.97	9.15	9:44	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/22/2018	31.22	21.99	-	-	-	24.97	9.23	9:33	-	-	-	-	-	-	-	-	-	-	-	-	23,600	
MW/RW-123S	06/12/2018	31.22	21.76	-	-	-	-	9.46	10:33	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	06/26/2018	31.22	22.71	-	-	-	24.93	8.51	10:09	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/02/2018	31.22	21.82	-	-	-	-	9.40	11:04	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/17/2018	31.22	22.03	-	-	-	-	9.19	9:32	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/30/2018	31.22	20.60	-	-	-	-	10.62	10:23	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/09/2018	31.22	20.97	-	-	-	-	10.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/13/2018	31.22	20.12	-	-	-	24.97	11.10	12:18	-	-	-	-	-	-	-	-	-	-	-	-	28,000	
MW/RW-123S	09/04/2018	31.22	20.41	-	-	-	-	10.81	9:30	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/25/2018	31.22	26.73	-	-	-	-	-	13:42	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	10/02/2018	31.22	22.23	-	-	-	26.83	-	9:50	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	10/24/2018	31.22	26.75	-	-	-	26.80	-	9:43	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/12/2018	33.00	22.60	-	-	-	-	10.40	10:37	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/13/2018	33.00	22.57	-	-	-	-	10.43	9:50	-	-	-	-	-	-	-	-	-	-	-	-	6,400	
MW/RW-123S	11/27/2018	33.00	22.33	-	-	-	-	10.67	9:19	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	12/11/2018	33.00	22.93	-	-	-	-	10.07	9:20	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	12/27/2018	33.00	22.84	-	-	-	-	10.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	01/10/2019	33.00	22.82	-	-	-	-	10.18	10:59	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	01/24/2019	33.00	26.45	-	-	-	-	6.55	13:40	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/11/2019	33.00	23.15	-	-	-	26.77	9.85	10:35	-	-	-	-	-	-	-	-	-	-	-	-	2,700	
MW/RW-123S	02/12/2019	31.22	21.45	-	-	-	-	9.77	13:50	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/21/2019	33.00	23.11	-	-	-	-	9.89	9:34	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	03/07/2019	33.00	23.11	-	-	-	-	9.89	9:03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	03/19/2019	33.00	24.62	-	-	-	-	8.38	9:03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	04/02/2019	33.00	23.13	-	-	-	-	9.87	9:45	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	04/22/2019	33.00	23.27	-	-	-	-	9.73	9:03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/06/2019	33.00	23.57	-	-	-	-	9.43	9:03	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/20/2019	33.00	23.25	-	-	-	26.96	9.75	10:59	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	05/21/2019	33.00	23.32	-	-	-	-	9.68	13:15	-	-	-	-	-	-	-	-	-	-	-	-	3,600	
MW/RW-123S	06/04/2019	33.00	23.80	-	-	-	-	9.20	9:40	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-123S	06/18/2019	33.00	23.52	-	-	-	-	9.48	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/09/2019	33.00	23.23	-	-	-	-	9.77	8:53	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	07/23/2019	33.00	22.92	-	-	-	-	10.08	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/09/2019	33.00	23.22	-	-	-	-	9.78	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/19/2019	33.00	23.56	-	-	-	-	26.77	9.44	11:27	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	08/20/2019	31.22	21.93	-	-	-	-	24.98	9.29	11:55	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	09/03/2019	33.00	23.87	-	-	-	-	-	9.13	8:51	-	-	-	-	-	-	-	-	-	-	-	3,900
MW/RW-123S	09/17/2019	33.00	24.38	-	-	-	-	-	8.62	9:30	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	10/01/2019	33.00	25.48	-	-	-	-	-	7.52	9:32	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/18/2019	31.22	22.45	-	-	-	-	24.42	8.77	10:58	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	11/21/2019	31.22	22.60	-	-	-	-	-	8.62	13:17	-	-	-	-	-	-	-	-	-	-	-	5,000
MW/RW-123S	12/05/2019	31.22	22.65	-	-	-	-	-	8.57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	01/14/2020	31.22	22.57	-	-	-	-	-	8.65	11:20	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/17/2020	31.22	22.67	-	-	-	-	24.99	8.55	11:31	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-123S	02/19/2020	31.22	22.65	-	-	-	-	-	8.57	10:24	-	-	-	-	-	-	-	-	-	-	-	3,400
MW/RW-123S	03/10/2020	31.22	22.83	-	-	-	-	-	8.39	8:57	-	-	-	-	-	-	-	-	-	-	-	
RW-1	10/10/2014	31.19	26.93	-	-	-	-	-	4.26	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	10/13/2014	31.19	27.09	-	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	10/20/2014	31.19	27.27	-	-	-	-	40.65	3.92	-	-	-	-	-	-	-	-	-	-	-	-	30,000
RW-1	10/22/2014	31.19	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	10/27/2014	31.19	27.35	-	-	-	-	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	11/07/2014	31.19	27.10	-	-	-	-	-	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	11/12/2014	31.19	27.15	-	-	-	-	-	4.04	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	11/21/2014	31.19	27.83	-	-	-	-	-	3.36	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	11/26/2014	31.19	27.42	-	-	-	-	-	3.77	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	12/05/2014	31.19	27.25	-	-	-	-	-	3.94	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	12/11/2014	31.19	27.09	-	-	-	-	-	4.10	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	12/16/2014	31.19	26.98	-	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	12/23/2014	31.19	26.98	-	-	-	-	-	4.21	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	12/30/2014	31.19	27.38	-	-	-	-	-	3.81	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	01/09/2015	31.19	27.37	-	-	-	-	-	3.82	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	01/16/2015	31.19	27.08	-	-	-	-	-	4.11	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	01/19/2015	31.19	27.07	-	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	01/26/2015	31.19	27.03	-	-	-	-	-	4.16	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	02/03/2015	31.19	27.80	-	-	-	-	40.75	3.39	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	02/09/2015	31.19	27.18	-	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	02/18/2015	31.19	27.22	-	-	-	-	-	3.97	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	02/24/2015	31.19	27.42	-	-	-	-	40.35	3.77	13:49	-	-	-	-	-	-	-	-	-	-	-	6,200
RW-1	02/26/2015	31.19	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-1	03/04/2015	31.19	27.27	-	-	-	-	3.92	14:12	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	03/11/2015	31.19	26.90	-	-	-	-	4.29	12:42	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	03/18/2015	31.19	27.04	-	-	-	-	4.15	11:02	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	03/26/2015	31.19	26.87	-	-	-	-	40.70	4.32	11:35	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	04/02/2015	31.19	27.02	-	-	-	-	40.60	4.17	11:23	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	04/08/2015	31.19	27.30	-	-	-	-	40.55	3.89	8:45	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	04/13/2015	31.19	27.18	-	-	-	-	-	4.01	10:38	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	04/23/2015	31.19	26.67	-	-	-	-	40.65	4.52	11:52	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	04/29/2015	31.19	26.87	-	-	-	-	40.70	4.32	14:19	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	05/04/2015	31.19	26.72	-	-	-	-	-	4.47	11:36	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	05/11/2015	31.19	26.70	-	-	-	-	40.78	4.49	15:03	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	05/12/2015	31.19	26.92	-	-	-	-	40.63	4.27	14:15	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	05/21/2015	31.19	26.90	-	-	-	-	40.70	4.29	12:20	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	05/28/2015	31.19	27.11	-	-	-	-	40.60	4.08	11:43	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	06/02/2015	31.19	26.79	-	-	-	-	-	4.40	13:01	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	06/09/2015	31.19	26.57	-	-	-	-	-	4.62	10:27	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	06/16/2015	31.19	26.60	-	-	-	-	-	4.59	11:21	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	06/26/2015	31.19	26.52	-	-	-	-	40.50	4.67	10:37	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	07/01/2015	31.19	26.07	-	-	-	-	-	5.12	12:12	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	08/04/2015	31.19	26.30	-	-	-	-	40.66	4.89	12:16	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	08/05/2015	31.19	26.67	-	-	-	-	40.65	4.52	9:08	-	-	-	-	-	-	-	-	-	-	-	2,500
RW-1	12/01/2015	31.19	26.77	-	-	-	-	40.67	4.42	13:41	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	12/02/2015	31.19	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,300
RW-1	03/14/2016	31.19	26.95	-	-	-	-	40.65	4.24	8:40	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	03/15/2016	31.19	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,300
RW-1	04/21/2016	31.19	27.82	-	-	-	-	40.69	3.37	9:47	-	-	-	-	-	-	-	-	-	-	-	2,600
RW-1	05/23/2016	31.19	27.73	-	-	-	-	41.31	3.46	10:06	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	05/24/2016	31.19	27.89	-	-	-	-	40.65	3.30	10:15	-	-	-	-	-	-	-	-	-	-	-	1,500
RW-1	06/21/2016	31.19	27.22	-	-	-	-	-	3.97	10:53	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	07/21/2016	31.19	27.08	-	-	-	-	-	4.11	11:00	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	08/24/2016	31.19	27.42	-	-	-	-	40.70	3.77	10:00	-	-	-	-	-	-	-	-	-	-	-	1,500
RW-1	11/28/2016	31.19	27.68	-	-	-	-	41.93	3.51	8:52	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	11/29/2016	31.19	27.45	-	-	-	-	40.78	3.74	9:40	-	-	-	-	-	-	-	-	-	-	-	970
RW-1	02/21/2017	31.19	28.11	-	-	-	-	40.80	3.08	11:55	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	02/22/2017	31.19	28.17	-	-	-	-	-	3.02	9:56	-	-	-	-	-	-	-	-	-	-	-	4,000
RW-1	03/29/2017	31.19	26.13	-	-	-	-	27.90	5.06	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	05/22/2017	31.19	26.81	-	-	-	-	-	4.38	13:00	-	-	-	-	-	-	-	-	-	-	-	-
RW-1	05/24/2017	31.19	26.50	-	-	-	-	46.65	4.69	10:00	-	-	-	-	-	-	-	-	-	-	-	36,100
RW-1	08/28/2017	31.19	32.83	-	-	-	-	40.71	-1.64	9:17	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments	
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)		
RW-1	08/29/2017	31.19	32.73	-	-	-	40.70	-1.54	10:50	-	-	-	-	-	-	-	-	-	-	-	11,300	15,300	
RW-1	11/28/2017	31.19	30.84	-	-	-	43.65	0.35	11:11	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/29/2017	31.19	30.57	-	-	-	40.75	0.62	11:05	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/20/2018	31.19	28.52	-	-	-	43.08	2.67	9:55	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/22/2018	31.19	28.87	-	-	-	40.75	2.32	9:15	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	05/22/2018	31.19	26.55	-	-	-	40.73	4.64	9:59	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	08/13/2018	31.19	26.22	-	-	-	40.62	4.97	11:57	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	08/15/2018	31.19	26.75	-	-	-	43.53	4.44	12:07	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/12/2018	31.19	26.22	-	-	-	40.74	4.97	13:00	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/14/2018	31.19	26.50	-	-	-	40.74	4.69	10:31	-	-	-	-	-	-	-	-	-	-	-	-	7,100	
RW-1	02/11/2019	31.19	26.36	-	-	-	41.95	4.83	12:50	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/12/2019	31.19	26.13	-	-	-	42.06	5.06	14:08	-	-	-	-	-	-	-	-	-	-	-	-	2,500	
RW-1	05/20/2019	31.19	25.38	-	-	-	42.65	5.81	11:04	-	-	-	-	-	-	-	-	-	-	-	-	6,850	5,200
RW-1	05/22/2019	31.19	26.48	-	-	-	41.74	4.71	11:29	-	-	-	-	-	-	-	-	-	-	-	-	120,000	
RW-1	08/19/2019	31.19	26.27	-	-	-	42.40	4.92	12:01	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	08/19/2019	31.19	26.21	-	-	-	-	4.98	13:46	-	-	-	-	-	-	-	-	-	-	-	-	-	2,400
RW-1	11/18/2019	31.19	26.26	-	-	-	40.52	4.93	12:19	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	11/21/2019	31.19	26.92	-	-	-	-	4.27	14:07	-	-	-	-	-	-	-	-	-	-	-	-	-	2,700
RW-1	02/17/2020	31.19	26.88	-	-	-	40.68	4.31	10:30	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-1	02/19/2020	31.19	26.76	-	-	-	-	4.43	9:00	-	-	-	-	-	-	-	-	-	-	-	-	-	2,400
RW-05S	07/08/2015	31.38	22.72	-	-	-	-	8.66	11:25	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/13/2015	31.38	22.57	-	-	-	-	26.03	8.81	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/20/2015	31.38	21.82	-	-	-	-	-	9.56	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/28/2015	31.38	21.77	-	-	-	-	26.07	9.61	11:21	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/05/2015	31.38	21.87	-	-	-	-	26.03	9.51	9:27	-	-	-	-	-	-	-	-	-	-	-	6,900	
RW-05S	08/11/2015	31.38	21.95	-	-	-	-	26.06	9.43	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/18/2015	31.38	22.17	-	-	-	-	-	9.21	10:27	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/24/2015	31.38	22.42	-	-	-	-	-	8.96	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/02/2015	31.38	22.47	-	-	-	-	26.05	8.91	9:49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/09/2015	31.38	22.60	-	-	-	-	26.07	8.78	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/17/2015	31.38	22.69	-	-	-	-	26.07	8.69	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/23/2015	31.38	22.69	-	-	-	-	-	8.69	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/28/2015	31.38	22.78	-	-	-	-	26.07	8.60	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	10/05/2015	31.38	22.71	-	-	-	-	26.20	8.67	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	11/10/2015	31.38	25.07	-	-	-	-	-	6.31	13:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	12/01/2015	33.47	25.36	-	-	-	-	28.15	8.11	11:51	-	-	-	-	-	-	-	-	-	-	-	17,000	
RW-05S	12/02/2015	33.47	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	01/27/2016	33.47	26.23	-	-	-	-	-	7.24	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/15/2016	33.47	25.44	-	-	-	-	-	8.03	10:27	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-05S	03/14/2016	33.47	25.21	-	-	-	28.20	8.26	11:40	-	-	-	-	-	-	-	-	-	-	-	-	15,000
RW-05S	03/15/2016	33.47	NR	-	-	-	27.95	13.42	11:13	-	-	-	-	-	-	-	-	-	-	-	-	19,000
RW-05S	04/21/2016	33.47	20.05	-	-	-	27.97	7.69	11:24	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	05/23/2016	33.47	25.78	-	-	-	27.97	7.69	11:24	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	05/24/2016	33.47	25.18	-	-	-	28.10	8.29	9:30	-	-	-	-	-	-	-	-	-	-	-	-	59,000
RW-05S	06/21/2016	33.47	25.83	-	-	-	-	7.64	10:46	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	07/21/2016	33.47	25.91	-	-	-	-	7.56	10:25	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	08/24/2016	33.47	25.77	-	-	-	27.95	7.70	11:05	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	08/25/2016	33.47	24.14	-	-	-	-	9.33	10:05	-	-	-	-	-	-	-	-	-	-	-	-	66,000
RW-05S	09/22/2016	33.47	23.80	-	-	-	24.48	9.67	12:40	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	10/20/2016	33.47	24.95	-	-	-	-	8.52	11:30	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	11/28/2016	33.47	DRY	-	-	-	23.75	-	9:51	-	-	-	-	-	-	-	-	-	-	-	-	Clogged drop-tube
RW-05S	11/29/2016	33.47	DRY	-	-	-	23.65	-	12:55	-	-	-	-	-	-	-	-	-	-	-	-	Clogged drop-tube
RW-05S	12/07/2016	33.47	DRY	-	-	-	23.33	-	12:35	-	-	-	-	-	-	-	-	-	-	-	-	Clogged drop-tube
RW-05S	12/08/2016	33.47	23.60	-	-	-	26.13	9.87	10:45	-	-	-	-	-	-	-	-	-	-	-	-	Pulled & cleaned drop-tube
RW-05S	12/22/2016	33.47	23.28	-	-	-	26.13	10.19	10:25	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	01/30/2017	33.47	25.78	-	-	-	27.98	7.69	10:29	-	-	-	-	-	-	-	-	-	-	-	-	180,000
RW-05S	02/21/2017	33.47	25.78	-	-	-	27.80	7.69	10:03	-	-	-	-	-	-	-	-	-	-	-	-	497,000
RW-05S	03/29/2017	33.47	25.87	-	-	-	27.65	7.60	11:50	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	04/18/2017	33.47	25.78	-	-	-	27.67	7.69	11:16	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	05/22/2017	33.47	24.55	-	-	-	27.55	8.92	10:32	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	05/23/2017	33.47	24.46	-	-	-	27.65	9.01	9:30	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	06/22/2017	33.47	26.03	-	-	-	27.70	7.44	12:19	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	08/21/2017	33.47	24.40	-	-	-	27.65	9.07	10:00	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	08/28/2017	33.47	24.38	-	-	-	27.68	9.09	11:15	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	08/29/2017	33.47	23.83	-	-	-	-	9.64	14:15	-	-	-	-	-	-	-	<2.0	1,250	32,400	-	-	
RW-05S	09/20/2017	33.47	24.50	-	-	-	-	8.97	10:46	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	10/17/2017	33.47	24.79	-	-	-	-	8.68	12:04	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	11/28/2017	33.47	24.56	-	-	-	28.38	8.91	13:47	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	11/30/2017	33.47	25.05	-	-	-	27.65	8.42	12:00	-	-	-	-	-	-	-	-	-	-	189000	107,000	-
RW-05S	12/19/2017	33.47	23.98	-	-	-	-	9.49	10:45	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	01/26/2018	33.47	24.58	-	-	-	-	8.89	11:55	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	02/20/2018	33.47	25.27	-	-	-	27.62	8.20	11:30	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	02/22/2018	33.47	25.32	-	-	-	27.81	8.15	10:41	-	-	-	-	-	-	-	-	-	3,180	25,200	-	
RW-05S	03/06/2018	33.47	24.63	-	-	-	-	8.84	11:40	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	03/29/2018	33.47	24.53	-	-	-	-	8.94	9:54	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	04/11/2018	33.47	24.58	-	-	-	-	8.89	11:09	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-05S	04/23/2018	33.47	24.59	-	-	-	-	8.88	9:43	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-05S	05/03/2018	33.47	24.57	-	-	-	8.90	9.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/03/2018	31.98	23.08	-	-	-	8.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/21/2018	31.98	22.83	-	-	-	26.05	9.15	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/22/2018	31.98	22.77	-	-	-	26.05	9.21	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	06/12/2018	31.98	22.58	-	-	-	-	9.40	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	06/26/2018	31.98	22.14	-	-	-	26.12	9.84	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/02/2018	31.98	22.11	-	-	-	-	9.87	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/17/2018	31.98	22.13	-	-	-	-	9.85	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/30/2018	31.98	21.69	-	-	-	-	10.29	10:06	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/09/2018	31.98	21.53	-	-	-	-	10.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/13/2018	31.98	21.46	-	-	-	26.10	10.52	12:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/14/2018	31.98	21.42	-	-	-	28.09	10.56	13:03	-	-	-	-	-	-	-	-	-	-	-	85,000	
RW-05S	09/04/2018	31.98	21.27	-	-	-	-	10.71	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/21/2018	31.98	20.82	-	-	-	26.99	11.16	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	09/25/2018	31.98	23.33	-	-	-	-	-	13:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	10/02/2018	31.98	22.43	-	-	-	27.60	-	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	10/24/2018	31.98	27.33	-	-	-	27.72	-	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	11/12/2018	33.48	22.76	-	-	-	-	10.72	10:24	-	-	-	-	-	-	-	-	-	-	-	15,000	
RW-05S	11/27/2018	33.48	22.63	-	-	-	-	10.85	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	12/11/2018	33.48	22.90	-	-	-	-	10.58	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	12/27/2018	33.48	23.62	-	-	-	-	9.86	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	01/10/2019	33.48	22.97	-	-	-	-	10.51	9:29	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	01/24/2019	33.48	27.55	-	-	-	-	5.93	13:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/11/2019	33.48	23.13	-	-	-	27.54	10.35	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/13/2019	31.98	21.87	-	-	-	-	10.11	11:40	-	-	-	-	-	-	-	-	-	-	-	5,700	
RW-05S	02/15/2019	33.48	23.12	-	-	-	-	10.36	9:19	-	-	-	-	-	-	-	-	-	-	-	6,100	Grab
RW-05S	02/21/2019	33.48	23.15	-	-	-	-	10.33	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	03/07/2019	33.48	23.09	-	-	-	-	10.39	9:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	03/19/2019	33.48	23.33	-	-	-	-	10.15	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	04/02/2019	33.48	23.08	-	-	-	-	10.40	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	04/22/2019	33.48	23.35	-	-	-	-	10.13	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/06/2019	33.48	23.49	-	-	-	-	9.99	9:01	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	05/20/2019	33.48	23.15	-	-	-	27.33	10.33	11:08	-	-	-	-	-	-	-	-	-	-	-	7,000	
RW-05S	05/20/2019	33.48	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15,000	Grab
RW-05S	06/04/2019	33.48	23.56	-	-	-	-	9.92	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	06/18/2019	33.48	23.53	-	-	-	-	9.95	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/09/2019	33.48	23.18	-	-	-	-	10.30	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	07/23/2019	33.48	22.92	-	-	-	-	10.56	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	08/09/2019	33.48	22.98	-	-	-	-	10.50	10:18	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments	
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )							
RW-05S	08/19/2019	33.48	23.55	-	-	-	27.72	9.93	11:29	-	-	-	-	-	-	-	-	-	-	-	5,900	Grab	
RW-05S	08/21/2019	31.98	22.12	-	-	-	-	9.86	10:01	-	-	-	-	-	-	-	-	-	-	-	3,700		
RW-05S	08/22/2019	33.48	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
RW-05S	09/03/2019	33.48	23.62	-	-	-	-	9.86	9:32	-	-	-	-	-	-	-	-	-	-	-	-		
RW-05S	09/17/2019	33.48	23.90	-	-	-	-	9.58	9:33	-	-	-	-	-	-	-	-	-	-	-	-		
RW-05S	10/01/2019	33.48	23.96	-	-	-	-	9.52	10:02	-	-	-	-	-	-	-	-	-	-	-	-		
RW-05S	11/18/2019	31.98	22.57	-	-	-	26.86	9.41	11:37	-	-	-	-	-	-	-	-	-	-	-	-		
RW-05S	11/21/2019	31.98	22.57	-	-	-	26.20	9.41	13:14	-	-	-	-	-	-	-	-	-	-	-	5,400		
RW-05S	11/22/2019	31.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4,900	Grab
RW-05S	12/05/2019	31.98	22.75	-	-	-	-	9.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	01/14/2020	31.98	22.88	-	-	-	-	9.10	11:33	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-05S	02/17/2020	31.98	22.80	-	-	-	26.08	9.18	10:22	-	-	-	-	-	-	-	-	-	-	-	3,100		
RW-05S	02/18/2020	31.98	-	-	-	-	-	-	9:15	-	-	-	-	-	-	-	-	-	-	-	-	3,400	Grab
RW-05S	03/10/2020	31.98	22.82	-	-	-	-	9.16	9:22	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/08/2014	31.57	25.41	-	-	-	33.94	6.16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	Transducers in well for pump test
MW/RW-05	08/11/2014	31.57	25.16	-	-	-	-	6.41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/15/2014	31.57	24.98	-	-	-	-	6.59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/16/2014	31.57	24.84	24.80	0.04	NA	-	6.77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/18/2014	31.57	24.88	24.80	0.08	NA	-	6.76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/25/2014	31.57	23.27	22.99	0.28	0.06	-	8.55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/02/2014	31.57	23.62	23.07	0.55	0.31	-	8.43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/15/2014	31.57	23.63	23.13	0.50	NR	-	8.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/19/2014	31.57	23.72	23.18	0.54	0.17	-	8.32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/22/2014	31.57	23.25	22.97	0.28	0.06	-	8.57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/24/2014	31.57	23.33	23.13	0.20	NR	-	8.42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-05	10/01/2014	31.57	26.67	26.67	TRACE	TRACE	31.94	4.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	10/10/2014	31.57	26.58	26.57	0.01	TRACE	-	5.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	10/13/2014	31.57	26.73	26.71	0.02	TRACE	-	4.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	10/20/2014	31.57	26.91	26.89	0.02	TRACE	-	4.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	10/27/2014	31.57	27.07	27.06	0.01	TRACE	-	4.51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/07/2014	31.57	26.93	26.88	0.05	TRACE	-	4.68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/12/2014	31.57	26.96	26.94	0.02	TRACE	-	4.63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/21/2014	31.57	27.74	27.73	0.01	TRACE	-	3.84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	11/26/2014	31.57	27.28	27.25	0.03	TRACE	-	4.32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/05/2014	31.57	27.18	27.16	0.02	TRACE	-	4.41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/11/2014	31.57	26.93	-	0.00	TRACE	-	4.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
MW/RW-05	12/16/2014	31.57	26.87	26.82	0.05	TRACE	-	4.74	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/23/2014	31.57	26.95	26.92	0.03	TRACE	-	4.65	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	12/30/2014	31.57	27.35	27.32	0.03	TRACE	-	4.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/09/2015	31.57	27.36	27.32	0.04	TRACE	-	4.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/16/2015	31.57	27.06	27.02	0.04	TRACE	-	4.55	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/19/2015	31.57	27.08	27.03	0.05	TRACE	-	4.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	01/26/2015	31.57	26.99	26.95	0.04	TRACE	-	4.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	02/03/2015	31.57	27.73	27.71	0.02	-	32.04	3.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	02/09/2015	31.57	27.23	27.17	0.06	-	-	4.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	02/18/2015	31.57	27.25	27.21	0.04	-	-	4.36	-	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	02/24/2015	31.57	27.38	27.37	0.01	TRACE	-	4.20	13:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	03/04/2015	31.57	27.25	27.20	0.05	-	-	4.36	14:18	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	03/11/2015	31.57	27.07	26.97	0.10	-	-	4.59	12:57	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	03/18/2015	31.57	27.11	27.03	0.08	-	-	4.53	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	03/26/2015	31.57	26.81	26.73	0.08	-	31.90	4.83	12:06	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	04/02/2015	31.57	27.13	26.97	0.16	-	31.95	4.58	11:37	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	04/08/2015	31.57	27.49	27.20	0.29	-	32.00	4.33	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	04/13/2015	31.57	27.53	27.07	0.46	-	-	4.44	10:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	04/23/2015	31.57	27.41	26.55	0.86	-	32.00	4.92	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	04/29/2015	31.57	27.78	26.61	1.17	-	31.90	4.82	14:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/04/2015	31.57	28.03	26.56	1.47	-	-	4.83	11:51	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/11/2015	31.57	28.24	26.40	1.84	-	-	4.95	15:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/13/2015	31.57	28.75	26.84	1.91	1.50	-	4.50	13:20	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/21/2015	31.57	26.87	26.78	0.09	-	-	4.78	12:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	05/28/2015	31.57	28.45	27.00	1.45	-	32.00	4.39	11:54	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	06/02/2015	31.57	28.52	26.62	1.90	-	-	4.72	13:11	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	06/09/2015	31.57	28.67	26.12	2.55	-	-	5.14	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	06/16/2015	31.57	29.17	25.86	3.31	-	-	5.31	11:48	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	06/26/2015	31.57	28.51	25.55	2.96	-	32.00	5.66	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	07/01/2015	31.57	27.93	24.65	3.28	-	-	6.52	12:39	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	07/08/2015	31.57	27.50	23.75	3.75	-	-	7.36	8:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	07/13/2015	31.57	24.16	22.98	1.18	-	-	8.45	8:10	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	07/20/2015	31.57	23.03	22.69	0.34	0.09	-	8.84	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	07/28/2015	31.57	22.75	22.55	0.20	0.09	32.07	9.00	12:40	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/04/2015	31.57	22.92	22.63	0.29	0.06	-	8.90	12:31	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/11/2015	31.57	23.57	22.60	0.97	0.09	32.05	8.85	10:43	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/18/2015	31.57	23.74	23.02	0.72	0.38	-	8.46	10:56	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	08/21/2015	31.57	23.46	23.15	0.31	-	-	8.38	7:55	-	-	-	-	-	-	-	-	-	-	-	-	HIT event
MW/RW-05	08/24/2015	31.57	23.88	23.86	0.02	TRACE	-	7.71	11:00	-	-	-	-	-	-	-	-	-	-	-	-	HIT event

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Xylenes Total ( $\mu\text{g/L}$ )	Methyl tert-butyl ether ( $\mu\text{g/L}$ )	tert-Butyl alcohol ( $\mu\text{g/L}$ )	1,2-Dibromoethane ( $\mu\text{g/L}$ )	1,2-Dichloroethane ( $\mu\text{g/L}$ )	Naphthalene ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	TPH-DRO - Silica Gel ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	Comments
MW/RW-05	09/02/2015	31.57	24.72	24.44	0.28	0.05	32.04	7.10	11:00	-	-	-	-	-	-	-	-	-	-	-	-	
MW/RW-05	09/09/2015	31.57	24.60	24.39	0.21	0.06	32.05	7.15	11:20	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	09/17/2015	31.57	24.83	24.36	0.47	0.07	32.08	7.15	11:00	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
MW/RW-05	09/23/2015	31.57	24.88	24.70	0.18	0.02	-	6.85	11:23	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	09/28/2015	31.57	24.50	24.48	0.02	0.04	31.94	7.09	10:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	10/05/2015	31.57	24.41	24.31	0.10	0.05	32.01	7.25	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	11/10/2015	31.57	25.53	25.38	0.15	-	-	6.17	13:44	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	12/01/2015	32.20	26.16	25.98	0.18	-	-	6.20	13:56	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	01/27/2016	32.20	26.56	26.34	0.22	-	-	5.83	10:44	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	02/15/2016	32.20	26.99	26.98	0.01	-	-	5.22	10:31	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	03/14/2016	32.20	25.65	25.65	TRACE	-	-	6.55	10:20	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	03/24/2016	32.20	29.70	-	-	-	-	2.50	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	03/30/2016	32.20	29.68	-	-	-	-	2.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	04/21/2016	32.20	29.65	-	-	-	-	2.55	10:34	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	05/23/2016	32.20	29.80	-	-	-	-	2.40	11:27	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	05/24/2016	32.20	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62,000
MW/RW-05	06/21/2016	32.20	29.79	-	-	-	-	2.41	10:50	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	07/21/2016	32.20	23.85	-	-	-	-	8.35	10:30	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	08/24/2016	32.20	21.60	-	-	-	-	10.60	11:11	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	08/25/2016	32.20	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16,000
MW/RW-05	09/22/2016	32.20	29.00	-	-	-	-	3.20	11:40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	10/20/2016	32.20	29.00	-	-	-	-	3.20	11:35	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	11/28/2016	32.20	NR	-	-	-	-	-	9:45	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	<1	-	-	-	7,300	Pump Obstruction at 26.80 ft during gauging
MW/RW-05	12/22/2016	32.20	28.22	-	-	-	-	3.98	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	01/30/2017	32.20	27.88	-	-	-	-	4.32	12:06	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	02/21/2017	32.20	28.70	-	-	-	-	3.50	12:51	-	-	-	-	-	-	-	-	-	-	-	5,200	pump in well
MW/RW-05	03/29/2017	32.20	27.90	-	-	-	-	4.30	11:55	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	04/18/2017	32.20	28.50	-	-	-	-	3.70	12:00	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	05/18/2017	32.20	18.95	-	-	-	-	13.25	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	05/22/2017	32.20	23.24	-	-	-	-	8.96	13:02	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	05/23/2017	32.20	23.93	-	-	-	-	8.27	9:45	-	-	-	-	-	-	-	-	-	-	-	-	981
MW/RW-05	06/22/2017	32.20	28.50	-	-	-	-	3.70	12:28	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	07/06/2017	32.20	28.50	-	-	-	-	3.70	13:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	07/19/2017	32.20	28.30	-	-	-	-	3.90	12:15	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	08/21/2017	32.20	28.35	-	-	-	-	3.85	10:05	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	08/28/2017	32.20	23.32	-	-	-	-	8.88	9:30	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	08/31/2017	32.20	23.60	-	-	-	31.33	8.60	9:36	-	-	-	-	-	-	-	-	-	-	-	31,800	pump in well

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
MW/RW-05	09/20/2017	32.20	28.10	-	-	-	-	4.10	10:51	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	10/17/2017	32.20	27.80	-	-	-	-	4.40	12:10	<0.50	<1.0	<1.0	<1.0	<1.0	-	-	-	-	-	-	-	pump in well
MW/RW-05	11/28/2017	32.20	NR	-	-	-	25.40	-	11:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	01/26/2018	32.20	18.35	-	-	-	-	13.85	12:50	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	02/20/2018	32.20	OBST	-	-	-	25.30	-	11:20	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	02/22/2018	32.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	03/06/2018	32.20	24.55	-	-	-	-	7.65	12:31	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	03/29/2018	32.20	27.10	-	-	-	-	5.10	9:58	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	04/11/2018	32.20	27.46	-	-	-	-	4.74	11:12	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	04/23/2018	32.20	27.38	-	-	-	-	4.82	9:48	-	-	-	-	-	-	-	-	-	-	-	-	pump in well
MW/RW-05	05/03/2018	32.20	27.18	-	-	-	-	5.02	9:35	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	05/21/2018	32.20	26.29	-	-	-	-	31.40	5.91	13:57	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	05/22/2018	32.20	26.16	-	-	-	-	31.26	6.04	10:10	-	-	-	-	-	-	-	-	-	-	-	50,300
MW/RW-05	06/12/2018	32.20	26.05	-	-	-	-	6.15	10:15	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	06/26/2018	32.20	24.95	-	-	-	-	31.34	7.25	9:38	-	-	-	-	-	-	-	-	-	-	-	27,500 B
MW/RW-05	07/02/2018	32.20	24.83	-	-	-	-	7.37	10:44	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	07/17/2018	32.20	24.96	-	-	-	-	7.24	9:42	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	07/30/2018	32.20	23.31	-	-	-	33.32	8.89	10:04	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	08/09/2018	32.20	23.15	-	-	-	-	9.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	08/13/2018	32.20	23.37	-	-	-	-	8.83	12:13	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	08/15/2018	32.20	27.44	-	-	-	-	4.76	9:08	-	-	-	-	-	-	-	-	-	-	-	-	26,000
MW/RW-05	09/04/2018	32.20	23.58	-	-	-	-	8.62	9:50	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	09/25/2018	32.20	23.46	-	-	-	-	8.74	13:35	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	10/02/2018	32.20	23.18	-	-	-	-	9.02	12:16	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	10/24/2018	32.20	23.50	-	-	-	-	8.70	9:49	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	11/12/2018	33.47	23.27	-	-	-	-	10.20	14:00	<1	<1	<1	<1	<3	-	-	-	<20	-	-	-	7,000
MW/RW-05	11/27/2018	33.47	23.22	-	-	-	-	10.25	9:30	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	12/11/2018	33.47	23.34	-	-	-	-	10.13	9:35	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	12/27/2018	33.47	23.35	-	-	-	-	10.12	9:37	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	01/10/2019	33.47	23.50	-	-	-	-	9.97	9:27	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	01/24/2019	33.47	26.50	-	-	-	-	6.97	13:30	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	02/11/2019	33.47	23.90	-	-	-	32.90	9.57	13:40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	02/13/2019	32.20	22.46	-	-	-	-	9.74	10:25	-	-	-	-	-	-	-	-	-	-	-	-	2,700
MW/RW-05	02/21/2019	33.47	23.84	-	-	-	-	9.63	9:36	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	03/07/2019	33.47	24.21	-	-	-	33.30	9.26	9:13	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	03/19/2019	33.47	24.22	-	-	-	-	9.25	9:12	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	04/02/2019	33.47	24.05	-	-	-	-	9.42	9:50	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	04/22/2019	33.47	24.28	-	-	-	-	9.19	9:40	-	-	-	-	-	-	-	-	-	-	-	-	-
MW/RW-05	05/06/2019	33.47	24.54	-	-	-	-	8.93	8:55	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments	
MW/RW-05	05/20/2019	33.47	24.19	-	-	-	33.07	9.28	11:09	-	-	-	-	-	-	-	-	-	-	-	3,900		
MW/RW-05	06/04/2019	33.47	24.70	-	-	-	-	8.77	9:56	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	06/18/2019	33.47	24.66	-	-	-	-	8.81	10:15	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	07/09/2019	33.47	24.16	-	-	-	-	9.31	9:42	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	07/23/2019	33.47	23.78	-	-	-	-	9.69	10:25	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	08/09/2019	33.47	23.62	-	-	-	-	9.85	10:15	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	08/19/2019	32.20	22.85	-	-	-	32.68	9.35	12:25	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	08/21/2019	32.20	22.80	-	-	-	31.27	9.40	10:05	-	-	-	-	-	-	-	-	-	-	-	3,800		
MW/RW-05	09/03/2019	33.47	24.33	-	-	-	-	9.14	9:35	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	09/17/2019	33.47	24.90	-	-	-	-	8.57	10:10	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	10/01/2019	33.47	25.13	-	-	-	-	8.34	10:24	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	11/18/2019	32.20	23.55	-	-	-	31.30	8.65	12:25	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	11/22/2019	32.20	23.56	-	-	-	-	8.64	11:10	2	<0.2	0.9 J	<0.8	-	-	-	-	-	-	-	4,500		
MW/RW-05	12/05/2019	32.20	23.60	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	01/14/2020	32.20	23.72	-	-	-	-	8.48	11:30	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	02/17/2020	32.20	23.66	-	-	-	31.21	8.54	10:21	-	-	-	-	-	-	-	-	-	-	-	-		
MW/RW-05	02/19/2020	32.20	23.77	-	-	-	-	8.43	13:17	-	-	-	-	-	-	-	-	-	-	-	3,600		
MW/RW-05	03/10/2020	32.20	23.71	-	-	-	-	8.49	9:19	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	07/08/2015	30.97	DRY	-	-	-	24.64	-	11:43	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	07/13/2015	30.97	DRY	-	-	-	24.65	-	9:39	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	07/20/2015	30.97	DRY	-	-	-	-	-	9:40	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	07/28/2015	30.97	DRY	-	-	-	24.71	-	10:47	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	08/04/2015	30.97	DRY	-	-	-	24.64	-	13:06	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	08/11/2015	30.97	DRY	-	-	-	-	-	11:25	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	08/18/2015	30.97	24.62	-	-	-	-	6.35	10:36	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	08/24/2015	30.97	24.56	-	-	-	-	-	6.41	10:33	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	09/02/2015	30.97	NR	24.51	-	0.01	24.69	-	10:23	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	09/09/2015	30.97	NR	24.50	-	0.01	24.69	-	11:00	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	09/17/2015	30.97	NR	24.54	-	-	24.65	-	10:50	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	09/23/2015	30.97	24.62	24.50	0.12	0.01	24.62	6.46	10:56	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	09/28/2015	30.97	NR	24.57	TRACE	TRACE	24.65	-	9:55	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	10/05/2015	30.97	NR	24.54	-	TRACE	24.59	-	11:27	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	11/10/2015	30.97	NR	26.28	-	-	26.38	-	13:36	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	12/01/2015	32.70	26.34	26.27	0.07	-	26.36	6.42	11:55	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	01/27/2016	32.70	26.30	26.22	0.08	-	-	6.47	11:04	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	02/15/2016	32.70	25.59	25.42	0.17	-	-	7.26	10:44	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	03/14/2016	32.70	24.45	24.44	0.01	-	-	8.26	13:00	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	04/21/2016	32.70	25.51	25.50	0.01	-	-	7.20	11:45	-	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	05/23/2016	32.70	25.38	-	-	-	26.28	7.32	11:36	-	-	-	-	-	-	-	-	-	-	-	-		
LNAPL NMB																							
LNAPL NMB																							
LNAPL NMB																							
LNAPL NMB																							
LNAPL NMB																							
LNAPL NMB																							

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-25S	05/24/2016	32.70	25.43	25.41	0.02	-	7.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-25S	06/21/2016	32.70	25.38	-	-	-	7.32	10:07	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/21/2016	32.70	25.39	-	-	-	7.31	9:57	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/24/2016	32.70	25.35	-	-	-	25.62	7.35	10:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/25/2016	32.70	24.97	-	-	-	25.61	7.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/30/2016	32.70	25.86	-	-	-	27.36	6.84	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	09/22/2016	32.70	26.08	-	-	-	26.38	6.62	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	10/20/2016	32.70	26.10	-	-	-	-	6.60	11:06	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	11/28/2016	32.70	25.57	-	-	-	-	7.13	9:41	0.7 J	1	2	5	-	-	-	-	-	-	-	-	
RW-25S	12/22/2016	32.70	26.03	-	-	-	26.27	6.67	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	01/30/2017	32.70	25.37	-	-	-	25.62	7.33	10:15	-	-	-	-	-	-	-	-	-	-	-	-	470,000
RW-25S	02/21/2017	32.70	25.35	-	-	-	25.58	7.35	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	03/29/2017	31.92	27.10	-	-	-	27.17	4.82	12:23	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	04/18/2017	31.92	25.37	-	-	-	25.55	6.55	11:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/22/2017	31.92	23.15	-	-	-	25.60	8.77	10:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/23/2017	31.92	22.44	-	-	-	25.60	9.48	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/19/2017	31.92	25.34	-	-	-	25.43	6.58	11:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/21/2017	31.92	24.38	-	-	-	25.45	7.54	9:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/28/2017	31.92	25.12	-	-	-	25.42	6.80	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/31/2017	31.92	25.34	-	-	-	25.43	6.58	9:26	-	-	-	-	-	-	-	<0.66	1,640	32,200	-		
RW-25S	09/20/2017	31.92	DRY	-	-	-	25.33	-	10:12	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-25S	10/03/2017	31.92	DRY	-	-	-	25.33	-	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	10/17/2017	31.92	DRY	-	-	-	25.43	-	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	11/02/2017	31.92	DRY	-	-	-	25.33	-	11:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	11/28/2017	31.92	25.41	-	-	-	25.42	6.51	14:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	12/05/2017	31.92	DRY	-	-	-	25.33	-	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	01/03/2018	31.92	DRY	-	-	-	25.33	-	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	01/26/2018	31.92	DRY	-	-	-	25.33	-	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	02/01/2018	31.92	DRY	-	-	-	25.33	-	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	02/20/2018	31.92	23.39	-	-	-	25.41	8.53	12:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	02/22/2018	31.92	23.69	-	-	-	25.48	8.23	14:03	-	-	-	-	-	-	-	-	-	25,900	62,600	-	1,000,000
RW-25S	03/06/2018	31.92	24.75	-	-	-	-	7.17	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	03/29/2018	31.92	DRY	-	-	-	25.42	-	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	04/11/2018	31.92	DRY	-	-	-	25.43	-	9:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	04/23/2018	31.92	23.15	-	-	-	-	8.77	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/03/2018	31.92	23.86	-	-	-	-	8.06	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/03/2018	31.12	23.01	-	-	-	-	8.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/21/2018	31.12	23.73	-	-	-	24.58	7.39	9:53	-	-	-	-	-	-	-	-	-	-	-	77,600	1,000,000
RW-25S	06/12/2018	31.12	24.30	-	-	-	-	6.82	10:28	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
RW-25S	06/26/2018	31.12	24.19	-	-	-	24.51	6.93	10:06	-	-	-	-	-	-	-	-	-	-	-		
RW-25S	07/02/2018	31.12	24.25	-	-	-	-	6.87	10:24	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/17/2018	31.12	24.37	-	-	-	-	6.75	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/30/2018	31.12	21.73	-	-	-	-	9.39	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/09/2018	31.12	22.20	-	-	-	-	8.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/13/2018	31.12	22.32	-	-	-	24.56	8.80	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/14/2018	31.12	22.31	-	-	-	26.43	8.81	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	09/04/2018	31.12	21.27	-	-	-	-	9.85	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	09/25/2018	31.12	25.12	-	-	-	-	-	13:24	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	10/02/2018	31.12	22.27	-	-	-	26.02	-	10:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	10/24/2018	31.12	25.60	-	-	-	25.62	-	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	11/12/2018	32.44	22.65	-	-	-	-	9.79	10:30	0.8 J	$\sim 0.2$	0.3 J	$\sim 0.5$	-	-	-	-	-	-	-	160,000	
RW-25S	11/27/2018	32.44	21.80	-	-	-	-	10.64	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	12/11/2018	32.44	22.33	-	-	-	-	10.11	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	12/27/2018	32.44	22.28	-	-	-	-	10.16	9:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	01/10/2019	32.44	22.74	-	-	-	-	9.70	9:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	01/24/2019	32.44	DRY	-	-	-	25.65	-	13:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	02/11/2019	32.44	22.68	-	-	-	25.64	9.76	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	02/12/2019	32.44	22.71	-	-	-	-	9.73	9:42	-	-	-	-	-	-	-	-	-	-	-	12,000	
RW-25S	02/15/2019	32.44	22.88	-	-	-	-	9.56	9:25	-	-	-	-	-	-	-	-	-	-	-	25,000	Grab
RW-25S	02/21/2019	32.44	22.68	-	-	-	-	9.76	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	03/07/2019	32.44	22.87	-	-	-	-	9.57	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	03/19/2019	32.44	24.66	-	-	-	-	7.78	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	04/02/2019	32.44	22.92	-	-	-	-	9.52	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	04/22/2019	32.44	22.86	-	-	-	-	9.58	9:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/06/2019	32.44	24.21	-	-	-	-	8.23	9:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	05/20/2019	32.44	24.38	-	-	-	25.77	8.06	10:39	-	-	-	-	-	-	-	-	-	-	-	21,000	
RW-25S	06/04/2019	32.44	24.67	-	-	-	-	7.77	10:11	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	06/18/2019	32.44	24.50	-	-	-	-	7.94	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/09/2019	32.44	22.55	-	-	-	-	9.89	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	07/23/2019	32.44	22.57	-	-	-	-	9.87	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/09/2019	32.44	22.48	-	-	-	-	9.96	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/19/2019	32.44	24.42	-	-	-	26.32	8.02	11:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	08/20/2019	31.12	22.77	-	-	-	24.25	8.35	13:31	-	-	-	-	-	-	-	-	-	-	-	14,000	
RW-25S	09/03/2019	32.44	24.85	-	-	-	-	7.59	9:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	09/17/2019	32.44	25.12	-	-	-	-	7.32	9:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	10/01/2019	32.44	25.30	-	-	-	-	7.14	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	11/18/2019	31.12	24.66	-	-	-	24.67	6.46	11:03	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-25S	12/05/2019	31.12	24.51	-	-	-	-	6.61	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
RW-25S	01/14/2020	31.12	DRY	-	-	-	24.63	-	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	02/17/2020	31.12	DRY	-	-	-	24.66	-	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-25S	03/10/2020	31.12	DRY	-	-	-	24.68	-	9:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/08/2015	31.35	26.40	-	-	-	-	4.95	10:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/13/2015	31.35	25.20	-	-	-	26.66	6.15	9:11	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/20/2015	31.35	24.14	-	-	-	-	7.21	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/28/2015	31.35	23.92	-	-	-	26.73	7.43	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/04/2015	31.35	23.97	-	-	-	26.67	7.38	13:21	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/05/2015	31.35	24.98	-	-	-	26.66	6.37	8:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/05/2015	31.35	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,300
RW-28S	08/11/2015	31.35	24.03	-	-	-	26.65	7.32	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/18/2015	31.35	24.13	-	-	-	-	7.22	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/24/2015	31.35	24.18	-	-	-	-	7.17	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/02/2015	31.35	24.31	-	-	-	26.68	7.04	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/09/2015	31.35	24.41	-	-	-	26.65	6.94	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/17/2015	31.35	24.55	-	-	-	26.69	6.80	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/23/2015	31.35	24.58	-	-	-	-	6.77	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/28/2015	31.35	24.65	-	-	-	26.60	6.70	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	10/05/2015	31.35	24.60	-	-	-	26.68	6.75	8:58	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	11/10/2015	31.35	26.71	-	-	-	-	4.64	12:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	12/01/2015	32.99	26.91	-	-	-	28.28	6.08	12:34	-	-	-	-	-	-	-	-	-	-	-	2,500	
RW-28S	01/27/2016	32.99	27.09	-	-	-	-	5.90	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/15/2016	32.99	25.86	-	-	-	-	7.13	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	03/14/2016	32.99	25.74	-	-	-	28.30	7.25	12:15	-	-	-	-	-	-	-	-	-	-	-	790	
RW-28S	04/21/2016	32.99	26.84	-	-	-	28.30	6.15	10:40	-	-	-	-	-	-	-	-	-	-	-	2,300	
RW-28S	05/05/2016	32.99	25.65	-	-	-	28.32	7.34	12:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/23/2016	32.99	25.82	-	-	-	28.32	7.17	12:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/24/2016	32.99	25.82	-	-	-	28.32	7.17	12:15	-	-	-	-	-	-	-	-	-	-	-	3,300	
RW-28S	06/21/2016	32.99	25.65	-	-	-	-	7.34	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/21/2016	32.99	25.71	-	-	-	-	7.28	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/24/2016	32.99	25.62	-	-	-	28.65	7.37	11:54	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/25/2016	32.99	26.56	-	-	-	-	6.43	10:55	-	-	-	-	-	-	-	-	-	-	-	-	2,300
RW-28S	09/22/2016	32.99	25.82	-	-	-	28.35	7.17	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	10/20/2016	32.99	25.79	-	-	-	-	7.20	10:58	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	11/28/2016	32.99	25.80	-	-	-	28.61	7.19	10:51	-	-	-	-	-	-	-	-	-	-	-	1,400	
RW-28S	12/22/2016	32.99	26.05	-	-	-	28.37	6.94	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	01/30/2017	32.99	25.97	-	-	-	28.35	7.02	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/21/2017	32.99	26.02	-	-	-	28.30	6.97	10:18	-	-	-	-	-	-	-	-	-	-	-	39,000	
RW-28S	03/29/2017	32.99	25.86	-	-	-	28.45	7.13	12:40	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
RW-28S	04/18/2017	32.99	26.58	-	-	-	28.33	6.41	11:36	-	-	-	-	-	-	-	-	-	-	-	-	24,400
RW-28S	05/22/2017	32.99	25.85	-	-	-	28.35	7.14	11:16	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	05/23/2017	32.99	24.24	-	-	-	28.30	8.75	11:05	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	06/22/2017	32.99	27.10	-	-	-	28.20	5.89	11:50	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	07/19/2017	32.99	27.00	-	-	-	28.12	5.99	11:39	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	08/21/2017	32.99	25.88	-	-	-	27.94	7.11	9:23	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	08/28/2017	32.99	26.90	-	-	-	27.95	6.09	11:37	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	08/31/2017	32.99	26.59	-	-	-	28.00	6.40	9:10	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	09/20/2017	32.99	27.03	-	-	-	-	5.96	10:04	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	10/17/2017	32.99	27.46	-	-	-	-	5.53	11:25	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	11/28/2017	32.99	DRY	-	-	-	27.95	-	14:14	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	11/29/2017	32.99	27.28	-	-	-	28.02	5.71	15:30	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-28S	12/19/2017	32.99	27.52	-	-	-	-	5.47	10:40	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	01/26/2018	32.99	27.83	-	-	-	-	5.16	11:41	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	02/20/2018	32.99	25.96	-	-	-	27.85	7.03	12:40	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	02/22/2018	32.99	26.07	-	-	-	27.81	6.92	9:09	-	-	-	-	-	-	-	-	-	-	-	-	923
RW-28S	03/06/2018	32.99	26.27	-	-	-	-	6.72	11:59	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	03/29/2018	32.99	25.69	-	-	-	-	7.30	10:24	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	04/11/2018	32.99	26.37	-	-	-	-	6.62	11:33	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	04/23/2018	32.99	26.20	-	-	-	-	6.79	9:01	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	05/03/2018	32.99	25.98	-	-	-	-	7.01	9:23	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	05/03/2018	31.35	24.34	-	-	-	-	7.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	05/21/2018	31.35	23.10	-	-	-	26.28	8.25	10:46	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	05/22/2018	31.35	23.08	-	-	-	26.28	8.27	9:40	-	-	-	-	-	-	-	-	-	-	-	-	846
RW-28S	06/12/2018	31.35	23.63	-	-	-	-	7.72	10:42	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	06/26/2018	31.35	DRY	-	-	-	26.31	-	10:25	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	07/02/2018	31.35	24.22	-	-	-	-	7.13	10:24	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	07/17/2018	31.35	24.86	-	-	-	-	6.49	10:18	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	07/30/2018	31.35	DRY	-	-	-	-	-	11:06	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	08/09/2018	31.35	23.84	-	-	-	-	7.51	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	08/13/2018	31.55	23.99	-	-	-	26.16	7.56	10:48	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	08/14/2018	31.55	23.88	-	-	-	26.30	7.67	10:01	-	-	-	-	-	-	-	-	-	-	-	-	460
RW-28S	09/04/2018	31.55	23.46	-	-	-	-	8.09	10:29	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	09/25/2018	31.55	22.47	-	-	-	-	9.08	13:13	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	10/02/2018	31.55	22.58	-	-	-	-	8.97	11:56	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	10/24/2018	31.55	23.95	-	-	-	-	7.60	9:41	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	11/12/2018	31.55	22.45	-	-	-	26.41	9.10	10:15	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-28S	11/14/2018	31.55	21.98	-	-	-	26.41	9.57	9:41	-	-	-	-	-	-	-	-	-	-	-	-	340
RW-28S	11/27/2018	31.55	21.93	-	-	-	-	9.62	10:01	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-28S	12/11/2018	31.55	23.32	-	-	-	-	8.23	11:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	12/27/2018	31.55	22.28	-	-	-	-	9.27	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	01/10/2019	31.55	22.99	-	-	-	-	8.56	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	01/24/2019	31.55	22.93	-	-	-	-	8.62	8:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/11/2019	31.55	23.75	-	-	-	-	26.27	7.80	12:22	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/14/2019	31.55	23.51	-	-	-	-	26.28	8.04	10:48	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/21/2019	31.55	23.02	-	-	-	-	26.61	8.53	10:09	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	03/07/2019	31.55	22.67	-	-	-	-	-	8.88	11:19	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	03/19/2019	31.55	23.65	-	-	-	-	-	7.90	13:18	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	04/02/2019	31.55	23.51	-	-	-	-	-	8.04	12:08	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	04/22/2019	31.55	23.35	-	-	-	-	-	8.20	11:05	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/06/2019	31.55	23.60	-	-	-	-	-	7.95	9:44	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/20/2019	31.55	22.79	-	-	-	-	26.34	8.76	10:48	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	05/21/2019	31.55	23.17	-	-	-	-	26.28	8.38	11:10	-	-	-	-	-	-	-	-	-	-	200	
RW-28S	06/04/2019	31.55	23.85	-	-	-	-	-	7.70	10:30	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	06/18/2019	31.55	23.82	-	-	-	-	-	7.73	10:31	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/09/2019	31.55	23.86	-	-	-	-	-	7.69	9:55	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	07/23/2019	31.55	23.70	-	-	-	-	-	7.85	10:36	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/09/2019	31.55	24.15	-	-	-	-	-	7.40	12:13	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/19/2019	31.55	24.48	-	-	-	-	26.30	7.07	11:40	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	08/20/2019	31.55	24.50	-	-	-	-	26.30	7.05	10:08	-	-	-	-	-	-	-	-	-	-	550	
RW-28S	09/03/2019	31.55	24.88	-	-	-	-	-	6.67	9:00	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	09/17/2019	31.55	25.28	-	-	-	-	-	6.27	10:28	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	10/01/2019	31.55	25.73	-	-	-	-	-	5.82	9:43	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	11/18/2019	31.55	25.25	-	-	-	-	26.30	6.30	10:52	-	-	-	-	-	-	-	-	-	-	1,400	
RW-28S	12/05/2019	31.55	25.08	-	-	-	-	-	6.47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	01/14/2020	31.55	24.79	-	-	-	-	-	6.76	11:16	-	-	-	-	-	-	-	-	-	-	-	
RW-28S	02/17/2020	31.55	23.83	-	-	-	-	26.37	7.72	11:21	-	-	-	-	-	-	-	-	-	-	97 J	
RW-28S	03/10/2020	31.55	24.81	-	-	-	-	-	6.74	9:50	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	06/26/2015	31.32	DRY	-	-	-	-	28.40	-	9:28	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	07/01/2015	31.32	24.02	-	-	-	-	-	7.30	12:03	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/08/2015	31.32	25.39	-	-	-	-	-	5.93	10:51	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/13/2015	31.32	26.60	-	-	-	-	28.40	4.72	9:12	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/20/2015	31.32	26.07	-	-	-	-	-	5.25	9:01	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/28/2015	31.32	26.04	-	-	-	-	28.48	5.28	10:13	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/04/2015	31.32	26.07	-	-	-	-	28.40	5.25	13:25	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/05/2015	31.32	26.05	-	-	-	-	28.42	5.27	8:20	-	-	-	-	-	-	-	-	-	-	890	
RW-30S	08/11/2015	31.32	26.42	-	-	-	-	28.44	4.90	9:44	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/18/2015	31.32	26.31	-	-	-	-	-	5.01	9:53	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-30S	08/24/2015	31.32	26.28	-	-	-	5.04	9:56		-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/02/2015	31.32	26.37	26.36	0.01	TRACE	28.45	4.96	9:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/09/2015	31.32	26.38	-	-	-	28.43	4.94	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/17/2015	31.32	26.52	-	-	-	28.46	4.80	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/23/2015	31.32	26.47	-	-	-	-	4.85	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/28/2015	31.32	26.42	-	-	-	28.41	4.90	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/05/2015	31.32	26.20	-	-	-	28.41	5.12	9:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/10/2015	31.32	28.73	-	-	-	-	2.59	12:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	12/01/2015	33.63	28.99	-	-	-	30.54	4.64	12:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/27/2016	33.63	29.08	-	-	-	-	4.55	10:01	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/15/2016	33.63	29.44	-	-	-	-	4.19	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	03/14/2016	33.63	28.78	-	-	-	30.60	4.85	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/21/2016	33.63	28.95	-	-	-	29.03	4.68	10:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/27/2016	33.63	29.02	-	-	-	29.12	4.61	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/05/2016	33.63	29.05	-	-	-	29.10	4.58	12:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/23/2016	33.63	29.02	-	-	-	29.70	4.61	11:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/25/2016	33.63	DRY	-	-	-	29.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	06/21/2016	33.63	26.45	-	-	-	-	7.18	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/21/2016	33.63	26.40	-	-	-	-	7.23	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/24/2016	33.63	24.65	-	-	-	29.37	8.98	11:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/25/2016	33.63	28.88	-	-	-	29.20	4.75	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	08/30/2016	33.63	29.65	-	-	-	29.79	3.98	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
RW-30S	09/22/2016	33.63	26.60	-	-	-	29.35	7.03	12:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/20/2016	33.63	26.80	-	-	-	-	6.83	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/28/2016	33.63	28.64	-	-	-	30.35	4.99	10:48	-	-	-	-	-	-	-	-	-	-	-	1,700	
RW-30S	12/22/2016	33.63	27.37	-	-	-	29.75	6.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/30/2017	33.63	26.58	-	-	-	29.10	7.05	10:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/21/2017	33.63	28.99	-	-	-	28.70	4.64	10:15	-	-	-	-	-	-	-	-	-	-	-	17,000	
RW-30S	03/29/2017	33.12	26.69	-	-	-	28.95	6.43	12:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/18/2017	33.12	27.39	-	-	-	28.97	5.73	11:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/22/2017	33.12	28.24	-	-	-	28.81	4.88	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/23/2017	33.12	28.28	-	-	-	28.87	4.84	10:45	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-30S	06/07/2017	33.12	24.47	-	-	-	28.88	8.65	12:55	-	-	-	-	-	-	-	-	-	-	-	3,780	
RW-30S	06/22/2017	33.12	26.45	-	-	-	28.80	6.67	11:43	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/19/2017	33.12	28.18	-	-	-	28.90	4.94	11:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/21/2017	33.12	DRY	-	-	-	28.83	-	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/28/2017	33.12	DRY	-	-	-	28.75	-	11:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/31/2017	33.12	DRY	-	-	-	28.80	-	9:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/05/2017	33.12	DRY	-	-	-	28.78	-	13:49	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-30S	09/20/2017	33.12	DRY	-	-	-	28.78	-	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/03/2017	33.12	DRY	-	-	-	28.78	-	11:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/17/2017	33.12	DRY	-	-	-	28.83	-	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/02/2017	33.12	28.72	-	-	-	-	4.40	11:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/28/2017	33.12	DRY	-	-	-	28.74	-	13:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	12/05/2017	33.12	DRY	-	-	-	28.93	-	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/03/2018	33.12	DRY	-	-	-	28.93	-	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/26/2018	33.12	DRY	-	-	-	28.93	-	11:44	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/01/2018	33.12	DRY	-	-	-	28.93	-	10:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/20/2018	33.12	28.64	-	-	-	28.92	4.48	12:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/21/2018	33.12	28.78	-	-	-	28.90	4.34	11:15	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-30S	03/06/2018	33.12	28.87	-	-	-	-	4.25	11:55	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-30S	03/29/2018	33.12	28.17	-	-	-	-	4.95	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/11/2018	33.12	DRY	-	-	-	28.94	-	11:27	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/23/2018	33.12	DRY	-	-	-	28.94	-	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/03/2018	33.12	DRY	-	-	-	28.97	-	9:21	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/03/2018	31.32	DRY	-	-	-	26.87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/21/2018	31.32	25.52	-	-	-	26.85	5.80	10:51	-	-	-	-	-	-	-	-	-	-	-	-	691
RW-30S	06/12/2018	31.32	25.25	-	-	-	-	6.07	10:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	06/26/2018	31.32	26.07	-	-	-	26.81	5.25	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/02/2018	31.32	26.28	-	-	-	-	5.04	11:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/17/2018	31.32	26.43	-	-	-	-	4.89	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/30/2018	31.32	25.65	-	-	-	-	5.67	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/09/2018	31.32	25.68	-	-	-	-	5.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/14/2018	31.32	25.28	-	-	-	26.90	6.04	9:55	-	-	-	-	-	-	-	-	-	-	-	-	210
RW-30S	09/04/2018	31.32	24.90	-	-	-	-	6.42	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/25/2018	31.32	24.23	-	-	-	-	7.09	13:17	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/02/2018	31.32	24.18	-	-	-	-	7.14	11:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/24/2018	31.32	25.79	-	-	-	-	5.53	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/12/2018	31.32	23.92	-	-	-	26.89	7.40	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/14/2018	31.32	23.88	-	-	-	26.89	7.44	9:38	-	-	-	-	-	-	-	-	-	-	-	-	240
RW-30S	11/27/2018	31.32	23.53	-	-	-	-	7.79	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	12/11/2018	31.32	24.73	-	-	-	-	6.59	11:23	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	12/27/2018	31.32	24.53	-	-	-	-	6.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/10/2019	31.32	24.44	-	-	-	-	6.88	9:59	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/24/2019	31.32	23.04	-	-	-	-	8.28	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/11/2019	31.32	24.66	-	-	-	26.95	6.66	12:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/13/2019	31.32	24.50	-	-	-	-	6.82	14:15	-	-	-	-	-	-	-	-	-	-	-	-	95 J
RW-30S	02/21/2019	31.32	22.90	-	-	-	27.16	8.42	10:03	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-30S	03/07/2019	31.32	24.42	-	-	-	-	6.90	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	03/19/2019	31.32	24.70	-	-	-	-	6.62	13:24	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/02/2019	31.32	24.78	-	-	-	-	6.54	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	04/22/2019	31.32	24.65	-	-	-	-	6.67	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/06/2019	31.32	24.53	-	-	-	-	6.79	9:43	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/20/2019	31.32	24.52	-	-	-	27.25	6.80	10:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	05/21/2019	31.32	24.86	-	-	-	26.95	6.46	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	06/04/2019	31.32	24.85	-	-	-	-	6.47	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	06/18/2019	31.32	24.65	-	-	-	-	6.67	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/09/2019	31.32	24.77	-	-	-	-	6.55	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	07/23/2019	31.32	24.95	-	-	-	-	6.37	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/09/2019	31.32	25.40	-	-	-	-	5.92	12:19	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/19/2019	31.32	25.43	-	-	-	26.85	5.89	11:46	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	08/20/2019	31.32	25.62	-	-	-	26.85	5.70	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/03/2019	31.32	25.77	-	-	-	-	5.55	8:54	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	09/17/2019	31.32	26.12	-	-	-	-	5.20	10:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	10/01/2019	31.32	26.23	-	-	-	-	5.09	9:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	11/18/2019	31.32	26.07	-	-	-	26.77	5.25	10:55	-	-	-	-	-	-	-	-	-	-	-	130	
RW-30S	12/05/2019	31.32	25.98	-	-	-	-	5.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	01/14/2020	31.32	26.10	-	-	-	-	5.22	11:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-30S	02/17/2020	31.32	25.83	-	-	-	26.93	5.49	11:26	-	-	-	-	-	-	-	-	-	-	-	54 J	Grab
RW-30S	03/10/2020	31.32	26.33	-	-	-	-	4.99	9:47	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/08/2015	31.80	22.48	-	-	-	-	9.32	11:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/13/2015	31.80	22.03	-	-	-	26.20	9.77	9:24	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/20/2015	31.80	21.77	-	-	-	-	10.03	9:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/28/2015	31.44	21.46	-	-	-	25.90	9.98	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/04/2015	31.44	21.55	-	-	-	25.82	9.89	13:11	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/05/2015	31.44	21.57	-	-	-	25.82	9.87	9:05	-	-	-	-	-	-	-	-	-	-	-	7,000	
RW-116S	08/11/2015	31.44	21.72	-	-	-	24.88	9.72	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/18/2015	31.44	21.79	-	-	-	-	9.65	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/24/2015	31.44	21.90	-	-	-	-	9.54	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/02/2015	31.44	22.06	-	-	-	25.86	9.38	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/09/2015	31.44	22.18	-	-	-	25.89	9.26	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/17/2015	31.44	22.31	-	-	-	25.89	9.13	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/23/2015	31.44	22.35	-	-	-	-	9.09	10:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/28/2015	31.44	22.42	-	-	-	25.84	9.02	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/05/2015	31.44	22.47	-	-	-	25.84	8.97	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	11/10/2015	31.44	25.05	-	-	-	-	6.39	13:03	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	12/01/2015	33.78	25.73	-	-	-	28.20	8.05	11:20	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
RW-116S	12/02/2015	33.78	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11,000	-
RW-116S	01/27/2016	33.78	26.53	-	-	-	-	7.25	10:29	-	-	-	-	-	-	-	-	-	-	-	7,600	-
RW-116S	02/15/2016	33.78	26.53	-	-	-	-	7.25	10:10	-	-	-	-	-	-	-	-	-	-	-	3,000	-
RW-116S	03/14/2016	33.78	26.26	-	-	-	-	28.18	7.52	11:35	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	04/21/2016	33.78	26.33	-	-	-	-	28.25	7.45	11:18	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	05/23/2016	33.78	26.03	-	-	-	-	28.25	7.75	11:20	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	05/24/2016	33.78	26.32	-	-	-	-	28.90	7.46	9:45	-	-	-	-	-	-	-	-	-	-	230,000	-
RW-116S	06/21/2016	33.78	26.06	-	-	-	-	-	7.72	10:43	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	07/21/2016	33.78	26.02	-	-	-	-	-	7.76	10:22	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	08/24/2016	33.78	26.02	-	-	-	-	27.76	7.76	11:08	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	08/25/2016	33.78	25.10	-	-	-	-	-	8.68	10:15	-	-	-	-	-	-	-	-	-	-	6,200	-
RW-116S	09/22/2016	33.78	26.07	-	-	-	-	27.82	7.71	12:36	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	10/20/2016	33.78	26.07	-	-	-	-	-	7.71	11:26	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	11/28/2016	33.78	26.09	-	-	-	-	28.05	7.69	11:01	-	-	-	-	-	-	-	-	-	-	59,000	-
RW-116S	12/22/2016	33.78	26.06	-	-	-	-	27.85	7.72	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	01/30/2017	33.78	26.06	-	-	-	-	27.80	7.72	10:25	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	02/21/2017	33.78	26.06	-	-	-	-	27.17	7.72	10:05	-	-	-	-	-	-	-	-	-	-	510,000	-
RW-116S	03/28/2017	33.15	26.02	-	-	-	-	27.05	7.13	12:00	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	04/18/2017	33.15	26.02	-	-	-	-	27.08	7.13	11:13	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	05/22/2017	33.15	25.60	-	-	-	-	27.10	7.55	10:28	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	05/23/2017	33.15	24.45	-	-	-	-	27.07	8.70	11:55	-	-	-	-	-	-	-	-	-	-	323,000	-
RW-116S	06/22/2017	33.15	26.02	-	-	-	-	27.05	7.13	12:15	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	08/21/2017	33.15	26.20	-	-	-	-	27.07	6.95	9:56	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	08/28/2017	33.15	26.24	-	-	-	-	27.06	6.91	11:10	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	08/31/2017	33.15	26.19	-	-	-	-	27.07	6.96	9:55	-	-	-	-	-	-	-	-	-	-	3,110	29,900
RW-116S	09/20/2017	33.15	26.18	-	-	-	-	-	6.97	10:42	-	-	-	-	-	<0.66	-	-	-	-	-	-
RW-116S	10/17/2017	33.15	25.83	-	-	-	-	-	7.32	12:00	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	11/28/2017	33.15	25.68	-	-	-	-	27.12	7.47	14:26	-	-	-	-	-	-	-	-	-	181,000	146,000	-
RW-116S	11/30/2017	33.15	25.78	-	-	-	-	27.02	7.37	12:42	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	12/19/2017	33.15	26.09	-	-	-	-	-	7.06	9:45	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	01/26/2018	33.15	25.66	-	-	-	-	-	7.49	11:51	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	02/20/2018	33.15	25.93	-	-	-	-	27.03	7.22	12:01	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	02/22/2018	33.15	26.02	-	-	-	-	27.03	7.13	13:23	-	-	-	-	-	-	-	-	-	5,040	28,600	-
RW-116S	03/06/2018	33.15	26.45	-	-	-	-	-	6.70	11:36	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	03/29/2018	33.15	26.22	-	-	-	-	-	6.93	9:18	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	04/11/2018	33.15	26.08	-	-	-	-	-	7.07	8:48	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	04/23/2018	33.15	25.91	-	-	-	-	-	7.24	9:39	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	05/03/2018	33.15	25.72	-	-	-	-	-	7.43	9:33	-	-	-	-	-	-	-	-	-	-	-	-
RW-116S	05/03/2018	31.61	24.54	-	-	-	-	-	7.07	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
RW-116S	05/21/2018	31.61	24.38	-	-	-	25.90	7.23	10:14	-	-	-	-	-	-	-	-	-	-	-	61,300	
RW-116S	06/12/2018	31.61	22.53	-	-	-	-	9.08	10:17	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	06/26/2018	31.61	22.25	-	-	-	25.61	9.36	9:54	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/02/2018	31.61	22.20	-	-	-	-	9.41	10:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/17/2018	31.61	22.26	-	-	-	-	9.35	9:49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/30/2018	31.61	21.91	-	-	-	-	9.70	10:52	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/09/2018	31.61	21.58	-	-	-	-	10.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/13/2018	31.61	21.51	-	-	-	23.87	10.10	11:49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/14/2018	31.61	21.46	-	-	-	27.41	10.15	10:49	-	-	-	-	-	-	-	-	-	-	-	15,000	
RW-116S	09/04/2018	31.61	21.45	-	-	-	-	10.16	9:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/25/2018	31.61	21.19	-	-	-	-	10.42	13:04	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/02/2018	31.61	21.18	-	-	-	25.89	10.43	12:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/09/2018	31.61	21.30	-	-	-	25.90	10.31	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	10/24/2018	31.61	26.80	-	-	-	27.80	-	9:51	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	11/12/2018	33.45	23.18	-	-	-	-	10.27	10:22	-	-	-	-	-	-	-	-	-	-	-	3,300	
RW-116S	11/27/2018	33.45	22.75	-	-	-	-	10.70	9:37	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	12/11/2018	33.45	22.97	-	-	-	-	10.48	9:42	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	12/27/2018	33.45	22.93	-	-	-	-	10.52	9:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	01/10/2019	33.45	23.31	-	-	-	-	10.14	9:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	01/24/2019	33.45	26.68	-	-	-	-	6.77	13:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/11/2019	33.45	23.45	-	-	-	27.60	10.00	12:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/13/2019	31.61	21.85	-	-	-	-	9.76	12:50	-	-	-	-	-	-	-	-	-	-	-	990	
RW-116S	02/21/2019	33.45	23.34	-	-	-	-	10.11	9:58	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	03/07/2019	33.45	23.90	-	-	-	28.14	9.55	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	03/19/2019	33.45	24.20	-	-	-	-	9.25	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	04/02/2019	33.45	24.00	-	-	-	-	9.45	10:00	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	04/22/2019	33.45	24.27	-	-	-	-	9.18	9:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/06/2019	33.45	23.74	-	-	-	-	9.71	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/20/2019	33.45	23.52	-	-	-	-	9.93	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	05/23/2019	33.45	23.51	-	-	-	-	9.94	9:03	-	-	-	-	-	-	-	-	-	-	-	6,300	
RW-116S	06/04/2019	33.45	24.37	-	-	-	-	9.08	10:04	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	06/18/2019	33.45	24.44	-	-	-	-	9.01	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	07/09/2019	33.45	24.08	-	-	-	-	9.37	9:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-166S	07/23/2019	33.45	23.90	-	-	-	-	9.55	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/09/2019	33.45	22.72	-	-	-	-	10.73	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/19/2019	33.45	23.55	-	-	-	27.54	9.90	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	08/21/2019	31.61	22.06	-	-	-	26.79	9.55	12:55	-	-	-	-	-	-	-	-	-	-	-	4,100	
RW-116S	09/03/2019	33.45	24.45	-	-	-	-	9.00	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	09/17/2019	33.45	24.77	-	-	-	-	8.68	10:07	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-116S	10/01/2019	33.45	24.95	-	-	-	-	8.50	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	11/18/2019	31.61	22.66	-	-	-	26.28	8.95	11:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	11/22/2019	31.61	22.63	-	-	-	-	8.98	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	12/05/2019	31.61	22.77	-	-	-	-	8.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	01/14/2020	31.61	22.96	-	-	-	-	8.65	11:36	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/17/2020	31.61	23.03	-	-	-	25.89	8.58	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	02/19/2020	31.61	22.97	-	-	-	-	8.64	11:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-116S	03/10/2020	31.61	22.97	-	-	-	-	8.64	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/08/2015	31.81	22.53	-	-	-	-	9.28	11:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/13/2015	31.81	22.27	-	-	-	24.25	9.54	9:22	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/20/2015	31.81	21.97	-	-	-	-	9.84	9:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/28/2015	31.81	21.86	-	-	-	24.34	9.95	9:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/04/2015	31.81	21.94	-	-	-	24.23	9.87	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/05/2015	31.81	21.96	-	-	-	24.27	9.85	9:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/11/2015	31.81	22.06	-	-	-	24.30	9.75	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/18/2015	31.81	22.16	-	-	-	-	9.65	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/24/2015	31.81	22.25	-	-	-	-	9.56	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/02/2015	31.81	22.40	-	-	-	24.30	9.41	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/09/2015	31.81	22.51	22.51	TRACE	TRACE	24.31	9.30	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/17/2015	31.81	22.61	-	-	-	24.31	9.20	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/23/2015	31.81	22.61	-	-	-	-	9.20	10:31	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/28/2015	31.81	22.66	-	-	-	24.29	9.15	9:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	10/05/2015	31.81	22.76	-	-	-	24.30	9.05	9:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	11/10/2015	31.81	25.29	-	-	-	-	6.52	12:59	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	12/01/2015	33.73	25.72	-	-	-	26.13	8.01	11:16	-	-	-	-	-	-	-	-	-	-	-	13,000	
RW-117S	01/27/2016	33.73	26.06	-	-	-	-	7.67	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/15/2016	33.73	26.05	-	-	-	-	7.68	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	03/14/2016	33.73	26.06	-	-	-	26.09	7.67	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/21/2016	33.73	25.74	-	-	-	26.07	7.99	11:38	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/27/2016	33.73	25.75	-	-	-	26.08	7.98	10:14	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/05/2016	33.73	25.79	-	-	-	26.05	7.94	12:56	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/23/2016	33.73	25.70	-	-	-	26.05	8.03	11:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/24/2016	33.73	DRY	-	-	-	26.07	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	06/21/2016	33.73	25.70	-	-	-	-	8.03	10:33	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/21/2016	33.73	25.67	-	-	-	-	8.06	10:12	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/24/2016	33.73	DRY	-	-	-	26.08	DRY	11:15	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/25/2016	33.73	25.52	-	-	-	26.08	8.21	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/30/2016	33.73	25.97	-	-	-	26.77	7.76	11:10	-	-	-	-	-	-	-	-	-	-	-	4,400	
RW-117S	09/22/2016	33.73	25.71	-	-	-	26.18	8.02	12:32	-	-	-	-	-	-	-	-	-	-	-	-	DRY

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments	
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)		
RW-117S	10/20/2016	33.73	25.72	-	-	-	-	8.01	11:22	-	-	-	-	-	-	-	-	-	-	-	-	2,800	
RW-117S	11/28/2016	33.73	25.75	-	-	-	26.77	7.98	10:57	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	12/22/2016	33.73	25.63	-	-	-	26.15	8.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	01/30/2017	33.73	25.72	-	-	-	26.15	8.01	10:21	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/21/2017	33.73	25.71	-	-	-	26.13	8.02	10:07	-	-	-	-	-	-	-	-	-	-	-	-	4,300	
RW-117S	03/29/2017	33.16	DRY	-	-	-	25.67	-	12:33	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/18/2017	33.16	DRY	-	-	-	25.67	-	11:40	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/22/2017	33.16	DRY	-	-	-	25.64	-	10:30	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	06/22/2017	33.16	DRY	-	-	-	25.68	-	12:03	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/19/2017	33.16	DRY	-	-	-	25.67	-	11:43	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/21/2017	33.16	25.56	-	-	-	25.69	7.60	9:44	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/28/2017	33.16	24.07	-	-	-	25.68	9.09	11:54	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/31/2017	33.16	24.08	-	-	-	25.68	9.08	9:20	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.	
RW-117S	09/20/2017	33.16	24.15	-	-	-	-	-	9:01	10:29	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	10/17/2017	33.16	24.47	-	-	-	-	-	8.69	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	11/28/2017	33.16	25.78	-	-	-	25.69	7.38	14:30	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.	
RW-117S	12/19/2017	33.16	25.56	-	-	-	-	-	7.60	9:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	01/26/2018	33.16	25.60	-	-	-	-	-	7.56	11:48	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/20/2018	33.16	25.59	-	-	-	25.65	7.57	12:05	-	-	-	-	-	-	-	-	-	-	-	-	39,200	
RW-117S	02/21/2018	33.16	25.60	-	-	-	25.66	7.56	11:30	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.	
RW-117S	03/06/2018	33.16	25.62	-	-	-	-	-	7.54	11:32	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	03/29/2018	33.16	25.62	-	-	-	-	-	7.54	9:27	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/11/2018	33.16	25.63	-	-	-	-	-	7.53	8:57	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/23/2018	33.16	25.63	-	-	-	-	-	7.53	9:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/03/2018	33.16	25.64	-	-	-	-	-	7.52	9:25	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/03/2018	32.31	24.15	-	-	-	-	-	8.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/21/2018	32.31	DRY	-	-	-	24.22	-	10:04	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	06/12/2018	32.31	22.95	-	-	-	-	-	9.36	10:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	06/26/2018	32.31	22.61	-	-	-	24.08	9.70	9:56	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.	
RW-117S	07/02/2018	32.31	22.53	-	-	-	-	-	9.78	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/17/2018	32.31	22.59	-	-	-	-	-	9.72	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/30/2018	32.31	22.07	-	-	-	-	-	10.24	10:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/09/2018	32.31	21.90	-	-	-	-	-	10.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/13/2018	32.31	21.80	-	-	-	24.18	10.51	11:47	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/14/2018	32.31	21.85	-	-	-	26.09	10.46	12:09	-	-	-	-	-	-	-	-	-	-	-	-	31,000	
RW-117S	09/04/2018	32.31	21.69	-	-	-	-	-	10.62	10:21	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/25/2018	32.31	24.39	-	-	-	-	-	-	13:26	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	10/02/2018	32.31	22.82	-	-	-	25.37	-	10:35	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	10/24/2018	32.31	24.70	-	-	-	25.37	-	9:54	-	-	-	-	-	-	-	-	-	-	-	-	See Notes	
																							See Notes
																							See Notes

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-117S	11/12/2018	33.31	22.90	-	-	-	-	10.41	10:22	-	-	-	-	-	-	-	-	-	-	-	4,900	
RW-117S	11/27/2018	33.31	22.62	-	-	-	-	10.69	9:53	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	12/11/2018	33.31	22.80	-	-	-	-	10.51	10:02	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	12/27/2018	33.31	22.67	-	-	-	-	10.64	9:41	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	01/10/2019	33.31	22.78	-	-	-	-	10.53	9:39	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	01/24/2019	33.31	25.30	-	-	-	-	8.01	14:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/11/2019	33.31	23.12	-	-	-	-	25.37	10.19	12:14	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/13/2019	33.31	23.11	-	-	-	-	-	10.20	12:04	-	-	-	-	-	-	-	-	-	-	-	2,400
RW-117S	02/21/2019	33.31	23.21	-	-	-	-	-	10.10	10:00	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	03/07/2019	33.31	23.23	-	-	-	-	-	10.08	9:36	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	03/19/2019	33.31	23.47	-	-	-	-	-	9.84	9:37	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/02/2019	33.31	23.19	-	-	-	-	-	10.12	10:15	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	04/22/2019	33.31	23.38	-	-	-	-	-	9.93	9:46	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/06/2019	33.31	23.63	-	-	-	-	-	9.68	9:31	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/20/2019	33.31	23.35	-	-	-	-	-	9.96	11:35	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	05/22/2019	33.31	23.35	-	-	-	-	-	9.96	12:10	-	-	-	-	-	-	-	-	-	-	-	3,400
RW-117S	06/04/2019	33.31	23.64	-	-	-	-	-	9.67	10:22	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	06/18/2019	33.31	23.78	-	-	-	-	-	9.53	9:55	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/09/2019	33.31	23.20	-	-	-	-	-	10.11	10:00	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	07/23/2019	33.31	22.95	-	-	-	-	-	10.36	10:00	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/09/2019	33.31	DRY	-	-	-	-	-	-	10:33	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/19/2019	33.31	21.35	-	-	-	-	25.35	11.96	11:47	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	08/21/2019	32.31	22.30	-	-	-	-	24.20	10.01	13:25	-	-	-	-	-	-	-	-	-	-	4,800	
RW-117S	09/03/2019	33.31	23.65	-	-	-	-	-	9.66	9:07	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	09/17/2019	33.31	23.97	-	-	-	-	-	9.34	9:56	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	10/01/2019	33.31	24.02	-	-	-	-	-	9.29	9:50	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	11/18/2019	32.31	23.32	-	-	-	-	24.21	8.99	11:08	-	-	-	-	-	-	-	-	-	-	4,900	
RW-117S	12/05/2019	32.31	23.51	-	-	-	-	-	8.80	-	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	01/14/2020	32.31	23.94	-	-	-	-	-	8.37	11:46	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	02/17/2020	32.31	24.13	-	-	-	-	24.23	8.18	11:47	-	-	-	-	-	-	-	-	-	-	-	
RW-117S	03/10/2020	32.31	24.20	-	-	-	-	-	8.11	9:36	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	07/08/2015	31.09	21.79	-	-	-	-	-	9.30	11:03	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	07/13/2015	31.09	21.64	-	-	-	-	24.90	9.45	9:20	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	07/20/2015	31.09	21.27	-	-	-	-	-	9.82	9:04	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	07/28/2015	31.09	21.22	-	-	-	-	25.00	9.87	9:39	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/04/2015	31.09	21.28	-	-	-	-	24.93	9.81	13:18	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/05/2015	31.09	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8,200	
RW-118S	08/11/2015	31.09	21.44	-	-	-	-	24.96	9.65	10:33	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/18/2015	31.09	21.52	-	-	-	-	-	9.57	10:07	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-118S	08/24/2015	31.09	21.62	-	-	-	-	9.47	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/02/2015	31.09	21.76	-	-	-	24.97	9.33	10:13	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/09/2015	31.09	21.56	-	-	-	24.95	9.53	10:07	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/17/2015	31.09	21.96	-	-	-	25.01	9.13	10:10	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/23/2015	31.09	21.97	-	-	-	-	9.12	10:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/28/2015	31.09	22.03	-	-	-	24.95	9.06	9:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	10/05/2015	31.09	22.68	-	-	-	25.00	8.41	12:20	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	11/10/2015	31.09	22.35	-	-	-	-	8.74	12:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	12/01/2015	31.24	22.84	-	-	-	25.08	8.40	13:09	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	12/02/2015	31.24	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	01/27/2016	31.24	24.02	-	-	-	-	7.22	10:19	-	-	-	-	-	-	-	-	-	-	-	-	11,000
RW-118S	02/15/2016	31.24	22.23	-	-	-	-	9.01	9:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	03/14/2016	31.24	22.26	-	-	-	25.15	8.98	9:05	-	-	-	-	-	-	-	-	-	-	-	-	8,200
RW-118S	04/21/2016	31.24	23.85	-	-	-	25.10	7.39	12:06	-	-	-	-	-	-	-	-	-	-	-	-	1,100
RW-118S	05/23/2016	31.24	23.95	-	-	-	25.15	7.29	11:50	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	05/24/2016	31.24	23.88	-	-	-	25.10	7.36	11:35	-	-	-	-	-	-	-	-	-	-	-	-	1,600
RW-118S	06/21/2016	31.24	23.95	-	-	-	-	7.29	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	07/21/2016	31.24	23.92	-	-	-	-	7.32	10:08	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/24/2016	31.24	23.91	-	-	-	25.11	7.33	12:05	-	-	-	-	-	-	-	-	-	-	-	-	750
RW-118S	08/25/2016	31.24	23.94	-	-	-	-	7.30	13:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	09/22/2016	31.24	23.94	-	-	-	25.17	7.30	12:28	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	10/20/2016	31.24	23.97	-	-	-	-	7.27	11:18	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	11/28/2016	31.24	23.95	-	-	-	25.24	7.29	10:38	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	11/29/2016	31.24	24.00	-	-	-	25.15	7.24	-	-	-	-	-	-	-	-	-	-	-	-	-	2,000
RW-118S	12/22/2016	31.24	24.33	-	-	-	25.17	6.91	-	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	01/30/2017	31.24	24.74	-	-	-	25.20	6.50	10:16	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	02/21/2017	31.24	24.41	-	-	-	25.10	6.83	11:35	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	02/22/2017	31.24	24.41	-	-	-	-	6.83	10:04	-	-	-	-	-	-	-	-	-	-	-	-	2,200
RW-118S	03/29/2017	30.81	23.95	-	-	-	24.23	6.86	12:30	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	05/22/2017	30.81	24.10	-	-	-	24.20	6.71	10:44	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
RW-118S	08/28/2017	30.81	21.11	-	-	-	24.19	9.70	12:05	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/29/2017	30.81	21.16	-	-	-	24.27	9.65	13:40	-	-	-	-	-	-	<0.66	-	1,960	-	31,300		
RW-118S	11/28/2017	30.81	22.63	-	-	-	24.19	8.18	14:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	11/30/2017	30.81	22.76	-	-	-	24.25	8.05	12:50	-	-	-	-	-	-	-	-	21,000	19,100			
RW-118S	02/20/2018	30.81	21.23	-	-	-	24.19	9.58	11:55	-	-	-	-	-	-	-	-	913	25,500			
RW-118S	05/21/2018	30.81	20.98	-	-	-	24.22	9.83	11:34	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	05/22/2018	30.81	20.99	-	-	-	24.22	9.82	9:51	-	-	-	-	-	-	-	-	-	-	-	-	16,100
RW-118S	08/13/2018	30.81	23.22	-	-	-	26.25	7.59	9:55	-	-	-	-	-	-	-	-	-	-	-	-	
RW-118S	08/14/2018	30.81	20.47	-	-	-	25.04	10.34	12:17	-	-	-	-	-	-	-	-	-	-	-	-	6,600

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
RW-118S	11/12/2018	30.81	20.49	-	-	-	24.20	10.32	9:49	-	-	-	-	-	-	-	-	-	-	-	-	7,100
RW-118S	11/13/2018	30.81	20.42	-	-	-	24.20	10.39	14:00	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-118S	02/11/2019	30.81	20.68	-	-	-	24.80	10.13	10:00	-	-	-	-	-	-	-	-	-	-	-	-	3,100
RW-118S	02/13/2019	30.81	20.67	-	-	-	24.64	10.14	10:39	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-118S	05/20/2019	30.81	NR	-	-	-	24.83	-	10:09	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-118S	05/22/2019	30.81	20.90	-	-	-	24.25	9.91	11:20	-	-	-	-	-	-	-	-	-	-	-	-	5,100
RW-118S	08/19/2019	30.81	20.92	-	-	-	25.03	9.89	9:56	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-118S	08/20/2019	30.81	23.93	-	-	-	24.74	6.88	9:59	-	-	-	-	-	-	-	-	-	-	-	-	5,400
RW-118S	11/18/2019	30.81	23.01	-	-	-	24.18	7.80	10:25	-	-	-	-	-	-	-	-	-	-	-	-	5,100
RW-118S	02/17/2020	30.81	24.08	-	-	-	24.19	6.73	10:53	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	07/08/2015	30.38	21.80	-	-	-	-	8.58	11:46	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	07/13/2015	30.38	21.83	-	-	-	26.15	8.55	9:32	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	07/20/2015	30.38	21.53	-	-	-	-	8.85	9:34	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	07/28/2015	30.38	21.51	-	-	-	26.25	8.87	9:48	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/04/2015	30.38	21.50	-	-	-	26.15	8.88	10:37	-	-	-	-	-	-	-	-	-	-	-	-	2,700
RW-119S	08/05/2015	30.38	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/11/2015	30.38	21.53	-	-	-	26.15	8.85	9:53	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/18/2015	30.38	21.73	-	-	-	-	8.65	10:33	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/24/2015	30.38	21.82	-	-	-	-	8.56	10:40	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	09/02/2015	30.38	22.01	-	-	-	26.17	8.37	9:38	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	09/09/2015	30.38	22.09	-	-	-	26.20	8.29	10:17	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	09/17/2015	30.38	22.34	-	-	-	26.21	8.04	10:22	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	09/23/2015	30.38	22.35	-	-	-	-	8.03	10:49	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	09/28/2015	30.38	22.32	-	-	-	26.20	8.06	9:33	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	10/05/2015	30.38	22.45	-	-	-	26.20	7.93	12:04	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	11/10/2015	30.38	25.50	-	-	-	-	4.88	13:09	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	12/01/2015	33.33	25.65	-	-	-	29.02	7.68	13:03	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	12/02/2015	33.33	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2,000
RW-119S	01/27/2016	33.33	25.63	-	-	-	-	7.70	9:50	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	02/15/2016	33.33	26.89	-	-	-	-	6.44	9:36	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	03/14/2016	33.33	25.85	-	-	-	29.20	7.48	9:28	-	-	-	-	-	-	-	-	-	-	-	-	4,400
RW-119S	04/21/2016	33.33	25.40	-	-	-	29.17	7.93	11:03	-	-	-	-	-	-	-	-	-	-	-	-	3,300
RW-119S	05/23/2016	33.33	26.20	-	-	-	29.18	7.13	11:30	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	05/24/2016	33.33	25.05	-	-	-	29.50	8.28	9:10	-	-	-	-	-	-	-	-	-	-	-	-	2,100
RW-119S	06/21/2016	33.33	26.28	-	-	-	-	7.05	11:13	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	07/21/2016	33.33	26.24	-	-	-	-	7.09	10:35	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/24/2016	33.33	26.30	-	-	-	29.70	7.03	12:00	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/25/2016	33.33	24.82	-	-	-	-	8.51	9:40	-	-	-	-	-	-	-	-	-	-	-	-	1,200
RW-119S	09/22/2016	33.33	26.28	-	-	-	29.28	7.05	12:44	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Xylenes Total ( $\mu\text{g/L}$ )	Methyl tert-butyl ether ( $\mu\text{g/L}$ )	tert-Butyl alcohol ( $\mu\text{g/L}$ )	1,2-Dibromoethane ( $\mu\text{g/L}$ )	1,2-Dichloroethane ( $\mu\text{g/L}$ )	Naphthalene ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	TPH-DRO - Silica Gel ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	Comments
RW-119S	10/20/2016	33.33	26.24	-	-	-	-	7.09	11:40	-	-	-	-	-	-	-	-	-	-	-	-	Obstruction at 12.63 ft during gauging
RW-119S	11/28/2016	33.33	NR	-	-	-	-	-	11:06	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	11/29/2016	33.33	26.31	-	-	-	-	28.96	7.02	-	-	-	-	-	-	-	-	-	-	-	-	24,000
RW-119S	12/22/2016	33.33	26.30	-	-	-	-	28.95	7.03	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	01/30/2017	33.33	26.35	-	-	-	-	29.05	6.98	9.55	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	02/21/2017	33.33	26.30	-	-	-	-	28.90	7.03	10:00	-	-	-	-	-	-	-	-	-	-	-	4,200
RW-119S	03/29/2017	33.28	26.14	-	-	-	-	28.95	7.14	12:53	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	04/18/2017	33.28	26.20	-	-	-	-	28.98	7.08	11:23	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	05/22/2017	33.28	24.21	-	-	-	-	28.95	9.07	10:16	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	05/23/2017	33.28	21.50	-	-	-	-	28.95	11.78	10:05	-	-	-	-	-	-	-	-	-	-	-	18,500
RW-119S	06/22/2017	33.28	26.19	-	-	-	-	28.98	7.09	11:33	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	07/19/2017	33.28	26.23	-	-	-	-	29.15	7.05	11:19	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/21/2017	33.28	23.20	-	-	-	-	28.90	10.08	9:09	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/28/2017	33.28	23.60	-	-	-	-	28.90	9.68	10:41	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	09/20/2017	33.28	24.42	-	-	-	-	-	8.86	9:46	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	10/17/2017	33.28	25.02	-	-	-	-	-	8.26	11:08	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	11/28/2017	33.28	24.96	-	-	-	-	28.97	8.32	13:22	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	11/29/2017	33.28	25.11	-	-	-	-	28.83	8.17	11:07	-	-	-	-	-	-	-	-	-	-	-	9210
RW-119S	12/19/2017	33.28	25.30	-	-	-	-	-	7.98	10:14	-	-	-	-	-	-	-	-	-	-	-	11,400
RW-119S	01/26/2018	33.28	25.98	-	-	-	-	-	7.30	11:28	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	02/20/2018	33.28	24.82	-	-	-	-	28.90	8.46	11:45	-	-	-	-	-	-	-	-	-	-	-	4020
RW-119S	03/06/2018	33.28	26.06	-	-	-	-	-	7.22	11:47	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	03/29/2018	33.28	25.43	-	-	-	-	-	7.85	10:03	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	04/11/2018	33.28	25.77	-	-	-	-	-	7.51	11:16	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	04/23/2018	33.28	25.48	-	-	-	-	-	7.80	9:52	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	05/03/2018	33.28	25.87	-	-	-	-	-	7.41	9:37	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	05/03/2018	30.53	23.15	-	-	-	-	-	7.38	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	05/21/2018	30.53	21.16	-	-	-	-	25.98	9.37	11:39	-	-	-	-	-	-	-	-	-	-	-	8,700
RW-119S	06/12/2018	30.53	22.13	-	-	-	-	-	8.40	10:14	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	06/26/2018	30.53	21.98	-	-	-	-	26.12	8.55	9:30	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	07/02/2018	30.53	22.04	-	-	-	-	-	8.49	10:13	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	07/17/2018	30.53	22.03	-	-	-	-	-	8.50	9:28	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	07/30/2018	30.53	19.84	-	-	-	-	-	10.69	9:59	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/09/2018	30.53	20.28	-	-	-	-	-	10.25	-	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/13/2018	30.53	20.37	-	-	-	-	26.03	10.16	11:58	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	08/14/2018	30.53	20.35	-	-	-	-	27.82	10.18	13:37	-	-	-	-	-	-	-	-	-	-	-	5,800
RW-119S	09/04/2018	30.53	19.51	-	-	-	-	-	11.02	9:37	-	-	-	-	-	-	-	-	-	-	-	-
RW-119S	09/25/2018	30.53	20.29	-	-	-	-	-	10.24	13:00	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
RW-119S	10/02/2018	30.53	20.27	-	-	-	-	10.26	11:40	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	10/24/2018	30.53	21.61	-	-	-	-	8.92	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/12/2018	30.53	19.90	-	-	-	-	26.00	10.63	9:52	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/13/2018	30.53	19.90	-	-	-	-	26.00	10.63	14:04	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/27/2018	30.53	19.48	-	-	-	-	-	11.05	10:12	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	12/11/2018	30.53	20.85	-	-	-	-	-	9.68	11:30	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	12/27/2018	30.53	20.01	-	-	-	-	-	10.52	9:55	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	01/10/2019	30.53	20.20	-	-	-	-	-	10.33	9:52	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	01/24/2019	30.53	21.28	-	-	-	-	-	9.25	9:07	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/11/2019	30.53	20.70	-	-	-	-	26.06	9.83	10:03	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/12/2019	30.53	20.70	-	-	-	-	-	9.83	11:50	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/21/2019	30.53	20.79	-	-	-	-	26.07	9.74	9:32	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	03/07/2019	30.53	21.16	-	-	-	-	-	9.37	11:30	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	03/19/2019	30.53	22.30	-	-	-	-	-	8.23	13:10	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	04/02/2019	30.53	20.44	-	-	-	-	-	10.09	9:15	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	04/22/2019	30.53	20.92	-	-	-	-	-	9.61	9:46	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/06/2019	30.53	20.88	-	-	-	-	-	9.65	9:46	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/20/2019	30.53	21.03	-	-	-	-	26.92	9.50	10:06	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	05/21/2019	30.53	21.05	-	-	-	-	26.18	9.48	10:33	-	-	-	-	-	-	-	-	-	-	2,100	
RW-119S	06/04/2019	30.53	21.87	-	-	-	-	-	8.66	9:46	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	06/18/2019	30.53	21.47	-	-	-	-	-	9.06	9:15	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/09/2019	30.53	21.15	-	-	-	-	-	9.38	8:49	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	07/23/2019	30.53	20.37	-	-	-	-	-	10.16	9:20	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/09/2019	30.53	20.58	-	-	-	-	-	9.95	10:13	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/19/2019	30.53	21.50	-	-	-	-	27.04	9.03	9:48	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	08/19/2019	30.53	21.50	-	-	-	-	-	9.03	12:45	-	-	-	-	-	-	-	-	-	-	2,100	
RW-119S	09/03/2019	30.53	21.66	-	-	-	-	-	8.87	8:48	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	09/17/2019	30.53	21.91	-	-	-	-	-	8.62	9:36	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	10/01/2019	30.53	22.38	-	-	-	-	-	8.15	9:28	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/18/2019	30.53	21.83	-	-	-	-	26.12	8.70	10:33	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	11/22/2019	30.53	21.84	-	-	-	-	26.12	8.69	10:38	-	-	-	-	-	-	-	-	-	-	4,200	
RW-119S	12/05/2019	30.53	22.04	-	-	-	-	-	8.49	-	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	01/14/2020	30.53	22.23	-	-	-	-	-	8.30	11:26	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/17/2020	30.53	22.09	-	-	-	-	26.11	8.44	10:19	-	-	-	-	-	-	-	-	-	-	-	
RW-119S	02/19/2020	30.53	22.14	-	-	-	-	-	8.39	9:15	-	-	-	-	-	-	-	-	-	-	2,700	
RW-119S	03/10/2020	30.53	22.20	-	-	-	-	-	8.33	8:53	-	-	-	-	-	-	-	-	-	-	-	
TW-01	12/16/2013	38.31	NR	-	-	-	-	-	14.3	ND	13.1	63.5	1.55	-	-	-	119	-	-	-	14,100	
TW-01	12/18/2013	38.31	31.38	-	-	-	-	-	6.93	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	01/08/2014	38.31	31.80	31.79	0.01	-	-	-	6.52	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments	
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )							
TW-01	03/07/2014	38.31	30.41	-	-	-	-	7.90	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-01	03/13/2014	38.31	31.13	-	-	-	-	7.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	03/20/2014	38.31	30.36	-	-	-	-	7.95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	03/27/2014	38.31	31.22	-	-	-	-	7.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	04/03/2014	38.31	30.36	-	-	-	-	7.95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	04/08/2014	38.31	30.21	-	-	-	-	8.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	04/17/2014	38.31	31.02	-	-	-	-	7.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	04/22/2014	38.31	30.18	-	-	-	-	8.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	04/29/2014	38.31	30.22	-	-	-	-	8.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	05/05/2014	38.31	30.29	-	-	-	-	8.02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	05/12/2014	38.31	30.28	-	-	-	-	8.03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	05/19/2014	38.31	30.16	-	-	-	-	8.15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	06/02/2014	38.31	30.17	-	-	-	-	8.14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	06/09/2014	38.31	30.08	-	-	-	-	8.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	06/16/2014	38.31	30.23	-	-	-	-	8.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	06/23/2014	38.31	30.02	-	-	-	-	8.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	07/02/2014	38.31	29.98	-	-	-	-	8.33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	07/07/2014	38.31	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27,400	
TW-01	07/14/2014	38.31	29.89	-	-	-	-	8.42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-01	07/31/2014	38.31	30.26	-	-	-	34.50	8.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Overdrilled and replaced with MW-05																							
TW-02	12/16/2013	20.60	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	0.791	-	-	-	ND	-	-	-	584	
TW-02	12/18/2013	20.60	15.52	-	-	-	-	5.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	01/08/2014	20.60	15.08	-	-	-	-	5.52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/07/2014	20.60	14.81	-	-	-	-	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/13/2014	20.60	14.22	-	-	-	-	6.38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/20/2014	20.60	13.39	-	-	-	-	7.21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/27/2014	20.60	14.31	-	-	-	-	6.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	04/03/2014	20.60	13.25	-	-	-	-	7.35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	04/08/2014	20.60	13.74	-	-	-	-	6.86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	04/17/2014	20.60	13.70	-	-	-	-	6.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	04/22/2014	20.60	13.62	-	-	-	-	6.98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	04/29/2014	20.60	13.96	-	-	-	-	6.64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/05/2014	20.60	13.55	-	-	-	-	7.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/12/2014	20.60	14.25	-	-	-	-	6.35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/19/2014	20.60	13.63	-	-	-	-	6.97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/27/2014	20.60	14.31	-	-	-	-	6.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	06/02/2014	20.60	14.34	-	-	-	-	6.26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	06/09/2014	20.60	14.71	-	-	-	-	5.89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-02	06/16/2014	20.60	14.30	-	-	-	-	6.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	06/23/2014	20.60	14.48	-	-	-	-	6.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	07/02/2014	20.60	14.77	-	-	-	-	5.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	07/07/2014	20.60	15.08	-	-	-	-	21.28	5.52	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	07/14/2014	20.60	15.02	-	-	-	-	-	5.58	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	07/31/2014	20.60	15.40	-	-	-	-	21.22	5.20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/08/2014	20.60	15.40	-	-	-	-	-	5.20	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/11/2014	20.60	15.28	-	-	-	-	-	5.32	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/15/2014	20.60	14.84	-	-	-	-	21.15	5.76	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/18/2014	20.60	15.06	-	-	-	-	-	5.54	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/25/2014	NR	14.71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	09/02/2014	NR	15.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	09/15/2014	NR	14.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	09/22/2014	NR	15.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	10/01/2014	NR	15.22	-	-	-	-	21.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	10/13/2014	NR	14.92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	10/20/2014	NR	15.10	-	-	-	-	20.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	10/23/2014	NR	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/24/2015	16.11	14.34	-	-	-	-	1.77	15:01	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<20	-	60
TW-02	03/04/2015	16.11	NR	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.20	<20	-	-	<45
TW-02	05/11/2015	16.11	14.38	-	-	-	-	20.80	1.73	15:18	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/13/2015	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<20	-	<45	
TW-02	08/04/2015	16.11	15.08	-	-	-	-	20.87	1.03	12:15	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/05/2015	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.20	<20	-	-	<45	
TW-02	12/01/2015	16.11	15.08	-	-	-	-	20.88	1.03	13:28	-	-	-	-	-	<2	<0.5	<0.5	<0.5	<20	-	
TW-02	12/03/2015	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.07	<20	-	81 J	-	
TW-02	03/14/2016	16.11	14.32	-	-	-	-	20.97	1.79	9:40	-	-	-	-	-	-	-	-	-	-	-	
TW-02	03/16/2016	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.08	<20	-	<45	-	
TW-02	05/23/2016	16.11	13.26	-	-	-	-	-	2.85	10:37	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/25/2016	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	<20	-	<45
TW-02	08/24/2016	16.11	14.83	-	-	-	-	21.20	1.28	10:50	-	-	-	-	-	-	-	-	-	-	<45	
TW-02	11/28/2016	16.11	15.50	-	-	-	-	21.83	0.61	8:49	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/21/2017	16.11	15.41	-	-	-	-	21.34	0.70	12:20	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/22/2017	16.11	14.30	-	-	-	-	21.33	1.81	12:55	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/23/2017	16.11	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.09	<20	-	<45	
TW-02	08/28/2017	16.11	15.82	-	-	-	-	21.30	0.29	10:10	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/30/2017	16.11	15.35	-	-	-	-	21.30	0.76	10:08	-	-	-	-	-	-	-	-	-	-	-	
TW-02	11/28/2017	16.11	15.65	-	-	-	-	21.42	0.46	11:01	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/20/2018	16.11	14.37	-	-	-	-	21.40	1.74	10:10	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments	
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )							
TW-02	05/21/2018	16.11	12.25	-	-	-	-	3.86	14:15	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.08	<11	-	<45	
TW-02	08/13/2018	16.11	13.95	-	-	-	-	2.16	11:31	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/14/2018	16.11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	11/12/2018	16.11	12.65	-	-	-	-	3.46	12:42	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.02	<11	-	<53
TW-02	11/13/2018	16.11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/11/2019	16.11	14.34	-	-	-	-	21.50	1.77	13:23	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/13/2019	16.11	-	-	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.02	<11	-	<53
TW-02	05/20/2019	16.11	13.47	-	-	-	-	2.64	11:13	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	05/21/2019	16.11	-	-	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.02	<11	-	<53
TW-02	08/19/2019	16.11	14.98	-	-	-	-	21.45	1.13	11:59	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	08/20/2019	16.11	-	-	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	<11	-	<53
TW-02	11/18/2019	16.11	14.77	-	-	-	-	21.45	1.34	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/17/2020	16.11	13.07	-	-	-	-	21.47	3.04	11:01	-	-	-	-	-	-	-	-	-	-	-	-	
TW-02	02/18/2020	16.11	13.21	-	-	-	-	2.90	-	-	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.2 J	<23	-	<53
TW-03	12/16/2013	14.87	NR	-	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	-	-	351
TW-03	12/18/2013	14.87	9.08	-	-	-	-	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	01/08/2014	14.87	9.42	-	-	-	-	5.45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/07/2014	14.87	7.66	-	-	-	-	7.21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/13/2014	14.87	8.09	-	-	-	-	6.78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/20/2014	14.87	7.50	-	-	-	-	7.37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/27/2014	14.87	8.47	-	-	-	-	6.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	04/03/2014	14.87	6.99	-	-	-	-	7.88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	04/08/2014	14.87	7.64	-	-	-	-	7.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	04/17/2014	14.87	7.33	-	-	-	-	7.54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	04/22/2014	14.87	7.64	-	-	-	-	7.23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	04/29/2014	14.87	7.36	-	-	-	-	7.51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/05/2014	14.87	7.58	-	-	-	-	7.29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/12/2014	14.87	7.93	-	-	-	-	6.94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/19/2014	14.87	8.42	-	-	-	-	6.45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/27/2014	14.87	7.69	-	-	-	-	7.18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	06/02/2014	14.87	8.00	-	-	-	-	6.87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	06/09/2014	14.87	7.77	-	-	-	-	7.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	06/16/2014	14.87	7.60	-	-	-	-	7.27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	06/23/2014	14.87	7.68	-	-	-	-	7.19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	07/02/2014	14.87	7.97	-	-	-	-	6.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	07/07/2014	14.87	8.31	-	-	-	-	13.45	6.56	-	-	-	-	-	-	-	-	-	-	-	-	<1,160	
TW-03	07/14/2014	14.87	7.55	-	-	-	-	7.32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	07/25/2014	14.87	8.45	-	-	-	-	13.30	6.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	07/31/2014	14.87	8.14	-	-	-	-	13.35	6.73	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments	
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )							
TW-03	08/08/2014	14.87	8.39	-	-	-	-	6.48	-	-	-	-	-	-	-	-	-	-	-	-	-	<1,500	
TW-03	08/11/2014	14.87	8.12	-	-	-	-	6.75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/15/2014	14.87	8.10	-	-	-	-	13.40	6.77	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/18/2014	14.87	8.25	-	-	-	-	-	6.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/25/2014	10.40	7.85	-	-	-	-	-	2.55	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	09/02/2014	10.40	8.52	-	-	-	-	-	1.88	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	09/15/2014	10.40	8.33	-	-	-	-	-	2.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	09/22/2014	10.40	8.26	-	-	-	-	-	2.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	10/01/2014	10.40	8.35	-	-	-	-	13.15	2.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	10/13/2014	10.40	8.18	-	-	-	-	-	2.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	10/20/2014	10.40	8.50	-	-	-	-	13.14	1.90	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	10/23/2014	10.40	NR	-	-	-	-	-	-	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<20	-	49	
TW-03	02/24/2015	10.40	8.57	-	-	-	-	-	1.83	14:49	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/04/2015	10.40	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.03	<20	-	180
TW-03	05/11/2015	10.40	7.74	-	-	-	-	13.10	2.66	15:23	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/13/2015	10.40	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<1	21 J	-	200
TW-03	08/04/2015	10.40	7.82	-	-	-	-	13.14	2.58	12:13	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/05/2015	10.40	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.20	<20	-	150
TW-03	12/01/2015	10.40	7.64	-	-	-	-	13.12	2.76	13:26	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	12/02/2015	10.40	NR	-	-	-	-	-	-	0.7 J	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.04	<20	-	56 J	
TW-03	03/14/2016	10.40	7.95	-	-	-	-	13.10	2.45	9:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	03/16/2016	10.40	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.1 J	32 J	-	150	
TW-03	05/05/2016	10.40	7.53	-	-	-	-	-	2.87	12:21	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	5/23/2016 <sup>H</sup>	10.40	8.68	-	-	-	-	-	1.72	-	1	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	31 J	-	190	Geosyntec sampling, could not gauge
TW-03	5/23/2016 <sup>L</sup>	10.40	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.1 J	27 J	-	180	
TW-03	08/24/2016	10.40	8.70	-	-	-	-	13.22	1.70	10:45	-	-	-	-	-	-	-	-	-	-	-	100	
TW-03	08/25/2016	10.40	8.09	-	-	-	-	-	2.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	09/22/2016	10.40	8.18	-	-	-	-	-	2.22	14:25	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	11/28/2016	10.40	8.83	-	-	-	-	13.10	1.57	8:46	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	-	54 J
TW-03	02/21/2017	10.40	9.02	-	-	-	-	13.07	1.38	12:17	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	02/22/2017	10.40	8.69	-	-	-	-	13.10	1.71	10:09	-	-	-	-	-	-	-	-	-	-	-	61 J	
TW-03	05/22/2017	10.40	7.92	-	-	-	-	13.15	2.48	12:59	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	05/23/2017	10.40	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.09	<20	-	75 J	
TW-03	08/28/2017	10.40	9.98	-	-	-	-	13.10	0.42	10:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	08/30/2017	10.40	9.95	-	-	-	-	13.10	0.45	10:19	-	-	-	-	-	-	-	-	-	-	-	<83	
TW-03	11/28/2017	10.40	9.94	-	-	-	-	13.34	0.46	11:05	-	-	-	-	-	-	-	-	-	-	-	-	
TW-03	11/29/2017	10.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	219	
TW-03	02/20/2018	10.40	7.85	-	-	-	-	13.35	2.55	10:15	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	
TW-03	02/21/2018	10.40	7.85	-	-	-	-	2.55	12:42	-	-	-	-	-	-	-	-	-	-	-	589	
TW-03	05/21/2018	10.40	6.08	-	-	-	-	4.32	14:11	-	-	-	-	-	-	-	-	-	-	-	-	918
TW-03	05/22/2018	10.40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-03	05/24/2018	10.40	6.78	-	-	-	-	3.62	12:33	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-03	08/13/2018	10.40	7.25	-	-	-	-	3.15	11:35	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-03	08/14/2018	10.40	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.08	11 J	-	-	160
TW-03	11/12/2018	10.40	6.78	-	-	-	-	3.62	12:44	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-03	11/13/2018	10.40	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<10	0.03 J	<11	-	180
TW-03	02/11/2019	10.40	7.53	-	-	-	-	13.37	2.87	12:46	-	-	-	-	-	-	-	-	-	-	-	-
TW-03	02/13/2019	10.40	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.08	<11	-	65 J
TW-03	05/20/2019	10.40	6.50	-	-	-	-	3.90	11:08	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-03	05/21/2019	10.40	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.08	<11	-	120
TW-03	08/19/2019	10.40	7.67	-	-	-	-	13.35	2.73	12:02	-	-	-	-	-	-	-	-	-	-	-	-
TW-03	08/21/2019	10.40	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.08	<11	-	130
TW-03	11/18/2019	10.40	7.53	-	-	-	-	13.38	2.87	13:18	-	-	-	-	-	-	-	-	-	-	-	-
TW-03	11/19/2019	10.40	7.08	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	<23	-	90 J
TW-03	02/17/2020	10.40	7.11	-	-	-	-	13.33	3.29	10:56	-	-	-	-	-	-	-	-	-	-	-	-
TW-03	02/18/2020	10.40	6.97	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.1	<23	-	<53
TW-04	12/16/2013	13.26	NR	-	-	-	-	-	-	2.2	<0.5	3.45	7.11	<0.5	-	-	-	27.7	-	-	2,000	
TW-04	12/18/2013	13.26	6.25	-	-	-	-	7.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	01/08/2014	13.26	6.71	-	-	-	-	6.55	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	03/07/2014	13.26	6.06	-	-	-	-	7.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	03/13/2014	13.26	6.26	-	-	-	-	7.00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	03/20/2014	13.26	6.17	-	-	-	-	7.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	03/27/2014	13.26	6.55	-	-	-	-	6.71	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	04/03/2014	13.26	4.64	-	-	-	-	8.62	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	04/08/2014	13.26	5.38	-	-	-	-	7.88	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	04/17/2014	13.26	5.60	-	-	-	-	7.66	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	04/22/2014	13.26	5.56	-	-	-	-	7.70	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	04/29/2014	13.26	5.91	-	-	-	-	7.35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	05/05/2014	13.26	5.06	-	-	-	-	8.20	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	05/12/2014	13.26	5.82	-	-	-	-	7.44	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	05/19/2014	13.26	4.61	-	-	-	-	8.65	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	05/27/2014	13.26	5.66	-	-	-	-	7.60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	06/02/2014	13.26	5.83	-	-	-	-	7.43	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	06/09/2014	13.26	5.87	-	-	-	-	7.39	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	06/16/2014	13.26	5.21	-	-	-	-	8.05	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	06/23/2014	13.26	5.68	-	-	-	-	7.58	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-04	07/02/2014	13.26	5.96	-	-	-	-	7.30	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments	
TW-04	07/07/2014	13.26	6.18	-	-	-	13.77	7.08	-	-	-	-	-	-	-	-	-	-	-	-	1,270		
TW-04	07/14/2014	13.26	5.80	-	-	-	-	7.46	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	07/25/2014	13.26	6.20	-	-	-	13.70	7.06	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	07/31/2014	13.26	6.08	-	-	-	13.76	7.18	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	08/08/2014	13.26	6.21	-	-	-	-	7.05	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	08/11/2014	13.26	6.19	-	-	-	-	7.07	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	08/15/2014	13.26	5.99	-	-	-	13.75	7.27	-	-	-	-	-	-	-	-	-	-	-	-	1,610		
TW-04	08/18/2014	13.26	5.92	-	-	-	-	7.34	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	08/25/2014	9.49	5.87	-	-	-	-	3.62	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	09/02/2014	9.49	6.25	-	-	-	-	3.24	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	09/15/2014	9.49	6.17	-	-	-	-	3.32	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	09/22/2014	9.49	6.20	-	-	-	-	3.29	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	10/01/2014	9.49	6.23	-	-	-	13.55	3.26	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	10/10/2014	9.49	6.18	-	-	-	-	3.31	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	10/13/2014	9.49	6.19	-	-	-	-	3.30	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	10/20/2014	9.49	6.28	-	-	-	13.40	3.21	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<20	-	160	
TW-04	10/23/2014	9.49	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-		
TW-04	10/27/2014	9.49	6.04	-	-	-	-	3.45	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	11/07/2014	9.49	6.27	-	-	-	-	3.22	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	11/12/2014	9.49	6.19	-	-	-	-	3.30	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	11/21/2014	9.49	6.78	-	-	-	-	2.71	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	11/26/2014	9.49	6.33	-	-	-	-	3.16	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	12/05/2014	9.49	5.75	-	-	-	-	3.74	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	12/11/2014	9.49	5.60	-	-	-	-	3.89	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	12/16/2014	9.49	5.83	-	-	-	-	3.66	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	12/23/2014	9.49	5.82	-	-	-	-	3.67	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	12/30/2014	9.49	5.73	-	-	-	-	3.76	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	01/09/2015	9.49	6.06	-	-	-	-	3.43	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	01/16/2015	9.49	5.64	-	-	-	-	3.85	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	01/19/2015	9.49	5.37	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	01/26/2015	9.49	4.78	-	-	-	-	4.71	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	02/03/2015	9.49	6.06	-	-	-	13.21	3.43	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	02/09/2015	9.49	6.08	-	-	-	-	3.41	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	02/18/2015	9.49	6.19	-	-	-	-	3.30	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	02/24/2015	9.49	6.21	-	-	-	-	3.28	15:00	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	03/04/2015	9.49	6.11	-	-	-	-	3.38	11:45	1	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	1	27 J	-	940	
TW-04	03/11/2015	9.49	3.93	-	-	-	-	5.56	12:00	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	03/18/2015	9.49	5.40	-	-	-	-	4.09	10:23	-	-	-	-	-	-	-	-	-	-	-	-		
TW-04	03/26/2015	9.49	5.75	-	-	-	13.20	3.74	12:21	-	-	-	-	-	-	-	-	-	-	-	-		

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments	
										(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)	(µg/L)		
TW-04	04/02/2015	9.49	5.85	-	-	-	13.25	3.64	10:28	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/08/2015	9.49	6.20	-	-	-	13.25	3.29	10:00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/13/2015	9.49	6.28	-	-	-	-	3.21	9:55	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/23/2015	9.49	5.44	-	-	-	13.25	4.05	10:43	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	04/29/2015	9.49	5.85	-	-	-	13.25	3.64	13:15	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/04/2015	9.49	5.75	-	-	-	-	3.74	10:50	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/11/2015	9.49	5.83	-	-	-	13.20	3.66	15:33	-	-	1 J	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<1	33 J	700	-
TW-04	05/13/2015	9.49	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/21/2015	9.49	5.89	-	-	-	13.27	3.60	13:05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/28/2015	9.49	6.28	-	-	-	13.25	3.21	10:55	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/02/2015	9.49	5.01	-	-	-	-	4.48	12:15	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/09/2015	9.49	5.17	-	-	-	-	4.32	9:45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/16/2015	9.49	5.67	-	-	-	-	3.82	10:35	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	06/26/2015	9.49	4.98	-	-	-	13.20	4.51	8:45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/01/2015	9.49	3.57	-	-	-	-	5.92	11:35	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/08/2015	9.49	4.57	-	-	-	-	4.92	10:20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/13/2015	9.49	4.28	-	-	-	-	5.21	8:53	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/20/2015	9.49	5.32	-	-	-	-	4.17	8:40	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/04/2015	9.49	5.62	-	-	-	13.70	3.87	12:02	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/06/2015	9.49	NR	-	-	-	-	0.6 J	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.6	38 J	-	1,000	
TW-04	08/18/2015	9.49	5.88	-	-	-	-	3.61	9:20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/24/2015	9.49	5.76	-	-	-	-	3.73	9:40	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/02/2015	9.49	5.92	-	-	-	13.20	3.57	11:36	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/09/2015	9.49	6.06	-	-	-	13.18	3.43	14:09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/17/2015	9.49	6.11	-	-	-	13.21	3.38	11:48	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/23/2015	9.49	6.08	-	-	-	-	3.41	10:00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	09/28/2015	9.49	5.61	-	-	-	13.08	3.88	10:36	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	10/05/2015	9.49	5.22	-	-	-	13.13	4.27	10:20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/10/2015	9.49	5.92	-	-	-	-	3.57	12:29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	12/01/2015	9.49	5.78	-	-	-	13.10	3.71	13:20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	12/02/2015	9.49	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.04	22 J	-	280	
TW-04	02/15/2016	9.49	6.07	-	-	-	-	3.42	9:05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	03/14/2016	9.49	5.93	-	-	-	13.11	3.56	1:55	1	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.2	31 J	-	980	
TW-04	04/21/2016	9.49	6.23	-	-	-	-	3.26	9:17	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/05/2016	9.49	5.50	-	-	-	-	3.99	12:27	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/23/2016	9.49	4.83	-	-	-	-	4.66	10:49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	05/24/2016	9.49	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.5	50 J	-	1,100	
TW-04	06/21/2016	9.49	6.30	-	-	-	-	3.19	9:35	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	07/21/2016	9.49	5.91	-	-	-	-	3.58	9:25	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
TW-04	08/24/2016	9.49	6.35	-	-	-	13.15	3.14	9:44	-	-	-	-	-	-	-	-	-	-	-	430	
TW-04	09/22/2016	9.49	6.20	-	-	-	-	3.29	14:45	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/28/2016	9.49	6.69	-	-	-	10.07	2.80	8:35	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/29/2016	9.49	NR	-	-	-	-	-	-	-	NT	NT	NT	NT	-	-	-	-	-	-	-	
TW-04	02/21/2017	9.49	6.70	-	-	-	13.07	2.79	12:07	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	02/22/2017	9.49	6.52	-	-	-	13.08	2.97	10:39	-	-	-	-	-	-	-	-	-	-	-	-	410
TW-04	05/22/2017	9.49	5.44	-	-	-	13.08	4.05	13:07	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	27 J	-	770	
TW-04	08/28/2017	9.49	10.04	-	-	-	13.11	-0.55	10:05	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/30/2017	9.49	9.70	-	-	-	13.10	-0.21	12:25	-	-	-	-	-	-	-	-	-	-	-	5,700	
TW-04	11/28/2017	9.49	8.85	-	-	-	13.62	0.64	10:57	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	11/29/2017	9.49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,170
TW-04	02/20/2018	9.49	5.80	-	-	-	14.66	3.69	10:25	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	02/21/2018	9.49	-	-	-	-	-	-	13:15	-	-	-	-	-	-	-	-	-	-	-	-	539
TW-04	05/21/2018	9.49	3.90	-	-	-	-	5.59	14:25	-	-	-	-	-	-	-	-	-	-	-	-	910
TW-04	08/13/2018	9.49	4.97	-	-	-	-	4.52	11:41	<0.5	<0.5	<0.5	<0.5	<0.5	15	<0.5	<0.5	0.3	26 J	-	800	
TW-04	11/12/2018	9.49	3.42	-	-	-	-	6.07	11:55	<0.2	<0.2	<0.2	<0.2	<0.2	<10	<0.3	<0.3	0.3	13 J	-	560	
TW-04	02/11/2019	9.49	4.88	-	-	-	-	4.61	11:40	<0.2	<0.2	<0.2	<0.2	<0.2	<10	<0.3	<2	0.2 J	<11	-	280	
TW-04	05/20/2019	9.49	4.42	-	-	-	-	5.07	10:58	<0.2	<0.2	<0.2	<0.2	<0.2	<10	<0.3	<2	0.3	12 J	-	470	
TW-04	08/19/2019	9.49	5.85	-	-	-	14.80	3.64	11:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-04	08/20/2019	9.49	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.2	<0.2	<10	<0.3	<2	0.1 J	11 J	-	-	410	
TW-04	11/18/2019	9.49	5.38	-	-	-	14.64	4.11	12:58	<0.2	<0.2	<0.2	<0.2	<0.2	<10	<0.3	<2	<0.04	<23	-	-	280
TW-04	02/17/2020	9.49	3.96	-	-	-	14.90	5.53	10:36	<0.2	<0.2	<0.2	<0.2	<0.2	<10	<0.3	<2	0.2 J	<23	-	-	170
TW-05	12/16/2013	13.73	NR	-	-	-	-	-	-	7.68	<0.5	62.8	40.3	<0.5	-	-	240	-	-	-	-	136,000
TW-05	12/18/2013	13.73	6.45	-	-	-	-	7.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	01/08/2014	13.73	6.98	-	-	-	-	6.75	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/07/2014	13.73	6.34	-	-	-	-	7.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/13/2014	13.73	6.49	-	-	-	-	7.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/20/2014	13.73	6.04	-	-	-	-	7.69	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/27/2014	13.73	6.68	-	-	-	-	7.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/03/2014	13.73	4.29	-	-	-	-	9.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/08/2014	13.73	5.36	-	-	-	-	8.37	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/17/2014	13.73	5.33	-	-	-	-	8.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/22/2014	13.73	5.65	-	-	-	-	8.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/29/2014	13.73	6.06	-	-	-	-	7.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/05/2014	13.73	4.91	-	-	-	-	8.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/12/2014	13.73	6.01	-	-	-	-	7.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/19/2014	13.73	4.65	-	-	-	-	9.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/27/2014	13.73	5.91	-	-	-	-	7.82	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/02/2014	13.73	6.07	-	-	-	-	7.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/09/2014	13.73	6.11	-	-	-	-	7.62	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
TW-05	06/16/2014	13.73	5.28	-	-	-	-	8.45	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	06/23/2014	13.73	5.95	-	-	-	-	7.78	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/02/2014	13.73	6.28	-	-	-	-	7.45	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/07/2014	13.73	6.49	-	-	-	-	12.06	7.24	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/14/2014	13.73	6.06	-	-	-	-	-	7.67	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/25/2014	13.73	5.43	-	-	-	-	12.08	8.30	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/31/2014	13.73	6.50	-	-	-	-	12.10	7.23	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/08/2014	13.73	6.56	-	-	-	-	-	7.17	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/11/2014	13.73	6.51	-	-	-	-	-	7.22	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/15/2014	13.73	5.91	-	-	-	-	11.95	7.82	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/18/2014	13.73	6.14	-	-	-	-	-	7.59	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/25/2014	9.64	6.13	-	-	-	-	-	3.51	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	09/02/2014	9.64	6.59	-	-	-	-	-	3.05	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	09/15/2014	9.64	6.57	-	-	-	-	-	3.07	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	09/22/2014	9.64	6.58	-	-	-	-	-	3.06	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	10/01/2014	9.64	6.63	-	-	-	-	11.74	3.01	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	10/10/2014	9.64	6.52	-	-	-	-	-	3.12	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	10/13/2014	9.64	6.58	-	-	-	-	-	3.06	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	10/20/2014	9.64	6.60	-	-	-	-	12.63	3.04	-	4	<0.5	14	<0.5	<0.5	<2	<0.5	<0.5	21	140	-	29,000
TW-05	10/27/2014	9.64	6.23	-	-	-	-	-	3.41	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	11/07/2014	9.64	6.58	-	-	-	-	-	3.06	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	11/12/2014	9.64	6.56	-	-	-	-	-	3.08	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	11/21/2014	9.64	7.07	-	-	-	-	-	2.57	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	11/26/2014	9.64	6.67	-	-	-	-	-	2.97	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	12/05/2014	9.64	5.57	-	-	-	-	-	4.07	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	12/11/2014	9.64	5.38	-	-	-	-	-	4.26	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	12/16/2014	9.64	5.86	-	-	-	-	-	3.78	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	12/23/2014	9.64	6.08	-	-	-	-	-	3.56	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	12/30/2014	9.64	5.50	-	-	-	-	-	4.14	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	01/09/2015	9.64	6.27	-	-	-	-	-	3.37	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	01/16/2015	9.64	5.48	-	-	-	-	-	4.16	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	01/19/2015	9.64	5.08	-	-	-	-	-	4.56	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	01/26/2015	9.64	4.30	-	-	-	-	-	5.34	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	02/03/2015	9.64	6.20	-	-	-	-	11.88	3.44	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	02/09/2015	9.64	6.38	-	-	-	-	-	3.26	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	02/18/2015	9.64	6.64	-	-	-	-	-	3.00	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	02/24/2015	9.64	6.61	-	-	-	-	-	3.03	14:57	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	03/04/2015	9.64	6.27	-	-	-	-	-	3.37	12:15	2	<0.50	1	<0.5	<0.5	<2	<0.5	<0.5	3	130	-	2,200
TW-05	03/11/2015	9.64	3.15	-	-	-	-	-	6.49	12:03	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
TW-05	03/18/2015	9.64	4.61	-	-	-	5.03	10:26	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	03/26/2015	9.64	5.94	-	-	-	12.10	3.70	12:25	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	04/02/2015	9.64	6.00	-	-	-	12.10	3.64	10:30	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	04/08/2015	9.64	6.41	-	-	-	12.14	3.23	10:05	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	04/13/2015	9.64	6.53	-	-	-	-	3.11	9:58	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	04/23/2015	9.64	5.48	-	-	-	12.20	4.16	10:45	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	04/29/2015	9.64	5.99	-	-	-	12.20	3.65	13:17	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	05/04/2015	9.64	5.94	-	-	-	-	3.70	10:53	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	05/11/2015	9.64	6.12	-	-	-	12.30	3.52	15:39	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	05/13/2015	9.64	NR	-	-	-	-	-	-	3	<0.50	<0.50	<0.50	<0.5	<0.5	<2	<0.5	1 J	44 J	-	1,100	-
TW-05	05/21/2015	9.64	6.15	-	-	-	12.48	3.49	13:07	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	05/28/2015	9.64	6.56	-	-	-	12.50	3.08	10:57	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	06/02/2015	9.64	4.05	-	-	-	-	5.59	12:18	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	06/09/2015	9.64	4.63	-	-	-	-	5.01	9:48	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	06/16/2015	9.64	5.99	-	-	-	-	3.65	10:38	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	06/26/2015	9.64	4.52	-	-	-	12.80	5.12	8:47	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/01/2015	9.64	1.82	-	-	-	-	7.82	11:38	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/08/2015	9.64	4.22	-	-	-	-	5.42	10:23	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/13/2015	9.64	4.24	-	-	-	-	5.40	8:55	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/20/2015	9.64	5.64	-	-	-	-	4.00	8:43	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/28/2015	9.64	6.01	-	-	-	12.42	3.63	13:15	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/04/2015	9.64	6.07	-	-	-	12.32	3.57	12:05	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/06/2015	9.64	NR	-	-	-	-	-	-	2	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	0.8	37 J	-	790	-
TW-05	08/11/2015	9.64	5.56	-	-	-	12.54	4.08	12:30	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/18/2015	9.64	6.28	-	-	-	-	3.36	9:23	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/24/2015	9.64	6.23	-	-	-	-	3.41	9:43	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	09/02/2015	9.64	6.32	-	-	-	12.53	3.32	11:33	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	09/09/2015	9.64	6.73	-	-	-	12.55	2.91	14:06	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	09/17/2015	9.64	6.54	-	-	-	12.53	3.10	11:45	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	09/23/2015	9.64	6.41	-	-	-	-	3.23	10:03	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	09/28/2015	9.64	6.01	-	-	-	12.51	3.63	10:38	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	10/05/2015	9.64	5.43	-	-	-	12.54	4.21	10:17	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	11/10/2015	9.64	6.31	-	-	-	-	3.33	12:31	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	12/01/2015	9.64	5.99	-	-	-	12.38	3.65	13:10	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.04	30 J	-	330	-
TW-05	02/15/2016	9.64	6.34	-	-	-	-	3.30	9:09	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	03/14/2016	9.64	6.22	-	-	-	12.43	3.42	10:00	1	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.3	<20	-	960	-
TW-05	04/21/2016	9.64	6.92	-	-	-	-	2.72	9:21	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	05/05/2016	9.64	5.40	-	-	-	-	4.24	12:30	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	05/23/2016	9.64	5.46	-	-	-	-	4.18	10:55	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
TW-05	06/21/2016	9.64	7.02	-	-	-	-	2.62	9:38	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/21/2016	9.64	6.37	-	-	-	-	3.27	9:28	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/24/2016	9.64	6.80	-	-	-	-	12.85	2.84	9:49	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/25/2016	9.64	6.20	-	-	-	-	3.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/22/2016	9.64	6.75	-	-	-	-	2.89	14:40	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/28/2016	9.64	7.07	-	-	-	-	13.02	2.57	8:41	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/29/2016	9.64	NR	-	-	-	-	-	-	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	-	430	
TW-05	02/21/2017	9.64	7.20	-	-	-	-	13.32	2.44	12:05	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/22/2017	9.64	7.10	-	-	-	-	13.30	2.54	10:56	-	-	-	-	-	-	-	-	-	-	2,800	
TW-05	05/22/2017	9.64	5.61	-	-	-	-	13.40	4.03	13:15	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	650	
TW-05	08/28/2017	9.64	10.02	-	-	-	-	13.45	-0.38	10:25	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/30/2017	9.64	9.71	-	-	-	-	13.48	-0.07	11:39	-	-	-	-	-	-	-	-	-	-	24,000	
TW-05	11/28/2017	9.64	8.83	-	-	-	-	14.57	0.81	11:20	-	-	-	-	-	-	-	-	-	-	-	
TW-05	11/30/2017	9.64	9.02	-	-	-	-	14.62	0.62	11:39	-	-	-	-	-	-	-	-	-	67,000	61,500	
TW-05	01/26/2018	9.64	8.67	-	-	-	-	-	0.97	12:20	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/01/2018	9.64	8.15	-	-	-	-	-	1.49	10:45	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/20/2018	9.64	6.11	-	-	-	-	15.00	3.53	10:35	-	-	-	-	-	-	-	-	-	-	-	
TW-05	02/21/2018	9.64	6.23	6.21	0.02	-	-	-	3.43	12:42	-	-	-	-	-	-	-	-	-	2,410,000	646,000	
TW-05	03/06/2018	9.64	6.22	-	-	-	-	-	3.42	12:10	-	-	-	-	-	-	-	-	-	-	-	
TW-05	03/29/2018	9.64	5.57	-	-	-	-	-	4.07	10:30	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/11/2018	9.64	6.54	-	-	-	-	-	3.10	11:40	-	-	-	-	-	-	-	-	-	-	-	
TW-05	04/23/2018	9.64	5.62	-	-	-	-	-	4.02	10:05	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/03/2018	9.64	5.43	-	TRACE	-	-	-	4.21	9:45	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/21/2018	9.64	2.88	2.84	0.04	-	-	-	6.80	14:21	-	-	-	-	-	-	-	-	-	-	-	
TW-05	05/24/2018	9.64	3.21	3.17	0.04	-	-	-	6.47	13:20	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/01/2018	9.64	4.75	-	-	-	-	-	4.89	9:01	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/06/2018	9.64	3.43	-	-	-	-	-	6.21	10:27	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/12/2018	9.64	4.49	-	-	-	-	-	5.15	10:48	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/21/2018	9.64	5.39	-	-	-	-	-	4.25	10:54	-	-	-	-	-	-	-	-	-	-	-	
TW-05	06/26/2018	9.64	5.32	-	-	-	-	-	4.32	10:32	-	-	-	-	-	-	-	-	629,000 B	817,000	-	
TW-05	07/02/2018	9.64	5.78	-	-	-	-	-	3.86	9:38	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/17/2018	9.64	6.20	-	-	-	-	-	3.44	10:36	-	-	-	-	-	-	-	-	-	-	-	
TW-05	07/30/2018	9.64	4.10	-	-	-	-	-	5.54	11:31	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/09/2018	9.64	4.50	4.43	0.07	-	-	-	5.20	13:20	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/13/2018	9.64	4.85	4.84	0.01	-	-	-	4.80	11:48	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/22/2018	9.64	3.01	-	-	-	-	-	6.63	13:40	-	-	-	-	-	-	-	-	-	-	-	
TW-05	08/28/2018	9.64	4.78	-	-	-	-	-	4.86	12:10	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/04/2018	9.64	4.72	-	-	-	-	-	4.92	10:45	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/13/2018	9.64	2.97	-	TRACE	-	-	-	6.67	-	-	-	-	-	-	-	-	-	-	-	sheen	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
TW-05	09/21/2018	9.64	3.68	-	-	-	-	5.96	13:37	-	-	-	-	-	-	-	-	-	-	-	-	
TW-05	09/25/2018	9.64	3.55	-	-	-	-	6.09	10:51	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	10/02/2018	9.64	3.36	-	-	-	-	6.28	11:16	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	10/09/2018	9.64	4.50	-	-	-	-	5.14	9:40	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	10/24/2018	9.64	5.42	-	-	-	-	4.22	9:28	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	11/01/2018	9.64	5.07	-	-	-	-	4.57	10:08	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	11/12/2018	9.64	3.62	-	-	-	-	6.02	12:41	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	11/13/2018	9.64	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	1	25 J	-	1,500	-
TW-05	11/27/2018	9.64	2.40	-	-	-	-	7.24	10:24	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	12/11/2018	9.64	5.11	-	-	-	-	4.53	10:50	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	12/27/2018	9.64	3.85	-	-	-	-	5.79	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	01/10/2019	9.64	4.12	-	-	-	-	5.52	10:59	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	01/24/2019	9.64	3.30	-	-	-	-	6.34	9:15	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	02/11/2019	9.64	5.27	-	-	-	-	13.76	4.37	13:08	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	02/13/2019	9.64	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	1	36 J	-	1,200	-
TW-05	02/21/2019	9.64	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	03/07/2019	9.64	3.43	-	-	-	-	6.21	9:50	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	03/19/2019	9.64	4.87	-	-	-	-	4.77	10:00	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	04/02/2019	9.64	4.83	-	-	-	-	4.81	10:35	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	04/22/2019	9.64	4.98	-	-	-	-	4.66	10:20	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	05/06/2019	9.64	3.96	-	-	-	-	5.68	10:37	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	05/20/2019	9.64	4.19	-	-	-	-	5.45	10:50	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	05/21/2019	9.64	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	1	26 J	-	2,000	Grab
TW-05	05/23/2019	9.64	4.92	-	-	-	-	13.53	4.72	9:32	-	-	-	-	-	-	-	-	-	-	-	2,000
TW-05	06/04/2019	9.64	5.58	-	-	-	-	4.06	10:45	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	06/18/2019	9.64	4.95	-	-	-	-	4.69	10:40	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/09/2019	9.64	2.37	-	-	-	-	7.27	10:16	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	07/23/2019	9.64	5.40	-	-	-	-	4.24	10:48	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/09/2019	9.64	5.73	-	-	-	-	3.91	11:39	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/19/2019	9.64	6.02	-	-	-	-	13.39	3.62	12:13	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	08/21/2019	9.64	6.00	-	-	-	-	3.64	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	1	20 J	-	1,400	Grab
TW-05	08/22/2019	9.64	6.47	-	-	-	-	3.17	11:03	-	-	-	-	-	-	-	-	-	-	-	-	1,100
TW-05	09/03/2019	9.64	6.53	-	-	-	-	3.11	9:50	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	09/17/2019	9.64	6.34	-	-	-	-	3.30	10:35	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	10/01/2019	9.64	6.25	-	-	-	-	3.39	10:40	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	11/18/2019	9.64	5.70	-	-	-	-	3.94	13:25	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-05	11/19/2019	9.64	5.52	-	-	-	-	4.12	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.5	<23	-	1,600	Grab
TW-05	11/22/2019	9.64	5.73	-	-	-	-	3.91	8:58	-	-	-	-	-	-	-	-	-	-	-	-	1,800
TW-05	12/05/2019	9.64	5.52	-	-	-	-	4.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
TW-05	01/14/2020	9.64	4.85	-	-	-	-	4.79	12:20	-	-	-	-	-	-	-	-	-	-	-	Grab	
TW-05	02/17/2020	9.64	3.95	-	-	-	-	5.69	10:41	0.2 J	<0.2	<0.2	<0.8	<0.2	-	-	-	-	-	-		
TW-05	02/18/2020	9.64	4.03	-	-	-	-	5.61	-	-	-	-	-	-	-	-	-	-	-	-		
TW-05	02/19/2020	9.64	5.00	-	-	-	-	4.64	14:20	-	-	-	-	-	-	-	-	-	-	-		
TW-05	03/10/2020	9.64	5.90	-	-	-	-	3.74	9:55	-	-	-	-	-	-	-	-	-	-	-		
TW-06	12/16/2013	13.97	NR	-	-	-	-	-	-	1.09	ND	20.3	7.86	ND	-	-	-	-	-	-	47,000	
TW-06	12/18/2013	13.97	6.21	-	-	-	-	7.76	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	01/08/2014	13.97	6.98	-	-	-	-	6.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/07/2014	13.97	6.40	-	-	-	-	7.57	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/13/2014	13.97	6.62	-	-	-	-	7.35	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/20/2014	13.97	6.26	-	-	-	-	7.71	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/27/2014	13.97	6.88	-	-	-	-	7.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/03/2014	13.97	4.81	-	-	-	-	9.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/08/2014	13.97	5.82	-	-	-	-	8.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/17/2014	13.97	5.41	-	-	-	-	8.56	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/22/2014	13.97	5.90	-	-	-	-	8.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	04/29/2014	13.97	6.30	-	-	-	-	7.67	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/05/2014	13.97	4.98	-	-	-	-	8.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/12/2014	13.97	6.18	-	-	-	-	7.79	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/19/2014	13.97	4.63	-	-	-	-	9.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/27/2014	13.97	6.79	-	-	-	-	7.18	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/02/2014	13.97	6.24	-	-	-	-	7.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/09/2014	13.97	6.31	-	-	-	-	7.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/16/2014	13.97	5.33	-	-	-	-	8.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/23/2014	13.97	6.12	-	-	-	-	7.85	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/02/2014	13.97	6.52	-	-	-	-	7.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/07/2014	13.97	6.70	-	-	-	12.60	7.27	-	-	-	-	-	-	-	-	-	-	-	-	113,000	
TW-06	07/14/2014	13.97	6.24	-	-	-	-	7.73	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/25/2014	13.97	6.65	-	-	-	12.60	7.32	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/08/2014	13.97	6.81	-	-	-	-	7.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/11/2014	13.97	6.71	-	-	-	-	7.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/15/2014	13.97	6.01	-	-	-	12.70	7.96	-	-	-	-	-	-	-	-	-	-	-	-	147,000	
TW-06	08/18/2014	13.97	6.33	-	-	-	-	7.64	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/25/2014	9.86	6.37	-	-	-	-	3.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/02/2014	9.86	6.80	-	-	-	-	3.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/15/2014	9.86	6.79	-	-	-	-	3.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/22/2014	9.86	6.77	-	-	-	-	3.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	10/01/2014	9.86	6.88	-	-	-	12.60	2.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	10/10/2014	9.86	6.77	-	-	-	-	3.09	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
TW-06	10/13/2014	9.86	6.85	-	-	-	-	3.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	10/20/2014	9.86	6.76	-	-	-	-	12.63	3.10	-	0.8	<0.5	11	1	<0.5	<2	<0.5	-	-	-	-	16,000
TW-06	10/23/2014	9.86	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	10/27/2014	9.86	6.39	-	-	-	-	-	3.47	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	11/07/2014	9.86	6.83	-	-	-	-	-	3.03	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	11/12/2014	9.86	6.85	-	-	-	-	-	3.01	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	11/21/2014	9.86	7.28	-	-	-	-	-	2.58	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	11/26/2014	9.86	7.02	-	-	-	-	-	2.84	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	12/05/2014	9.86	5.85	-	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	12/11/2014	9.86	5.75	-	-	-	-	-	4.11	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	12/16/2014	9.86	6.18	-	-	-	-	-	3.68	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	12/23/2014	9.86	6.36	-	-	-	-	-	3.50	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	12/30/2014	9.86	5.85	-	-	-	-	-	4.01	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	01/09/2015	9.86	6.52	-	-	-	-	-	3.34	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	01/16/2015	9.86	5.77	-	-	-	-	-	4.09	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	01/19/2015	9.86	5.46	-	-	-	-	-	4.40	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	01/26/2015	9.86	4.69	-	-	-	-	-	5.17	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	02/03/2015	9.86	6.39	-	-	-	-	12.58	3.47	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	02/09/2015	9.86	6.62	-	-	-	-	-	3.24	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	02/18/2015	9.86	6.89	-	-	-	-	-	2.97	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	02/24/2015	9.86	6.90	-	-	-	-	-	2.96	14:54	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	03/04/2015	9.86	6.43	-	-	-	-	-	3.43	13:00	2	<0.5	6	<0.5	<0.5	<2	<0.5	<0.5	<0.5	230	-	2,200
TW-06	03/11/2015	9.86	4.47	-	-	-	-	-	5.39	12:06	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	03/18/2015	9.86	5.33	-	-	-	-	-	4.53	10:29	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	03/26/2015	9.86	6.13	-	-	-	-	12.60	3.73	12:27	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	04/02/2015	9.86	6.20	-	-	-	-	12.65	3.66	10:32	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	04/08/2015	9.86	6.66	-	-	-	-	12.62	3.20	10:15	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	04/13/2015	9.86	6.76	-	-	-	-	-	3.10	10:01	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	04/23/2015	9.86	5.62	-	-	-	-	12.60	4.24	10:47	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	04/29/2015	9.86	6.22	-	-	-	-	12.65	3.64	13:19	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	05/04/2015	9.86	6.14	-	-	-	-	-	3.72	10:56	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	05/11/2015	9.86	6.38	-	-	-	-	12.70	3.48	15:40	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	05/13/2015	9.86	NR	-	-	-	-	-	-	-	2	<0.5	4	<0.5	<0.5	<2	<0.5	<0.5	4	130	-	2,300
TW-06	05/21/2015	9.86	6.24	-	-	-	-	12.65	3.62	13:09	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	05/28/2015	9.86	6.79	-	-	-	-	12.60	3.07	10:59	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	06/02/2015	9.86	4.41	-	-	-	-	-	5.45	12:21	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	06/09/2015	9.86	5.28	-	-	-	-	-	4.58	9:51	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	06/16/2015	9.86	6.24	-	-	-	-	-	3.62	10:41	-	-	-	-	-	-	-	-	-	-	-	-
TW-06	06/26/2015	9.86	5.08	-	-	-	-	12.70	4.78	8:49	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
TW-06	07/01/2015	9.86	3.55	-	-	-	-	6.31	11:41	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/08/2015	9.86	4.88	-	-	-	-	4.98	10:26	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/13/2015	9.86	4.78	-	-	-	-	5.08	8:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/20/2015	9.86	5.93	-	-	-	-	3.93	8:46	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/28/2015	9.86	6.31	-	-	-	-	12.61	3.55	12:55	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/04/2015	9.86	6.34	-	-	-	-	12.64	3.52	12:07	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/06/2015	9.86	NR	-	-	-	-	-	-	2	<0.5	1	<0.5	<0.5	<2	<0.5	2	81	-	-	1,400	
TW-06	08/11/2015	9.86	6.15	-	-	-	-	12.64	3.71	12:35	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/18/2015	9.86	6.58	-	-	-	-	-	3.28	9:26	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/24/2015	9.86	6.51	-	-	-	-	-	3.35	9:46	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/02/2015	9.86	6.65	-	-	-	-	12.06	3.21	11:30	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/09/2015	9.86	6.02	-	-	-	-	12.66	3.84	14:03	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/17/2015	9.86	6.85	-	-	-	-	12.69	3.01	11:40	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/23/2015	9.86	6.69	-	-	-	-	-	3.17	10:06	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/28/2015	9.86	6.27	-	-	-	-	12.61	3.59	10:41	-	-	-	-	-	-	-	-	-	-	-	
TW-06	10/05/2015	9.86	5.70	-	-	-	-	12.63	4.16	10:13	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/10/2015	9.86	6.65	-	-	-	-	-	3.21	12:32	-	-	-	-	-	-	-	-	-	-	-	
TW-06	12/01/2015	9.86	6.55	-	-	-	-	12.62	3.31	13:22	0.8 J	<0.5	1	<0.5	<0.5	<2	<0.5	<0.5	0.8	92	-	1,300
TW-06	02/15/2016	9.86	6.60	-	-	-	-	-	3.26	9:15	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/14/2016	9.86	6.57	-	-	-	-	12.63	3.29	10:05	-	-	-	-	-	-	-	-	-	-	-	
TW-06	03/15/2016	9.86	NR	-	-	-	-	-	-	0.8 J	<0.5	3	<0.5	<0.5	<2	<0.5	<0.5	1	110	-	43,000	
TW-06	04/21/2016	9.99	6.70	-	-	-	-	12.40	3.29	9:28	-	-	-	-	-	-	-	-	-	-	32,000	
TW-06	05/05/2016	9.99	5.52	-	-	-	-	-	4.47	12:35	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/23/2016	9.99	4.77	-	-	-	-	-	5.22	11:00	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/24/2016	9.99	NR	-	-	-	-	-	-	-	<0.5	<0.5	4	<0.5	<0.5	<2	<0.5	<0.5	1	120	-	1,800
TW-06	06/21/2016	9.99	6.93	-	-	-	-	-	3.06	11:17	-	-	-	-	-	-	-	-	-	-	-	
TW-06	07/21/2016	9.99	6.12	-	-	-	-	-	3.87	9:33	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/24/2016	9.99	6.88	-	-	-	-	12.88	3.11	9:54	-	-	-	-	-	-	-	-	-	-	1,500	
TW-06	08/25/2016	9.99	6.13	-	-	-	-	-	3.86	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	09/22/2016	9.99	6.89	-	-	-	-	-	3.10	14:35	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/28/2016	9.99	7.42	-	-	-	-	12.45	2.57	8:43	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/29/2016	9.99	NR	-	-	-	-	-	-	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	-	1,200	
TW-06	02/21/2017	9.99	7.00	-	-	-	-	12.46	2.99	12:09	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/22/2017	9.99	7.03	-	-	-	-	12.50	2.96	11:13	-	-	-	-	-	-	-	-	-	-	49,000	
TW-06	03/29/2017	9.99	6.65	-	-	-	-	12.45	3.34	13:15	-	-	-	-	-	-	-	-	-	-	10,000	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
TW-06	05/22/2017	9.99	5.82	-	-	-	12.48	4.17	13:11	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	0.70	<20	-	-	1,500	
TW-06	05/23/2017	9.99	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/28/2017	9.99	9.72	-	-	-	12.54	0.27	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/30/2017	9.99	9.64	-	-	-	12.51	0.35	11:17	-	-	-	-	-	-	-	-	-	-	-	9,540	
TW-06	11/28/2017	9.99	8.58	-	-	-	12.60	1.41	11:15	-	-	-	-	-	-	-	-	-	-	-	7,350	
TW-06	02/20/2018	9.99	5.78	-	-	-	12.70	4.21	10:30	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/21/2018	9.99	5.88	-	-	-	-	4.11	12:46	-	-	-	-	-	-	-	-	-	-	-	2,320	
TW-06	05/21/2018	9.99	3.31	-	-	-	-	6.68	14:18	-	-	-	-	-	-	-	-	-	-	-	6,620	
TW-06	05/22/2018	9.99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,680	
TW-06	05/24/2018	9.99	3.78	-	-	-	-	6.21	13:15	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	06/01/2018	9.99	5.04	-	-	-	-	4.95	9:08	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/13/2018	9.99	5.27	-	-	-	-	4.72	11:44	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/14/2018	9.99	-	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	0.70	33 J	-	
TW-06	11/12/2018	9.99	4.10	-	-	-	-	5.89	12:49	-	-	-	-	-	-	-	-	-	-	-	1,700	
TW-06	11/13/2018	9.99	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.02	<11	-	340	
TW-06	02/11/2019	9.99	5.63	-	-	-	12.73	4.36	12:56	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/13/2019	9.99	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.9	32 J	-	720	
TW-06	05/20/2019	9.99	4.45	-	-	-	-	5.54	10:55	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	05/21/2019	9.99	-	-	-	-	-	-	-	<0.02	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.8	19 J	-	890	
TW-06	05/23/2019	9.99	5.20	-	-	-	12.75	4.79	9:28	-	-	-	-	-	-	-	-	-	-	-	1,100	
TW-06	08/19/2019	9.99	6.08	-	-	-	12.77	3.91	12:10	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	08/21/2019	9.99	6.45	-	-	-	-	3.54	-	0.2 J	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.04	19 J	-	970	
TW-06	08/22/2019	9.99	6.29	-	-	-	12.76	3.70	11:00	-	-	-	-	-	-	-	-	-	-	-	1,100	
TW-06	11/18/2019	9.99	5.91	-	-	-	12.77	4.08	13:21	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	11/19/2019	9.99	5.88	-	-	-	-	4.11	-	0.2 J	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.05	<23	-	1,300	
TW-06	11/22/2019	9.99	6.00	-	-	-	-	3.99	8:54	-	-	-	-	-	-	-	-	-	-	-	1,300	
TW-06	02/17/2020	9.99	4.67	-	-	-	12.75	5.32	10:46	-	-	-	-	-	-	-	-	-	-	-	-	
TW-06	02/18/2020	9.99	4.90	-	-	-	-	5.09	-	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.50	<23	-	520	
TW-06	02/19/2020	9.99	5.13	-	-	-	-	4.86	14:00	-	-	-	-	-	-	-	-	-	-	-	660	
TW-07	12/16/2013	14.00	NR	-	-	-	-	-	-	2.38	ND	0.97	ND	ND	-	-	-	34.00	-	-	3,290	
TW-07	12/18/2013	14.00	7.56	-	-	-	-	6.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	01/08/2014	14.00	7.91	-	-	-	-	6.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/07/2014	14.00	6.91	-	-	-	-	7.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/13/2014	14.00	7.40	-	-	-	-	6.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/20/2014	14.00	6.78	-	-	-	-	7.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/27/2014	14.00	7.56	-	-	-	-	6.44	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	04/03/2014	14.00	5.67	-	-	-	-	8.33	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	04/08/2014	14.00	6.77	-	-	-	-	7.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	04/17/2014	14.00	5.51	-	-	-	-	8.49	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-07	04/22/2014	14.00	6.75	-	-	-	-	7.25	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	04/29/2014	14.00	6.60	-	-	-	-	7.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/05/2014	14.00	5.41	-	-	-	-	8.59	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/12/2014	14.00	6.89	-	-	-	-	7.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/19/2014	14.00	6.16	-	-	-	-	7.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/27/2014	14.00	6.70	-	-	-	-	7.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	06/02/2014	14.00	6.94	-	-	-	-	7.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	06/09/2014	14.00	7.81	-	-	-	-	6.19	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	06/16/2014	14.00	6.47	-	-	-	-	7.53	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	06/23/2014	14.00	6.69	-	-	-	-	7.31	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	07/02/2014	14.00	7.00	-	-	-	-	7.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	07/07/2014	14.00	7.27	-	-	-	-	13.42	6.73	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	07/14/2014	14.00	6.70	-	-	-	-	7.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	07/25/2014	14.00	7.33	-	-	-	-	13.30	6.67	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	07/31/2014	14.00	7.22	-	-	-	-	13.30	6.78	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/08/2014	14.00	7.39	-	-	-	-	6.61	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/11/2014	14.00	7.17	-	-	-	-	13.20	6.83	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/15/2014	14.00	7.05	-	-	-	-	6.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/18/2014	14.00	7.14	-	-	-	-	6.86	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/25/2014	9.88	6.87	-	-	-	-	3.01	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	09/02/2014	9.88	7.43	-	-	-	-	2.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	09/15/2014	9.88	7.33	-	-	-	-	2.55	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	09/22/2014	9.88	7.28	-	-	-	-	2.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	10/01/2014	9.88	7.38	-	-	-	-	12.98	2.50	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	10/13/2014	9.88	7.30	-	-	-	-	2.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	10/20/2014	9.88	7.49	-	-	-	-	12.97	2.39	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	10/23/2014	9.88	NR	-	-	-	-	-	-	2.00	<0.5	0.60	<0.5	<0.5	<0.5	<2	<0.5	<0.5	6.00	29	-	4,700
TW-07	02/24/2015	9.88	7.45	-	-	-	-	2.43	14:52	-	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/04/2015	9.88	NR	-	-	-	-	-	-	9.00	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	2.20	46 J	-	670
TW-07	05/11/2015	9.88	6.92	-	-	-	-	12.70	2.96	15:27	-	-	-	-	-	-	-	-	-	-	-	
TW-07	05/13/2015	9.88	NR	-	-	-	-	-	-	10.00	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	3 J	36 J	-	320
TW-07	08/04/2015	9.88	6.88	-	-	-	-	12.74	3.00	12:10	-	-	-	-	-	-	-	-	-	-	-	
TW-07	08/05/2015	9.88	NR	-	-	-	-	-	-	7.00	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	2.00	57	-	220
TW-07	12/01/2015	9.88	5.97	-	-	-	-	12.99	3.91	13:24	-	-	-	-	-	-	-	-	-	-	-	
TW-07	12/02/2015	9.88	NR	-	-	-	-	-	-	3.00	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	1.00	<20	-	110
TW-07	03/14/2016	9.88	7.13	-	-	-	-	13.05	2.75	9:50	-	-	-	-	-	-	-	-	-	-	-	
TW-07	03/15/2016	9.88	NR	-	-	-	-	-	-	3.00	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	<20	-	160
TW-07	05/05/2016	9.88	6.53	-	-	-	-	-	-	3.35	12:24	-	-	-	-	-	-	-	-	-	-	
TW-07	05/23/2016	9.88	5.13	-	-	-	-	-	-	4.75	10:46	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )						
TW-07	05/24/2016	9.88	NR	-	-	-	-	-	-	3.00	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.08	20 J	-	-	160*
TW-07	05/25/2016	9.88	NR	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45*
TW-07	08/24/2016	9.88	7.52	-	-	-	13.20	2.36	10:40	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-07	08/25/2016	9.88	7.19	-	-	-	-	2.69	-	-	-	-	-	-	-	-	-	-	-	-	-	340
TW-07	09/22/2016	9.88	7.30	-	-	-	-	2.58	14:30	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-07	11/28/2016	9.88	7.87	-	-	-	13.45	2.01	8:44	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-07	11/30/2016	9.88	NR	-	-	-	-	-	-	NT	NT	NT	NT	NT	NT	NT	NT	NT	NT	-	-	59 J
TW-07	02/21/2017	9.88	7.87	-	-	-	13.45	2.01	12:15	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-07	02/22/2017	9.88	7.71	-	-	-	13.51	2.17	10:36	-	-	-	-	-	-	-	-	-	-	-	-	820
TW-07	05/22/2017	9.88	6.68	-	-	-	13.53	3.20	13:03	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-07	05/23/2017	9.88	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.08	<20	-	-	86 J
TW-07	08/28/2017	9.88	9.66	-	-	-	13.48	0.22	0.43	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-07	08/30/2017	9.88	9.63	-	-	-	13.48	0.25	10:55	-	-	-	-	-	-	-	-	-	-	-	-	16,300
TW-07	11/28/2017	9.88	9.42	-	-	-	13.60	0.46	11:10	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-07	11/30/2017	9.88	9.80	-	-	-	13.35	0.08	11:40	-	-	-	-	-	-	-	-	-	-	-	1,780	849
TW-07	02/20/2018	9.88	6.77	-	-	-	13.65	3.11	10:20	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-07	02/21/2018	9.88	6.80	-	-	-	-	3.08	12:42	-	-	-	-	-	-	-	-	-	-	-	228	868
TW-07	05/21/2018	9.88	4.90	-	-	-	-	4.98	14:07	-	-	-	-	-	-	-	-	-	-	-	-	241
TW-07	08/13/2018	9.88	6.20	-	-	-	-	3.68	11:38	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<2	<0.5	<0.5	<0.09	<11	-	200
TW-07	11/12/2018	9.88	5.44	-	-	-	-	4.44	12:46	<0.2	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.06	<11	-	260
TW-07	02/11/2019	9.88	5.85	-	-	-	13.62	4.03	12:51	<0.2	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	0.1 J	<11	-	<53
TW-07	05/20/2019	9.88	5.42	-	-	-	-	4.46	11:03	<0.2	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.08	<11	-	83 J
TW-07	08/19/2019	9.88	6.86	-	-	-	13.65	3.02	12:06	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-07	08/20/2019	9.88	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.8	<0.2	<0.2	<10	<0.3	<2	<0.04	<11	-	84 J
TW-07	11/18/2019	9.88	6.81	-	-	-	13.33	3.07	-	<0.2	<0.2	<0.2	<0.8	<0.2	<0.2	<10	<0.3	<2	<0.04	<23	-	81 J
TW-07	02/17/2020	9.88	6.18	-	-	-	13.54	3.70	10:51	<0.2	<0.2	<0.2	<0.8	<0.2	<0.2	<10	<0.3	<2	<0.1	<23	-	<53
TW-08S	12/18/2013	36.75	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	01/08/2014	36.75	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	03/07/2014	36.75	24.14	-	-	-	-	-	-	12.61	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	03/13/2014	36.75	24.06	-	-	-	-	-	-	12.69	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	03/20/2014	36.75	24.37	-	-	-	-	-	-	12.38	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	03/27/2014	36.75	24.54	-	-	-	-	-	-	12.21	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	04/03/2014	36.75	24.26	-	-	-	-	-	-	12.49	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	04/08/2014	36.75	23.85	-	-	-	-	-	-	12.90	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	04/17/2014	36.75	24.13	-	-	-	-	-	-	12.62	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	04/22/2014	36.75	23.92	-	-	-	-	-	-	12.83	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	04/29/2014	36.75	23.91	-	-	-	-	-	-	12.84	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	05/05/2014	36.75	22.89	-	-	-	-	-	-	13.86	-	-	-	-	-	-	-	-	-	-	-	-
TW-08S	05/12/2014	36.75	23.02	-	-	-	-	-	-	13.73	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments	
TW-08S	05/19/2014	36.75	22.90	-	-	-	-	13.85	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-08S	06/02/2014	36.75	23.24	-	-	-	-	13.51	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-08S	06/09/2014	36.75	23.21	-	-	-	-	13.54	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-08S	06/16/2014	36.75	22.40	-	-	-	-	14.35	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-08S	06/23/2014	36.75	22.41	-	-	-	-	14.34	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-08S	07/02/2014	36.75	22.40	-	-	-	-	14.35	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-08S	07/07/2014	36.75	22.65	-	-	-	25.85	14.10	-	-	-	-	-	-	-	-	-	-	-	-	29,500		
TW-08S	07/14/2014	36.75	23.23	-	-	-	-	13.52	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-08S	07/24/2014	36.75	23.09	-	-	-	-	13.66	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-08S	07/31/2014	36.75	23.26	-	-	-	25.82	13.49	-	-	-	-	-	-	-	-	-	-	-	-	-		
TW-08S	08/07/2014																						
Overdrilled and replaced with MW-72S																							
TW-09S	12/18/2013	36.65	DRY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	01/08/2014	36.65	DRY	25.54	0.46	0.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	03/07/2014	36.65	24.71	24.70	0.01	-	-	-	11.95	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	03/13/2014	36.65	25.78	24.71	1.07	0.10	-	-	11.81	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	03/20/2014	36.65	DRY	25.65	0.50	0.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	03/27/2014	36.65	DRY	25.58	0.54	0.10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	04/03/2014	36.65	23.37	23.18	0.19	0.10	-	-	13.45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	04/08/2014	36.65	23.39	23.23	0.16	0.10	-	-	13.40	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	04/17/2014	36.65	23.72	23.66	0.06	-	-	-	12.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	04/22/2014	36.65	23.53	23.40	0.13	0.10	-	-	13.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	04/29/2014	36.65	23.76	23.68	0.08	-	-	-	12.96	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	05/05/2014	36.65	23.23	23.17	0.06	-	-	-	13.48	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	05/12/2014	36.65	23.25	23.23	0.02	-	-	-	13.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	05/19/2014	36.65	23.17	23.16	0.01	-	-	-	13.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	06/02/2014	36.65	23.19	-	-	-	-	-	13.46	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	06/09/2014	36.65	23.17	-	-	-	-	-	13.48	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	06/16/2014	36.65	23.13	-	-	-	-	-	13.52	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	06/23/2014	36.65	23.11	-	-	-	-	-	13.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	07/02/2014	36.65	23.03	23.03	TRACE	TRACE	-	-	13.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	07/07/2014	36.65	23.01	-	-	-	26.15	13.64	-	-	-	-	-	-	-	-	-	-	-	-	-	2,330,000	
TW-09S	07/14/2014	36.65	23.02	-	-	-	-	13.63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-09S	07/23/2014																						
Overdrilled and replaced with MW-08S																							
TW-10	12/18/2013	37.28	30.31	-	-	-	-	-	6.97	-	2.51	ND	19.7	4.99	ND	-	-	-	131	-	-	3,040	
TW-10	01/08/2014	37.28	30.56	-	-	-	-	-	6.72	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	03/07/2014	37.28	29.70	-	-	-	-	-	7.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	03/13/2014	37.28	30.08	-	-	-	-	-	7.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	03/20/2014	37.28	29.22	-	-	-	-	-	8.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	03/27/2014	37.28	30.13	-	-	-	-	-	7.15	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-10	04/03/2014	37.28	29.08	-	-	-	-	8.20	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	04/08/2014	37.28	29.14	-	-	-	-	8.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	04/17/2014	37.28	29.66	-	-	-	-	7.62	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	04/22/2014	37.28	29.12	-	-	-	-	8.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	04/29/2014	37.28	28.96	-	-	-	-	8.32	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	05/05/2014	37.28	29.22	-	-	-	-	8.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	05/12/2014	37.28	29.06	-	-	-	-	8.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	05/19/2014	37.28	29.02	-	-	-	-	8.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	06/02/2014	37.28	28.99	-	-	-	-	8.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	06/09/2014	37.28	28.89	-	-	-	-	8.39	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	06/16/2014	37.28	29.02	-	-	-	-	8.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	06/23/2014	37.28	28.86	-	-	-	-	8.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	07/02/2014	37.28	28.87	-	-	-	-	8.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	07/07/2014	37.28	29.12	-	-	-	36.47	8.16	-	-	-	-	-	-	-	-	-	-	-	-	23,400	
TW-10	07/14/2014	37.28	28.68	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-10	07/21/2014	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Overdrilled and replaced with MW-27																						
TW-11	12/18/2013	37.39	26.40	-	-	-	-	10.99	-	1.55	0.664	8.3	9.67	0.578	-	-	-	263	-	-	-	170,000
TW-11	01/08/2014	37.39	27.73	-	-	-	-	9.66	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	03/07/2014	37.39	29.17	-	-	-	-	8.22	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	03/13/2014	37.39	27.56	-	-	-	-	9.83	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	03/20/2014	37.39	27.15	-	-	-	-	10.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	03/27/2014	37.39	27.40	-	-	-	-	9.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	04/03/2014	37.39	26.28	26.26	0.02	0.10	-	11.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	04/08/2014	37.39	26.52	-	-	-	-	10.87	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	04/17/2014	37.39	26.85	-	-	-	-	10.54	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	04/22/2014	37.39	27.09	-	-	-	-	10.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	04/29/2014	37.39	27.39	-	-	-	-	10.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	05/05/2014	37.39	26.26	26.24	0.02	-	-	11.14	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	05/12/2014	37.39	26.97	-	-	-	-	10.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	05/19/2014	37.39	25.91	25.90	0.01	-	-	11.49	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	06/02/2014	37.39	26.32	26.31	0.01	-	-	11.08	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	06/09/2014	37.39	25.23	-	-	-	-	12.16	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	06/16/2014	37.39	25.35	25.36	0.01	-	-	12.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	06/23/2014	37.39	26.55	-	-	-	-	10.84	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	07/02/2014	37.39	26.91	26.91	TRACE	-	-	10.48	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
TW-11	07/07/2014	37.39	27.08	-	-	-	37.10	10.31	-	-	-	-	-	-	-	-	-	-	-	-	117,000	
TW-11	07/14/2014	37.39	26.95	26.95	TRACE	-	-	10.44	-	-	-	-	-	-	-	-	-	-	-	-	-	LNAPL NMB
TW-11	07/24/2014	37.39	26.88	-	-	-	-	10.51	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-11	07/31/2014	37.39	27.10	-	-	-	37.02	10.29	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Overdrilled and replaced with MW-31										Comments
										Depth to LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Xylenes Total ( $\mu\text{g/L}$ )	Methyl tert-butyl ether ( $\mu\text{g/L}$ )	tert-Butyl alcohol ( $\mu\text{g/L}$ )	1,2-Dibromoethane ( $\mu\text{g/L}$ )
TW-11	08/05/2014																			
TW-12S	12/18/2013	38.01	DRY	-	-	-	-	-	-											
TW-12S	01/08/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	03/07/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	03/13/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	03/20/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	03/27/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	04/03/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	04/08/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	04/17/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	04/22/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	04/29/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	05/05/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	05/12/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	05/19/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	06/02/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	06/09/2014	38.01	DRY	-	-	-	-	-	-											
TW-12S	06/16/2014	38.01	26.37	-	-	-	-	-	11.64	-										
TW-12S	06/23/2014	38.01	26.37	-	-	-	-	-	11.64	-										
TW-12S	07/02/2014	38.01	26.40	-	-	-	-	-	11.61	-										
TW-12S	07/07/2014	38.01	26.40	-	-	-	-	26.60	11.61	-										
TW-12S	07/14/2014	38.01	26.48	-	-	-	-	-	11.53	-										
TW-12S	07/24/2014	38.01	26.48	-	-	-	-	-	11.53	-										
TW-12S	07/31/2014	38.01	26.48	-	-	-	-	26.56	11.53	-										
TW-12S	08/08/2014	38.01	26.49	-	-	-	-	26.60	11.52	-										
TW-12S	08/11/2014	38.01	26.47	-	-	-	-	-	11.54	-										
TW-12S	08/15/2014	38.01	26.47	-	-	-	-	26.58	11.54	-										
TW-12S	08/18/2014	38.01	26.47	-	-	-	-	-	11.54	-										
TW-12S	08/25/2014	38.01	26.47	-	-	-	-	-	11.54	-										
TW-12S	09/02/2014	31.33	24.84	-	-	-	-	24.97	6.49	-										
TW-12S	09/15/2014	31.33	24.82	-	-	-	-	-	6.51	-										
TW-12S	09/22/2014	31.33	24.83	-	-	-	-	-	6.50	-										
TW-12S	10/01/2014	31.33	24.81	-	-	-	-	24.91	6.52	-										
TW-12S	10/10/2014	31.33	24.82	-	-	-	-	-	6.51	-										
TW-12S	10/20/2014	31.33	24.82	-	-	-	-	24.92	6.51	-										
TW-12S	02/24/2015	31.33	24.81	-	-	-	-	-	6.52	15:47	-									
TW-12S	05/11/2015	31.33	24.82	-	-	-	-	24.90	6.51	10:40	-									
TW-12S	08/04/2015	31.33	24.78	-	-	-	-	25.00	6.55	10:25	-									
TW-12S	12/01/2015	31.33	24.82	-	-	-	-	24.92	6.51	11:32	-									

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-12S	03/14/2016	31.33	24.76	-	-	-	25.00	6.57	9:34	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	05/23/2016	31.33	24.75	-	-	-	24.90	6.58	11:19	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	05/25/2016	31.33	24.69	-	-	-	24.91	6.64	12:08	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	08/24/2016	31.33	24.71	-	-	-	24.94	6.62	12:11	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	08/25/2016	31.33	24.72	-	-	-	24.94	6.61	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	08/30/2016	31.33	24.73	-	-	-	24.93	6.60	-	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	11/28/2016	31.33	24.75	-	-	-	25.04	6.58	10:43	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	11/29/2016	31.33	DRY	-	-	-	24.92	-	11:10	-	-	-	-	-	-	-	-	-	-	-	-	DRY
TW-12S	12/07/2016	31.33	24.77	-	-	-	24.93	6.56	12:14	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/21/2017	31.33	24.72	-	-	-	24.94	6.61	11:50	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/22/2017	31.33	24.76	-	-	-	24.94	6.57	12:46	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	05/22/2017	31.33	DRY	-	-	-	24.93	-	11:36	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	08/28/2017	31.33	24.75	-	-	-	24.95	6.58	12:10	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	11/28/2017	31.33	24.74	-	-	-	24.95	6.59	13:28	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/20/2018	31.33	24.75	-	-	-	24.94	6.58	11:32	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	05/21/2018	31.33	24.70	-	-	-	24.95	6.63	11:47	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	08/13/2018	31.33	24.83	-	-	-	25.11	6.50	10:25	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	11/12/2018	31.33	24.30	-	-	-	25.00	7.03	10:07	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/11/2019	31.33	24.81	-	-	-	25.04	6.52	10:45	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/14/2019	31.33	24.79	-	-	-	25.03	6.54	12:48	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	05/20/2019	31.33	24.78	-	-	-	25.03	6.55	10:54	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	08/19/2019	31.33	24.76	-	-	-	24.97	6.57	9:45	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	11/18/2019	31.33	24.77	-	-	-	24.90	6.56	10:44	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-12S	02/17/2020	31.33	24.79	-	-	-	24.95	6.54	10:44	-	-	-	-	-	-	-	-	-	-	-	-	Insufficient GW Vol.
TW-13	12/18/2013	36.99	NR	-	-	-	-	-	-	6.06	ND	44.5	137	ND	-	-	-	239	-	-	-	3,580
TW-13	01/08/2014	36.99	30.45	-	-	-	-	6.54	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	03/07/2014	36.99	29.11	-	-	-	-	7.88	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	03/13/2014	36.99	29.91	-	-	-	-	7.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	03/20/2014	36.99	29.09	-	-	-	-	7.90	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	03/27/2014	36.99	29.98	-	-	-	-	7.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	04/03/2014	36.99	29.05	-	-	-	-	7.94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	04/08/2014	36.99	29.98	-	-	-	-	7.01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	04/17/2014	36.99	29.62	-	-	-	-	7.37	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	04/22/2014	36.99	28.93	-	-	-	-	8.06	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	04/29/2014	36.99	28.90	-	-	-	-	8.09	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	05/05/2014	36.99	29.95	-	-	-	-	7.04	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	05/12/2014	36.99	28.91	-	-	-	-	8.08	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	05/19/2014	36.99	28.87	-	-	-	-	8.12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TW-13	06/02/2014	36.99	28.86	-	-	-	-	8.13	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylenes Total (µg/L)	Methyl tert-butyl ether (µg/L)	tert-Butyl alcohol (µg/L)	1,2-Dibromoethane (µg/L)	1,2-Dichloroethane (µg/L)	Naphthalene (µg/L)	TPH-GRO (µg/L)	TPH-DRO - Silica Gel (µg/L)	TPH-DRO (µg/L)	Comments
TW-13	06/09/2014	36.99	28.73	-	-	-	-	8.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	06/16/2014	36.99	28.88	-	-	-	-	8.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	06/23/2014	36.99	28.65	-	-	-	-	8.34	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	07/02/2014	36.99	28.69	-	-	-	-	8.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	07/07/2014	36.99	28.91	-	-	-	35.02	8.08	-	-	-	-	-	-	-	-	-	-	-	-	17,500	
TW-13	07/14/2014	36.99	28.58	-	-	-	-	8.41	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-13	07/29/2014																					
Overdrilled and replaced with MW-14																						
TW-14	01/17/2014	15.55	2.48	-	-	-	-	13.07	-	<0.5	<0.5	<0.5	<0.5	0.536	-	-	-	ND	-	-	2,290	
TW-14	03/07/2014	15.55	2.29	-	-	-	-	13.26	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	03/13/2014	15.55	2.55	-	-	-	-	13.00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	03/20/2014	15.55	2.25	-	-	-	-	13.30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	03/27/2014	15.55	2.42	-	-	-	-	13.13	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	04/03/2014	15.55	2.31	-	-	-	-	13.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	04/08/2014	15.55	2.27	-	-	-	-	13.28	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	04/17/2014	15.55	2.26	-	-	-	-	13.29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	04/22/2014	15.55	2.48	-	-	-	-	13.07	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	04/29/2014	15.55	2.66	-	-	-	-	12.89	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	05/05/2014	15.55	2.56	-	-	-	-	12.99	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	05/12/2014	15.55	2.58	-	-	-	-	12.97	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	05/19/2014	15.55	2.38	-	-	-	-	13.17	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	06/02/2014	15.55	2.52	-	-	-	-	13.03	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	06/09/2014	15.55	2.50	-	-	-	-	13.05	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	06/16/2014	15.55	2.31	-	-	-	-	13.24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	06/23/2014	15.55	2.44	-	-	-	-	13.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	07/02/2014	15.55	4.63	-	-	-	-	10.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	07/07/2014	15.55	4.65	-	-	-	7.27	10.90	-	-	-	-	-	-	-	-	-	-	-	-	16,000	
TW-14	07/14/2014	15.55	4.40	-	-	-	-	11.15	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	07/24/2014	15.55	4.46	-	-	-	-	11.09	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	07/31/2014	15.55	4.63	-	-	-	7.39	10.92	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/08/2014	15.55	4.43	-	-	-	7.39	11.12	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/11/2014	15.55	4.57	-	-	-	-	10.98	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/15/2014	15.55	4.36	-	-	-	7.39	11.19	-	-	-	-	-	-	-	-	-	-	-	-	3,900	
TW-14	08/18/2014	15.55	4.49	-	-	-	-	11.06	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/25/2014	11.61	3.01	-	-	-	-	8.60	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	09/02/2014	11.61	3.03	-	-	-	-	8.58	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	09/15/2014	11.61	3.19	-	-	-	-	8.42	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	09/22/2014	11.61	3.38	-	-	-	-	8.23	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	10/01/2014	11.61	3.50	-	-	-	5.90	8.11	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	10/10/2014	11.61	3.67	-	-	-	-	7.94	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene	Toluene	Ethylbenzene	Xylenes Total	Methyl tert-butyl ether	tert-Butyl alcohol	1,2-Dibromoethane	1,2-Dichloroethane	Naphthalene	TPH-GRO	TPH-DRO - Silica Gel	TPH-DRO	Comments	
										( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )	( $\mu\text{g/L}$ )							
TW-14	10/20/2014	11.61	3.02	-	-	-	5.90	8.59	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	100	-	-	670	
TW-14	10/21/2014	11.61	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	-	-	-	-	
TW-14	02/24/2015	11.61	2.67	-	-	-	-	8.94	15:29	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	02/26/2015	11.61	2.68	-	-	-	5.90	8.93	12:00	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	73	-	-	120	
TW-14	05/11/2015	11.61	3.28	-	-	-	6.90	8.33	10:30	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	05/12/2015	11.61	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<0.5	7.00	<0.5	<0.5	<1	220	-	-	2,000
TW-14	08/04/2015	11.61	3.37	-	-	-	5.98	8.24	10:31	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/11/2015	11.61	3.65	-	-	-	6.00	7.96	12:00	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/13/2015	11.61	NR	-	-	-	-	-	-	1	<0.5	<0.5	<0.5	<0.5	<0.5	9	<0.5	<0.5	<0.08	130	-	-	3,700
TW-14	08/18/2015	11.61	3.83	-	-	-	-	7.78	9:15	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	12/01/2015	11.61	2.76	-	-	-	-	8.85	9:15	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.04	<20	-	-	<45
TW-14	03/14/2016	11.61	2.80	-	-	-	6.02	8.81	10:11	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.08	<20	-	-	54 J
TW-14	05/23/2016	11.61	2.71	-	-	-	6.00	8.90	11:24	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.08	22 J	-	-	45 J
TW-14	08/24/2016	11.61	3.05	-	-	-	-	8.56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	<45
TW-14	11/28/2016	11.61	4.07	-	-	-	6.03	7.54	11:24	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	12/01/2016	11.61	NR	-	-	-	-	-	-	<0.5	<0.5	<0.5	<0.5	NT	NT	NT	NT	<0.08	<20	-	-	480	
TW-14	02/21/2017	11.61	3.31	-	-	-	6.03	8.30	11:45	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	02/22/2017	11.61	3.33	-	-	-	6.04	8.28	12:03	-	-	-	-	-	-	-	-	-	-	-	-	-	220
TW-14	05/22/2017	11.61	3.16	-	-	-	-	8.45	9:45	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.08	<20	-	-	<45	
TW-14	08/28/2017	11.61	3.00	-	-	-	6.05	8.61	11:23	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/30/2017	11.61	2.69	-	-	-	6.05	8.92	10:23	-	-	-	-	-	-	-	-	-	-	-	-	902	
TW-14	11/29/2017	11.61	-	-	-	-	-	-	-	<0.50	<1.0	<1.0	<1.0	<1.0	-	-	-	<5.0	-	-	-	300	
TW-14	02/20/2018	11.61	3.06	-	-	-	-	8.55	11:25	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	02/21/2018	11.61	3.26	-	-	-	6.08	8.35	13:30	-	-	-	-	-	-	-	-	-	-	-	-	4,130	
TW-14	05/21/2018	11.61	3.08	-	-	-	-	8.53	10:08	-	-	-	-	-	-	-	-	-	-	-	-	202	
TW-14	08/13/2018	11.61	2.73	-	-	-	6.03	8.88	10:54	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.08	<11	-	-	<45	
TW-14	11/12/2018	11.61	2.98	-	-	-	6.03	8.63	11:00	<0.2	<0.2	<0.2	<0.2	<0.5	-	-	-	<4	<11	-	-	<53	
TW-14	02/11/2019	11.61	3.31	-	-	-	6.07	8.30	10:23	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	02/13/2019	11.61	-	-	-	-	-	-	-	0.2 J	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.09	30 J	-	-	2,600	
TW-14	05/20/2019	11.61	-	-	-	-	-	-	-	<0.2	<0.2	<0.2	<0.5	<0.2	<10	<0.3	<2	<0.08	28 J	-	-	310	
TW-14	08/19/2019	11.61	3.41	-	-	-	6.04	8.20	9:48	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	08/21/2019	11.61	-	-	-	-	-	-	-	2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	-	93	-	-	2,100	
TW-14	11/18/2019	11.61	3.41	-	-	-	5.50	8.20	9:15	-	-	-	-	-	-	-	-	-	-	-	-	-	
TW-14	11/19/2019	11.61	-	-	-	-	-	-	-	0.3 J	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	0.2	<23	-	-	940	
TW-14	02/17/2020	11.61	3.08	-	-	-	6.12	8.53	9:06	<0.2	<0.2	<0.2	<0.8	<0.2	<10	<0.3	<2	<0.1	<23	-	-	<53	

Notes:

Specific gravity was tested at MW-05 and MW-25, and the average specific gravity (0.878) is used for groundwater elevation adjustments.

Active P&amp;T Wells: RW-05, RW-14, RW-25, and RW-51

- = No data available

Grab

Table 3

## HISTORICAL GROUNDWATER MONITORING AND ANALYTICAL DATA SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Date	Top of Casing (ft)	Depth to Water (DTW) (ft)	Depth to LNAPL (ft)	LNAPL Thickness (ft)	Volume of LNAPL Recovered (gal)	Depth to Bottom (DTB) - Measured Depth (ft)	Groundwater Elevation (ft)	Gauging Time	Benzene ( $\mu\text{g/L}$ )	Toluene ( $\mu\text{g/L}$ )	Ethylbenzene ( $\mu\text{g/L}$ )	Xylenes Total ( $\mu\text{g/L}$ )	Methyl tert-butyl ether ( $\mu\text{g/L}$ )	tert-Butyl alcohol ( $\mu\text{g/L}$ )	1,2-Dibromoethane ( $\mu\text{g/L}$ )	1,2-Dichloroethane ( $\mu\text{g/L}$ )	Naphthalene ( $\mu\text{g/L}$ )	TPH-GRO ( $\mu\text{g/L}$ )	TPH-DRO - Silica Gel ( $\mu\text{g/L}$ )	TPH-DRO ( $\mu\text{g/L}$ )	Comments
---------	------	--------------------	---------------------------	---------------------	----------------------	---------------------------------	---	----------------------------	--------------	-----------------------------	-----------------------------	----------------------------------	-----------------------------------	---	--	---------------------------------------	--	---------------------------------	-----------------------------	--	-----------------------------	----------

<# = Result less than the method detection limit (#), i.e. non-detect

$\mu\text{g/L}$  = Micrograms per liter

J = Result detected between the Method Detection Limit and the Reporting Limit; therefore, result is an estimated value.

ND = Non-detect

TPH-GRO = Total Petroleum Hydrocarbons, Gasoline Range Organics (C6-C10)

TPH-DRO = Total Petroleum Hydrocarbons, Diesel Range Organics C10-C28

TPH-DRO - Silica Gel = Total Petroleum Hydrocarbons, Diesel Range Organics C10-C28 (SW-896 8015B) with Silica Gel Cleanup (3630C)

(Date)<sup>H</sup> = Well sampled during the Potomac River's high tide.

(Date)<sup>L</sup> = Well sampled during the Potomac River's low tide.

ft = feet

gal = gallons

DRY = No water for sampling.

Vol. = Insufficient Groundwater (GW) Volume (Vol.) for sampling

GW = Groundwater

LNAPL = Light Non-Aqueous Phase Liquid

NR = Not recorded

TRACE = LNAPL thickness is less than 0.01 feet

VO = Vegetation Overgrowth (could not locate well to gauge and/or sample).

NMB = Not Manually Bailed

NT = Not Tabulated, laboratory data results available.

OBS = Obstruction in well.

B = Analyte was detected in the Method Blank.

9/25/2018 = TPE wells were being adjusted during installation, groundwater elevation not calculated.

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-01S	10/10/2014	10.2	6.3	-	-	0.53	6.68	17.69	-95.0	880	-
MW-01S	10/20/2014	1.0	6.3	10.1	10.3	-	-	-	-	-	-
MW-01S	10/22/2014	-	-	-	-	0.80	6.63	17.81	-91.6	369	-
MW-01S	02/24/2015	8.4	3.0	12.2	26.6	0.10	6.53	16.31	-172.6	724	-
MW-01S	05/11/2015	64.8	1.6	10.8	27.8				PRODUCT		
MW-01S	08/04/2015	11.4	8.9	7.2	9.2				PRODUCT		
MW-01S	03/14/2016	78.8	3.5	10.8	2.2	0.13	6.65	16.46	-104.0	860	-
MW-01S	04/21/2016	14.8	20.8	0.3	0.1	0.11	6.62	16.14	-57.6	970	-
MW-01S	05/23/2016	0.0	20.9	0.0	0.0				PRODUCT		
MW-01S	08/24/2016	1.8	-	-	-	0.76	6.61	16.50	-127.8	1,040	-
MW-01S	08/30/2016	64.3	22.6	0.1	0.1	-	-	-	-	-	-
MW-01S	11/28/2016	-	-	-	-	1.47	7.12	17.44	-84.0	1,017	-
MW-01S	12/08/2016	0.3	20.9	0.0	0.0	-	-	-	-	-	-
MW-01S	02/21/2017	1.2	20.9	0.9	0.0	0.12	6.70	17.36	-23.3	1,000	-
MW-01S	05/22/2017	1.7	20.9	0.0	0.0	4.25	6.85	16.69	-88.9	969.5	-
MW-01S	07/10/2017	-	-	-	-	-	6.77	-	-	-	-
MW-01S	08/28/2017	7.4	20.9	0.0	0.0	3.8	6.42	18.43	32.7	453.1	-
MW-01S	11/28/2017	0.8	21.3	0.0	0.0	5.3	6.51	16.14	-99.9	560.0	-
MW-01S	02/20/2018	0.0	20.9	0.0	0.0	-	-	-	-	-	-
MW-01S	02/21/2018	-	-	-	-	2.06	6.89	17.50	69.8	90	-
MW-01S	05/21/2018	0.0	16.4	1.6	0.0	0.05	8.64	17.46	-135.90	865.9	-
MW-01S	08/13/2018	0.0	9.0	2.6	0.0	0.10	6.84	17.32	-36.80	1,040	-
MW-01S	10/02/2018	-	-	-	-	-	6.33	-	-	-	-
MW-01S	10/18/2018	-	-	-	-	-	6.85	-	-	-	-
MW-01S	11/12/2018	4.2	19.1	1.2	0.0	2.6	7.92	15.6	20.8	836.0	-
MW-01S	11/27/2018	-	-	-	-	-	6.18	-	-	-	-
MW-01S	01/10/2019	-	-	-	-	-	7.22	-	-	-	-
MW-01S	02/11/2019	0.3	20.4	1.1	0.0	-	-	-	-	-	-
MW-01S	02/12/2019	-	-	-	-	0.20	7.01	15.8	-55.6	1072.0	-
MW-01S	04/02/2019	-	-	-	-	-	6.68	-	-	-	-
MW-01S	05/20/2019	3.0	19.0	2.0	0.0	0.03	6.94	15.88	-112.4	780.0	-
MW-01S	06/18/2019	-	-	-	-	-	6.25	-	-	-	-
MW-01S	07/23/2019	-	-	-	-	-	6.46	-	-	-	-
MW-01S	08/19/2019	4.6	18.1	2.1	0.0	-	-	-	-	-	-
MW-01S	08/20/2019	-	-	-	-	0.16	7.65	17.12	-84.6	886.0	-
MW-01S	11/18/2019	1.4	18.6	0.2	0.0	-	-	-	-	-	-
MW-01S	11/20/2019	-	-	-	-	0.40	6.45	16.42	31	1130	-
MW-01S	02/17/2020	2.7	11.5	4.4	0.0	-	-	-	-	-	-
MW-01S	02/18/2020	-	-	-	-	1.14	6.62	15.06	123	934	-
MW/RW-05	10/13/2014	15.9	13.0	-	-				PRODUCT		
MW/RW-05	10/15/2014	137.0	9.6	-	-				PRODUCT		
MW/RW-05	02/24/2015	11.4	1.0	15.9	25.3				PRODUCT		
MW/RW-05	05/11/2015	90.2	5.8	11.1	19.6				PRODUCT		
MW/RW-05	08/04/2015	71.9	18.2	1.9	2.1				PRODUCT		
MW/RW-05	12/01/2015	12.8	2.6	15.1	26.6				PRODUCT		

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
PRODUCT											
MW/RW-05	03/14/2016	98.8	19.8	0.7	0.4						
MW/RW-05	05/23/2016	0.2	20.8	0.0	0.0	8.46	3.48	16.03	385.0	3,150	-
MW/RW-05	08/24/2016	6.4	-	-	-	2.69	6.53	19.98	15.2	640	-
MW/RW-05	08/30/2016	47.4	21.6	0.1	10.0	-	-	-	-	-	-
MW/RW-05	11/28/2016	0.7	20.9	0.2	0.0		4.35	17.10	229.5	1,280	-
MW/RW-05	02/21/2017	1.3	20.9	0.0	0.0	11.84	5.34	13.18	60.0	950	-
MW/RW-05	05/22/2017	0.8	20.9	0.1	0.0	9.70	6.55	16.62	11.2	612.3	-
MW/RW-05	08/28/2017	11.4	20.9	0.1	0.0	3.40	3.77	18.84	137.5	2,369.8	-
MW/RW-05	11/28/2017	138.1	9.4	7.5	0.0	1.40	5.45	16.14	111.6	540.0	-
MW/RW-05	02/20/2018	72.5	7.1	5.7	0.0	-	-	-	-	-	-
MW/RW-05	02/21/2018	-	-	-	-	4.33	5.96	20.66	96.5	550	-
MW/RW-05	05/21/2018	52.4	8.9	3.8	0.0	-0.03	6.49	14.88	-62.6	1,751	-
MW/RW-05	08/13/2018	9.2	20.5	0.2	0.0	4.13	5.12	24.77	271.4	1,780	-
MW/RW-05	10/18/2018	-	-	-	-	-	6.58	-	-	-	-
MW/RW-05	11/12/2018	282.0	20.8	0.1	0.0	2.1	7.13	15.79	11.4	1,309	-
MW/RW-05	11/27/2018	-	-	-	-	-	6.14	-	-	-	-
MW/RW-05	01/10/2019	-	-	-	-	-	7.07	-	-	-	-
MW/RW-05	02/11/2019	8.6	20.6	0.7	0.0	-	-	-	-	-	-
MW/RW-05	02/13/2019	-	-	-	-	0.08	6.72	13.72	-22.4	1,125	-
MW/RW-05	04/02/2019	-	-	-	-	-	6.45	-	-	-	-
MW/RW-05	05/20/2019	3.6	20.4	1.2	0.0	0.08	6.71	14.25	-76.8	760	-
MW/RW-05	06/18/2019	-	-	-	-	-	6.34	-	-	-	-
MW/RW-05	07/23/2019	-	-	-	-	-	6.50	-	-	-	-
MW/RW-05	08/19/2019	3.2	19.9	0.4	0.0	-	-	-	-	-	-
MW/RW-05	08/21/2019	-	-	-	-	0.26	6.46	16.55	-83.6	794	-
MW/RW-05	11/18/2019	2.9	15.7	4.1	4.9	-	-	-	-	-	-
MW/RW-05	11/22/2019	-	-	-	-	0.43	6.33	16.72	31.6	989	-
MW/RW-05	02/17/2020	1.5	8.9	7.8	8.8	-	-	-	-	-	-
MW/RW-05	02/19/2020	-	-	-	-	1.36	6.55	13.43	-36.6	1,208	-
MW-08S	10/13/2014	21.0	14.5	-	-	0.89	6.68	18.18	-123.6	1,488	-
MW-08S	10/13/2014	-	-	-	-	0.81	6.70	18.26	-108.0	1,386	-
MW-08S	10/14/2014	-	-	-	-	0.16	6.77	18.18	-129.0	1,424	-
MW-08S	10/15/2014	8.7	20.4	-	-	0.83	6.68	18.29	-105.8	1,325	-
MW-08S	10/15/2014	-	-	-	-	0.28	6.66	18.23	-113.1	1,408	-
MW-08S	10/20/2014	15.9	10.9	6.2	1.9	-	-	-	-	-	-
MW-08S	10/22/2014	-	-	-	-	1.24	6.59	18.27	-98.8	1,276	-
MW-08S	02/24/2015	49.3	0.4	13.8	15.4	-	-	-	-	-	-
MW-08S	02/25/2015	-	-	-	-	0.09	6.69	16.81	-137.5	1,236	-
MW-08S	08/29/2017	-	-	-	-	-	6.43	18.9	-	-	-
MW-08S	11/28/2017	-	-	-	-	-	6.42	-	-	-	-
MW-08S	02/20/2018	-	-	-	-	-	6.47	-	-	-	-
MW-08S	05/21/2018	-	-	-	-	-	6.23	-	-	-	-
MW-08S	02/11/2019	-	-	-	-	0.37	7.09	15.2	-124.0	1,058	7.40
MW-08S	05/20/2019	-	-	-	-	0.82	6.58	15.91	-63.4	930	-
MW-08S	08/19/2019	-	-	-	-	0.11	6.71	17.81	-104.6	902	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-08S	11/21/2019	-	-	-	-	6.67	17.07	-57.5	1,229	-	-
MW-08S	02/17/2020	-	-	-	0.63	6.69	15.28	-31.8	1,649	-	-
MW/RW-10S	10/13/2014	23.1	17.0	-	0.75	6.59	18.17	-117.6	1,202	-	-
MW/RW-10S	10/13/2014	-	-	-	0.60	6.60	18.20	-113.0	1,185	-	-
MW/RW-10S	10/15/2014	8.3	20.4	-	0.41	6.54	18.23	-118.5	1,185	-	-
MW/RW-10S	10/15/2014	-	-	-	0.60	6.56	18.30	-104.5	1,189	-	-
MW/RW-10S	10/16/2014	18.5	20.9	-	-	-	-	-	-	-	-
MW/RW-10S	10/20/2014	25.2	15.2	3.7	0.2	-	-	-	-	-	-
MW/RW-10S	10/22/2014	-	-	-	1.30	6.48	18.44	-72.7	1,002	-	-
MW/RW-10S	02/24/2015	54.5	1.0	14.7	3.4	-	-	-	-	-	-
MW/RW-10S	05/11/2015	22.6	6.5	9.2	7.6	-	-	-	-	-	-
MW/RW-10S	08/04/2015	53.6	4.2	10.6	7.6	0.02	6.73	16.52	-90.0	1,440	-
MW/RW-10S	03/14/2016	134.2	19.4	1.2	0.4	0.14	6.59	15.38	-121.4	1,350	-
MW/RW-10S	04/21/2016	190.3	17.5	2.5	0.5	-	-	-	-	-	-
MW/RW-10S	05/23/2016	44.3	20.9	0.3	0.0	6.87	3.93	15.87	114.8	1,570	-
MW/RW-10S	08/24/2016	45.8	-	-	-	-	-	-	-	-	-
MW/RW-10S	08/30/2016	208.1	20.1	1.2	0.1	6.09	6.45	20.54	65.4	1,410	-
MW/RW-10S	11/28/2016	0.2	20.9	0.0	0.0	6.68	6.75	14.12	218.1	1,300	-
MW/RW-10S	02/21/2017	19.3	20.9	0.0	0.0	0.16	6.91	14.17	20.0	1,480	-
MW/RW-10S	05/22/2017	8.8	19.6	0.2	0.0	1.28	5.66	18.14	-4.9	1,667	-
MW/RW-10S	07/10/2017	-	-	-	-	4.99	-	-	-	-	-
MW/RW-10S	07/19/2017	-	-	-	-	5.15	-	-	-	-	-
MW/RW-10S	08/28/2017	1.3	20.4	0.1	0.0	2.01	5.20	18.69	91.7	2,785.9	-
MW/RW-10S	11/28/2017	10.3	21.4	0.0	0.0	2.77	5.36	16.24	61.8	2,870	-
MW/RW-10S	02/20/2018	0.3	20.9	0.0	0.0	-	-	-	-	-	-
MW/RW-10S	02/21/2018	-	-	-	-	2.93	6.29	17.04	-43.7	2,590	-
MW/RW-10S	05/21/2018	0.2	20.7	0.0	0.0	0.07	6.58	15.89	-37.6	3,229	-
MW/RW-10S	08/13/2018	1.0	16.0	1.6	0.0	0.05	6.27	16.27	-61.7	2,430	-
MW/RW-10S	10/02/2018	-	-	-	-	6.07	-	-	-	-	-
MW/RW-10S	10/18/2018	-	-	-	-	6.55	-	-	-	-	-
MW/RW-10S	11/12/2018	25.9	20.9	0.2	0.0	2.6	5.35	16.21	17.7	781	-
MW/RW-10S	11/27/2018	-	-	-	-	5.80	-	-	-	-	-
MW/RW-10S	01/10/2019	-	-	-	-	6.34	-	-	-	-	-
MW/RW-10S	02/11/2019	3.1	20.6	1.0	0.0	-	-	-	-	-	-
MW/RW-10S	02/15/2019	-	-	-	-	0.26	6.18	14.78	-112.0	926	94.3
MW/RW-10S	04/02/2019	-	-	-	-	6.20	-	-	-	-	-
MW/RW-10S	05/20/2019	8.6	20.9	0.3	0.0	-	-	-	-	-	-
MW/RW-10S	05/22/2019	-	-	-	-	0.13	6.18	15.40	-44.6	574	-
MW/RW-10S	06/18/2019	-	-	-	-	5.90	-	-	-	-	-
MW/RW-10S	07/23/2019	-	-	-	-	6.25	-	-	-	-	-
MW/RW-10S	08/19/2019	10.4	20.5	0.1	0.0	-	-	-	-	-	-
MW/RW-10S	08/21/2019	-	-	-	-	0.08	6.57	18.49	-84.6	730	-
MW/RW-10S	11/18/2019	5.4	14.2	2.7	0.0	-	-	-	-	-	-
MW/RW-10S	11/21/2019	-	-	-	-	0.54	6.96	17.16	-143.5	1,418	-
MW/RW-10S	02/17/2020	3.1	12.9	3.3	0.0	-	-	-	-	-	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-10S	02/19/2020	-	-	-	-	0.18	6.90	15.08	-129.3	1,616	-
MW-11	10/13/2014	5.4	19.0	-	-	2.30	6.27	18.16	56.2	324	-
MW-11	10/13/2014	-	-	-	-	3.23	6.14	18.29	48.6	349	-
MW-11	10/15/2014	23.6	15.3	-	-	-	-	-	-	-	-
MW-11	10/20/2014	22.0	11.6	6.3	1.9	-	-	-	-	-	-
MW-11	10/22/2014	-	-	-	-	0.38	5.73	18.38	160.2	323	-
MW-11	02/24/2015	3.2	19.3	3.7	0.1	-	-	-	-	-	-
MW-11	02/25/2015	-	-	-	-	0.12	5.60	17.83	62.6	370	-
MW-11	05/11/2015	0.6	20.6	0.2	0.1	0.07	5.66	17.27	91.2	390	-
MW-11	08/04/2015	4.3	2.5	15.0	26.8	0.09	6.66	18.45	-39.8	1,150	-
MW-11	11/21/2019	-	-	-	-	0.97	6.39	16.51	-2.2	671	-
MW/RW-14	10/13/2014	15.9	17.2	-	-	2.79	6.00	18.13	68.0	368	-
MW/RW-14	10/20/2014	82.4	14.4	3.7	1.3	-	-	-	-	-	-
MW/RW-14	10/22/2014	-	-	-	-	0.26	5.79	18.43	216.2	310	-
MW/RW-14	02/24/2015	188.0	14.4	0.9	0.4	-	-	-	-	-	-
MW/RW-14	02/25/2015	-	-	-	-	0.84	6.25	17.90	-98.6	460	-
MW/RW-14	05/11/2015	166.8	18.4	2.4	0.2	0.07	6.22	17.30	-69.6	420	-
MW/RW-14	08/04/2015	11.9	17.8	3.2	0.3	0.07	6.72	17.10	-69.4	1,100	-
MW/RW-14	03/14/2016	143.4	13.6	5.9	0.8	0.10	6.35	16.95	-84.7	490	-
MW/RW-14	04/21/2016	503.7	20.4	1.5	0.8						PRODUCT
MW/RW-14	05/23/2016	132.0	20.8	0.3	0.2						PRODUCT
MW/RW-14	08/24/2016	550.3	-	-	-	7.06	5.76	18.95	103.60	190	-
MW/RW-14	08/30/2016	101.8	21.7	0.0	0.1	-	-	-	-	-	-
MW/RW-14	11/28/2016	0.8	20.9	0.2	0.0	11.69	5.94	14.91	87.9	209	-
MW/RW-14	02/21/2017	61.3	20.9	0.0	0.0	11.32	6.02	15.48	41.6	190	-
MW/RW-14	05/22/2017	58.0	20.5	0.2	0.0	7.60	6.20	17.65	128.7	171	-
MW/RW-14	08/28/2017	10.0	20.9	0.0	0.0	3.99	7.19	18.43	69.1	415.8	-
MW/RW-14	11/28/2017	47.5	20.9	0.1	0.0	8.49	5.72	16.44	86.9	270.0	-
MW/RW-14	02/20/2018	3.4	20.9	0.0	0.0	-	-	-	-	-	-
MW/RW-14	02/21/2018	-	-	-	-	5.68	5.82	17.32	132.2	160	-
MW/RW-14	05/21/2018	1.2	20.7	0.2	0.0	0.18	7.29	16.34	-63.9	454	-
MW/RW-14	08/13/2018	21.3	20.6	0.2	0.0	3.98	5.59	19.85	305.1	240	-
MW/RW-14	10/18/2018	-	-	-	-	-	6.85	-	-	-	-
MW/RW-14	11/12/2018	127.2	20.9	0.0	0.0	2.9	5.04	15.37	27.8	451	-
MW/RW-14	11/27/2018	-	-	-	-	-	5.85	-	-	-	-
MW/RW-14	01/10/2019	-	-	-	-	-	5.43	-	-	-	-
MW/RW-14	02/11/2019	2.1	20.9	1.0	0.0	-	-	-	-	-	-
MW/RW-14	02/13/2019	-	-	-	-	0.23	6.33	15.34	-150.0	720	22.9
MW/RW-14	04/02/2019	-	-	-	-	-	6.10	-	-	-	-
MW/RW-14	05/20/2019	79.5	14.8	4.6	0.0	-	-	-	-	-	-
MW/RW-14	05/22/2019	-	-	-	-	0.16	6.47	15.81	-65.1	473	-
MW/RW-14	06/18/2019	-	-	-	-	-	6.26	-	-	-	-
MW/RW-14	07/23/2019	-	-	-	-	-	6.14	-	-	-	-
MW/RW-14	08/19/2019	54.5	20.5	0.0	0.0	-	-	-	-	-	-
MW/RW-14	08/20/2019	-	-	-	-	0.12	6.21	17.24	58.8	266	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-14	11/18/2019	22.4	17.9	2.9	6.0	-	-	-	-	-	-
MW/RW-14	11/19/2019	-	-	-	-	0.61	6.74	16.17	-99.0	548	-
MW/RW-14	02/17/2020	34.2	17.2	3.9	3.5	-	-	-	-	-	-
MW/RW-14	02/19/2020	-	-	-	-	0.57	6.76	15.31	57.3	808	-
MW-15S	10/13/2014	34.0	12.4	-	-	0.84	6.32	18.03	-17.1	647	-
MW-15S	10/20/2014	18.2	2.2	11.6	0.0	-	-	-	-	-	-
MW-15S	10/22/2014	-	-	-	-	0.88	6.48	17.61	-37.4	989	-
MW-15S	08/29/2017	-	-	-	-	-	6.73	18.6	-	-	-
MW-15S	02/20/2018	-	-	-	-	-	6.35	-	-	-	-
MW-15S	05/21/2018	-	-	-	-	-	6.07	-	-	-	-
MW-15S	11/13/2018	-	-	-	-	-	6.84	-	-	-	-
MW-15S	11/22/2019	-	-	-	-	0.94	7.00	16.31	57.0	699	-
MW-16S	10/10/2014	9.0	7.2	-	-	-	-	-	-	-	-
MW-16S	02/24/2015	0.0	5.5	12.4	0.1	1.54	6.11	14.50	60.2	1,600	-
MW-16	10/10/2014	11.1	6.9	-	-	0.46	5.88	17.50	162.4	707	-
MW-16	10/22/2014	-	-	-	-	0.87	5.79	17.75	211.0	681	30,200
MW-16	02/24/2015	0.0	20.9	0.3	0.1	2.62	5.92	17.57	101.8	1,010	
MW-16	05/11/2015	-	-	-	-	0.49	5.83	17.05	112.4	830	
MW-16	08/30/2017	-	-	-	-	-	5.57	18.6	-	-	
MW-16	02/20/2018	-	-	-	-	-	5.41	-	-	-	
MW-16	05/21/2018	-	-	-	-	-	5.78	-	-	-	
MW-16	08/13/2018	-	-	-	-	-	6.18	-	-	-	
MW-16	08/15/2018	-	-	-	-	-	5.80	-	-	-	
MW-16	11/14/2018	-	-	-	-	-	6.32	-	-	-	
MW-16	02/13/2019	-	-	-	-	4.70	6.81	15.07	93	452	2.3
MW-16	05/21/2019	-	-	-	-	6.57	6.23	16.02	135.1	365	-
MW-16	08/19/2019	-	-	-	-	7.33	6.44	16.75	164.6	359	-
MW-16	11/22/2019	-	-	-	-	5.62	6.32	16.31	170.4	448	-
MW-16	02/18/2020	-	-	-	-	5.21	6.20	14.88	103.1	659	-
MW-25S	10/13/2014	-	-	-	-	0.96	6.46	18.51	-84.0	914	-
MW-25S	10/13/2014	13.0	20.3	-	-	-	-	-	-	-	-
MW-25S	10/15/2014	192.0	19.3	-	-	-	-	-	-	-	-
MW-25S	10/16/2014	34.4	20.9	-	-	-	-	-	-	-	-
MW-25S	10/20/2014	30.2	16.6	3.4	0.3	-	-	-	-	-	-
MW-25S	02/24/2015	127.0	3.6	12.7	2.3	-	-	-	-	-	-
MW-25S	05/11/2015	51.8	6.5	8.3	6.4	-	-	-	-	-	-
MW-25S	08/04/2015	70.5	4.4	9.5	4.6	-	-	-	-	-	-
MW-25S	07/19/2017	-	-	-	-	-	3.77	-	-	-	-
MW-25S	08/31/2017	-	-	-	-	-	6.15	22.6	-	-	-
MW-25S	11/28/2017	-	-	-	-	-	6.09	-	-	-	-
MW-25S	02/21/2018	-	-	-	-	-	6.54	-	-	-	-
MW-25S	05/21/2018	-	-	-	-	-	6.39	-	-	-	-
MW-25S	08/13/2018	-	-	-	-	-	6.37	-	-	-	-
MW-25S	08/15/2018	-	-	-	-	-	5.97	-	-	-	-
MW-25S	10/02/2018	-	-	-	-	-	6.34	-	-	-	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-25S	10/18/2018	-	-	-	-	6.68	-	-	-	-	-
MW-25S	11/12/2018	-	-	-	-	6.54	-	-	-	-	-
MW-25S	11/27/2018	-	-	-	-	5.17	-	-	-	-	-
MW-25S	01/10/2019	-	-	-	-	6.32	-	-	-	-	-
MW-25S	02/12/2019	-	-	-	0.28	6.38	13.5	-90.0	1333	20.3	-
MW-25S	05/22/2019	-	-	-	0.08	6.67	15.21	-122.1	1963	-	-
MW-25S	08/20/2019	-	-	-	0.10	6.84	18.36	-106.1	1362	-	-
MW-25S	11/19/2019	-	-	-	0.01	7.23	17.06	-156.1	1018	-	-
MW-25S	02/19/2020	-	-	-	0.57	7.42	14.24	6.8	1233	-	-
MW/RW-25	10/13/2014	139.0	19.2	-	-	-	-	-	-	-	-
MW/RW-25	10/14/2014	79.0	17.5	-	-	-	-	-	-	-	-
MW/RW-25	10/15/2014	8.4	20.9	-	-	-	-	-	-	-	-
MW/RW-25	10/16/2014	28.2	14.3	-	-	-	-	-	-	-	-
MW/RW-25	02/24/2015	121.0	15.4	5.5	1.3	-	-	-	-	-	-
MW/RW-25	05/11/2015	263.0	11.6	6.7	0.6	-	-	-	-	-	-
MW/RW-25	08/04/2015	118.4	15.8	3.7	0.4	-	-	-	-	-	-
MW/RW-25	12/01/2015	79.5	14.7	5.4	1.1	-	-	-	-	-	-
MW/RW-25	03/14/2016	6.2	10.9	8.9	3.2	-	-	-	-	-	-
MW/RW-25	04/21/2016	50.2	20.9	0.2	0.2	8.30	5.45	16.77	154.2	310	-
MW/RW-25	05/23/2016	23.1	20.7	0.1	0.0	6.45	5.54	17.26	142.1	340	-
MW/RW-25	08/24/2016	54.8	-	-	-	2.58	5.56	18.78	101.8	300	-
MW/RW-25	08/30/2016	79.8	21.7	0.0	0.0	-	-	-	-	-	-
MW/RW-25	11/28/2016	17.8	20.9	0.2	0.0	12.82	5.81	15.46	100.3	332	-
MW/RW-25	02/21/2017	19.4	20.9	0.0	0.0	11.89	5.96	15.66	48.6	330	-
MW/RW-25	05/22/2017	25.6	20.9	0.3	0.0	9.18	6.03	17.50	105.3	308	-
MW/RW-25	08/28/2017	3.6	20.9	0.0	0.0	3.86	6.26	20.44	67.3	230	-
MW/RW-25	11/28/2017	139.3	20.6	0.5	0.0	10.82	5.73	16.57	95.2	230	-
MW/RW-25	02/20/2018	3.8	20.9	0.0	0.0	-	-	-	-	-	-
MW/RW-25	02/21/2018	-	-	-	-	10.03	6.15	17.39	100.4	260	-
MW/RW-25	05/21/2018	46.1	8.5	3.5	0.0	0.03	7.33	16.45	-75.8	679	-
MW/RW-25	08/13/2018	0.6	17.2	1.1	0.0	0.39	6.70	16.84	-27.7	920	-
MW/RW-25	10/18/2018	-	-	-	-	-	6.84	-	-	-	-
MW/RW-25	11/12/2018	20.3	20.9	0.1	0.0	2.2	4.64	16.34	26.4	359	-
MW/RW-25	11/27/2018	-	-	-	-	-	6.17	-	-	-	-
MW/RW-25	01/10/2019	-	-	-	-	-	5.60	-	-	-	-
MW/RW-25	02/11/2019	0.2	16.3	1.8	0.0	-	-	-	-	-	-
MW/RW-25	02/12/2019	-	-	-	-	0.28	6.20	14.60	-53.0	965	22.60
MW/RW-25	04/02/2019	-	-	-	-	-	6.32	-	-	-	-
MW/RW-25	05/20/2019	7.8	16.0	3.1	0.0	0.15	6.05	16.25	-21.6	798	-
MW/RW-25	06/18/2019	-	-	-	-	-	6.16	-	-	-	-
MW/RW-25	07/23/2019	-	-	-	-	-	6.11	-	-	-	-
MW/RW-25	08/19/2019	12.6	20.8	0.0	0.0	-	-	-	-	-	-
MW/RW-25	08/20/2019	-	-	-	-	0.11	6.20	18.03	18.8	723.6	-
MW/RW-25	11/18/2019	6.3	8.7	8.0	3.7	-	-	-	-	-	-
MW/RW-25	11/19/2019	-	-	-	-	0.19	6.46	16.93	-75.6	774	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-25	02/17/2020	9.1	10.2	8.1	3.2	-	-	-	-	-	-
MW/RW-25	02/19/2020	-	-	-	-	0.73	6.42	15.50	95.5	838	-
MW-27	10/10/2014	41.5	17.7	-	-	0.28	6.55	17.74	-79.8	1,075	-
MW-27	10/15/2014	7.3	20.9	-	-	0.02	6.51	17.97	-36.3	1,057	-
MW-27	10/15/2014	21.9	16.1	-	-	1.67	6.37	18.18	44.5	831	-
MW-27	10/16/2014	21.9	16.1	-	-	-	-	-	-	-	-
MW-27	10/20/2014	25.3	14.3	6.5	8.6	-	-	-	-	-	-
MW-27	10/23/2014	-	-	-	-	0.54	6.46	17.97	743.0	153	1,540
MW-27	02/24/2015	21.1	2.3	12.2	13.6	-	-	-	-	-	-
MW-27	02/25/2015	-	-	-	-	0.06	6.61	15.83	-85.6	1,228	-
MW-27	05/11/2015	127.3	8.1	7.9	0.0	0.08	6.54	14.84	-110.0	1,300	-
MW-27	08/04/2015	28.5	1.3	13.2	16.6	0.03	6.68	15.93	-49.3	1,260	-
MW-27	12/01/2015	67.4	2.2	16.9	31.9	0.06	6.57	17.28	-51.5	1,190	-
MW-27	03/14/2016	70.8	1.0	15.5	0.6	0.08	6.54	14.77	-142.5	1,390	-
MW-27	04/21/2016	123.2	20.3	1.0	0.3	10.15	6.80	14.65	90.9	740	-
MW-27	05/23/2016	11.4	20.7	0.3	0.0	4.96	6.79	14.39	30.5	780	-
MW-27	08/24/2016	0.8	20.5	0.4	0.0	7.37	6.46	16.42	46.7	1,220	-
MW-27	11/28/2016	0.1	20.9	0.4	0.0	6.38	6.70	18.04	11.3	719	-
MW-27	02/21/2017	1.6	20.9	0.0	0.0	10.14	7.37	16.19	22.0	790	-
MW-27	05/22/2017	6.6	20.9	0.3	0.0	1.35	6.10	16.00	88.1	643	-
MW-27	08/28/2017	0.0	20.9	0.0	0.0	1.50	6.67	17.10	66.3	847.7	-
MW-27	11/28/2017	26.2	20.6	0.2	0.0	3.04	6.66	16.43	12.9	930.0	-
MW-27	02/20/2018	55.3	20.8	0.1	0.0	-	-	-	-	-	-
MW-27	02/21/2018	-	-	-	-	7.97	4.88	16.20	110.2	1,350.0	-
MW-27	05/21/2018	9.7	11.6	2.4	0.0	0.01	5.68	14.68	76.4	1,749.5	-
MW-27	08/13/2018	15.6	2.4	3.9	0.0	0.16	6.36	16.50	-22.6	1,380	-
MW-27	11/12/2018	1.7	18.2	1.9	0.0	1.91	4.84	17.61	122.6	1,489	-
MW-27	02/11/2019	5.0	8.8	10.3	0.0	-	-	-	-	-	-
MW-27	02/14/2019	-	-	-	-	0.26	6.16	13.76	-62.0	1,640	0.1
MW-27	05/20/2019	1.1	12.2	7.4	0.0	-	-	-	-	-	-
MW-27	05/21/2019	-	-	-	-	0.11	6.17	15.66	12.2	1,642	-
MW-27	08/19/2019	1.5	14.3	4.3	0.0	-	-	-	-	-	-
MW-27	08/20/2019	-	-	-	-	0.31	7.24	18.40	-51.8	1,232	-
MW-27	11/18/2019	0.2	1.0	10.1	0.0	-	-	-	-	-	-
MW-27	11/21/2019	-	-	-	-	0.52	6.25	18.07	77.6	1,330	-
MW-27	02/17/2020	36.2	2.6	6.0	0.0	0.46	6.34	15.92	-19.2	1,582	-
MW/RW-31	10/10/2014	120.5	6.2	-	-	0.39	6.97	18.62	-119.7	899	-
MW/RW-31	10/15/2014	62.5	15.0	-	-	0.59	6.83	19.04	-119.9	848	-
MW/RW-31	10/15/2014	0.0	20.9	-	-	0.90	6.61	19.57	-47.6	541	-
MW/RW-31	10/20/2014	11.8	17.4	1.1	0.3	-	-	-	-	-	-
MW/RW-31	10/23/2014	-	-	-	-	0.41	6.98	18.69	-15.9	791	728
MW/RW-31	02/24/2015	179.0	2.1	0.2	0.3	0.02	7.08	14.47	-164.3	927	-
MW/RW-31	05/11/2015	36.9	5.8	4.1	0.1	0.00	7.06	12.74	-129.3	1,010	-
MW/RW-31	08/04/2015	41.3	3.9	5.4	1.7	0.02	7.18	15.92	-13.7	1,010	-
MW/RW-31	05/23/2016	-	-	-	-	7.34	6.69	15.56	82.4	620	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-31	08/31/2017	-	-	-	-	6.71	20.1	-	-	-	-
MW/RW-31	02/14/2019	-	-	-	-	0.38	7.26	11.6	-8.0	504	75.8
MW/RW-31	05/21/2019	-	-	-	-	0.17	7.02	14.62	19.8	546.3	-
MW/RW-31	08/20/2019	-	-	-	-	0.44	7.83	19.36	-63.9	447.0	-
MW/RW-31	11/21/2019	-	-	-	-	0.54	6.71	18.61	129.9	667	-
MW/RW-31	02/17/2020	-	-	-	-	0.73	6.98	13.81	26.8	675	-
MW-33	10/10/2014	1.4	9.7	-	-	0.68	5.81	17.97	157.4	654	-
MW-33	10/15/2014	0.5	19.0	-	-	0.09	5.84	18.30	64.9	633	-
MW-33	10/15/2014	0.0	20.9	-	-	0.42	5.86	18.30	92.6	658	-
MW-33	10/20/2014	1.0	12.0	5.4	0.0	-	-	-	-	-	-
MW-33	10/23/2014	-	-	-	-	2.37	6.05	18.24	186.7	698	1,120
MW-33	02/24/2015	0.0	20.6	0.1	0.1	2.35	5.51	15.51	88.7	648	-
MW-33	05/11/2015	21.4	19.0	1.0	0.0	0.47	5.69	14.03	88.0	720	-
MW-33	08/04/2015	1.4	3.3	8.6	0.0	0.05	6.29	15.84	48.5	780	-
MW-33	08/30/2017	-	-	-	-	-	6.08	18.40	-	-	-
MW-33	11/21/2019	-	-	-	-	1.67	6.10	18.49	150.8	769	-
MW-51S	10/13/2014	23.0	5.7	-	-	0.64	6.72	18.32	-120.0	1,457	-
MW-51S	10/13/2014	1.0	-	-	-	0.75	6.65	18.35	-78.8	1,000	-
MW-51S	10/14/2014	-	-	-	-	0.33	6.64	18.46	-71.8	1,047	-
MW-51S	10/15/2014	1.2	20.0	-	-	1.62	6.60	18.43	1.5	566	-
MW-51S	10/15/2014	-	-	-	-	0.74	6.62	18.45	-84.6	1,122	-
MW-51S	10/20/2014	22.3	10.6	6.3	1.5	-	-	-	-	-	-
MW-51S	10/22/2014	-	-	-	-	0.81	6.67	18.47	-93.7	1,153	-
MW-51S	02/24/2015	9.9	0.9	13.5	27.2	-	-	-	-	-	-
MW-51S	02/25/2015	-	-	-	-	0.08	6.70	16.75	-110.9	1,968	-
MW-51S	05/11/2015	40.8	1.2	12.1	28.3	0.02	6.74	16.21	-113.3	1,830	-
MW-51S	08/04/2015	15.2	0.7	13.2	27.5	0.04	6.82	16.33	-96.0	1,440	-
MW-51S	03/14/2016	62.4	4.8	10.6	0.6	0.27	6.63	16.10	-129.3	2,250	-
MW-51S	04/21/2016	12.4	13.2	1.6	0.3	0.06	6.65	16.57	-79.9	1,760	-
MW-51S	05/23/2016	0.0	20.9	0.0	0.0	0.59	6.83	16.74	-96.6	2,290	-
MW-51S	08/24/2016	1.1	-	-	-	0.70	6.74	18.60	-113.7	2,390	-
MW-51S	08/30/2016	153.7	21.7	0.1	0.0	-	-	-	-	-	-
MW-51S	11/28/2016	-	-	-	-	2.26	7.14	19.36	-131.0	1,448	-
MW-51S	12/08/2016	0.2	20.9	0.0	0.0	-	-	-	-	-	-
MW-51S	02/21/2017	20.4	20.9	0.5	0.0	0.06	7.11	17.81	-23.3	1,870	-
MW-51S	05/22/2017	2.1	20.9	0.1	0.0	4.99	6.72	16.76	-40.0	2,207	-
MW-51S	07/19/2017	-	-	-	-	-	6.88	-	-	-	-
MW-51S	08/28/2017	0.4	19.7	0.2	0.0	1.9	7.30	20.12	45.1	2,169.1	-
MW-51S	11/28/2017	0.9	21.4	0.0	0.0	2.3	6.19	16.83	-22.4	2,000	-
MW-51S	02/20/2018	0.1	20.9	0.2	0.0	-	-	-	-	-	-
MW-51S	02/21/2018	-	-	-	-	4.4	6.23	17.23	41.1	1,620	-
MW-51S	05/21/2018	0.0	20.5	0.6	0.0	0.1	7.57	15.92	-109.8	1,844	-
MW-51S	08/13/2018	1.9	8.4	3.8	0.0	0.1	6.27	17.41	-52.9	2,870	-
MW-51S	10/18/2018	-	-	-	-	-	6.94	-	-	-	-
MW-51S	11/12/2018	4.7	20.0	0.6	0.0	9.2	5.82	16.43	-30.4	763	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-51S	11/27/2018	-	-	-	-	6.31	-	-	-	-	-
MW-51S	01/10/2019	-	-	-	-	6.43	-	-	-	-	-
MW-51S	02/11/2019	0.3	20.7	0.4	0.0	-	-	-	-	-	-
MW-51S	02/14/2019	-	-	-	-	0.01	6.80	15.60	-58.1	955	-
MW-51S	05/20/2019	0.6	20.9	0.2	0.0	-	-	-	-	-	-
MW-51S	05/22/2019	-	-	-	-	0.14	7.19	15.66	-181.3	787.1	-
MW-51S	06/18/2019	-	-	-	-	-	6.13	-	-	-	-
MW-51S	08/19/2019	1.1	20.0	0.0	0.0	-	-	-	-	-	-
MW-51S	08/21/2019	-	-	-	-	0.09	7.33	18.65	-202.4	818.9	-
MW-51S	11/18/2019	0.1	6.7	1.8	0.0	-	-	-	-	-	-
MW-51S	11/22/2019	-	-	-	-	0.38	7.22	16.58	-140.4	662	-
MW-51S	02/17/2020	7.9	10.1	4.5	3.5	-	-	-	-	-	-
MW-51S	02/18/2020	-	-	-	-	0.46	7.60	14.29	-24.8	979	-
MW/RW-51	10/13/2014	135.0	18.0	-	-	-	-	-	-	-	-
MW/RW-51	10/15/2014	100.8	14.0	-	-	0.33	6.60	18.57	-86.9	1,014	-
MW/RW-51	10/20/2014	31.5	11.6	4.9	3.2	-	-	-	-	-	-
MW/RW-51	02/24/2015	35.1	4.7	11.4	6.0	-	-	-	-	-	-
MW/RW-51	05/11/2015	100.3	1.2	12.6	5.1	-	-	-	-	-	-
MW/RW-51	08/04/2015	104.3	19.6	1.0	1.6	-	-	-	-	-	-
MW/RW-51	12/01/2015	18.5	17.8	2.4	1.2	-	-	-	-	-	-
MW/RW-51	03/14/2016	30.0	19.0	1.7	0.2	-	-	-	-	-	-
MW/RW-51	04/21/2016	59.9	20.9	0.3	0.2	5.13	6.43	16.38	46.7	740	-
MW/RW-51	05/23/2016	33.1	20.6	0.3	0.0	5.43	6.57	17.44	19.6	700	-
MW/RW-51	08/24/2016	47.0	-	-	-	2.22	6.69	18.70	-44.8	650	-
MW/RW-51	08/30/2016	74.9	21.1	0.0	0.0	-	-	-	-	-	-
MW/RW-51	11/28/2016	0.0	20.9	0.3	0.0	12.39	6.80	15.87	-47.0	715	-
MW/RW-51	02/21/2017	26.4	20.9	0.7	0.0	9.58	6.53	15.86	47.6	790	-
MW/RW-51	05/22/2017	33.5	17.0	0.1	0.0	7.03	6.25	18.23	11.4	546	-
MW/RW-51	08/28/2017	7.3	20.9	0.0	0.0	2.70	6.21	19.81	62.9	327.1	-
MW/RW-51	11/28/2017	109.8	20.5	0.6	0.0	9.27	6.54	16.83	22.1	520.0	-
MW/RW-51	02/20/2018	14.3	20.8	0.0	0.0	-	-	-	-	-	-
MW/RW-51	02/21/2018	-	-	-	-	7.82	6.72	17.50	-13.2	560	-
MW/RW-51	05/21/2018	0.5	18.6	0.5	0.0	0.01	7.83	16.71	-151.3	743	-
MW/RW-51	08/13/2018	21.2	20.2	0.6	0.0	2.38	6.10	20.82	84.9	790	-
MW/RW-51	10/18/2018	-	-	-	-	-	7.06	-	-	-	-
MW/RW-51	11/12/2018	104.2	20.9	0.1	0.0	2.9	5.47	15.66	-8.3	594	-
MW/RW-51	11/27/2018	-	-	-	-	-	6.26	-	-	-	-
MW/RW-51	01/10/2019	-	-	-	-	-	6.07	-	-	-	-
MW/RW-51	02/11/2019	2.0	20.4	1.3	0.0	-	-	-	-	-	-
MW/RW-51	02/14/2019	-	-	-	-	0.02	6.49	15.74	0.8	1,117	-
MW/RW-51	04/02/2019	-	-	-	-	-	6.59	-	-	-	-
MW/RW-51	05/20/2019	3.6	20.4	1.5	0.0	-	-	-	-	-	-
MW/RW-51	05/21/2019	-	-	-	-	0.13	6.19	16.11	-29.6	1,065	-
MW/RW-51	07/23/2019	-	-	-	-	-	6.28	-	-	-	-
MW/RW-51	08/19/2019	5.6	18.8	0.8	0.0	-	-	-	-	-	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-51	08/21/2019	-	-	-	0.13	6.17	18.60	12.0	1,220	-	-
MW/RW-51	11/18/2019	142.0	14.6	4.6	0.2	-	-	-	-	-	-
MW/RW-51	11/22/2019	-	-	-	0.40	6.55	16.61	-63.7	1,349	-	-
MW/RW-51	02/17/2020	52.2	9.4	8.4	0.2	-	-	-	-	-	-
MW/RW-51	02/18/2020	-	-	-	0.59	7.08	15.29	18.0	1,544	-	-
MW-52	10/10/2014	5.4	16.3	-	-	1.15	5.87	17.51	45.9	465	-
MW-70	10/10/2014	0.3	16.2	-	-	2.12	5.76	17.30	98.7	843	-
MW-70	02/24/2015	0.0	17.8	1.3	0.2	1.02	5.53	16.71	-36.2	900	-
MW-70	05/11/2015	-	-	-	-	0.40	5.49	16.51	120.7	790	-
MW-70	08/04/2015	-	-	-	-	0.46	5.72	16.24	77.5	820	-
MW-70	08/30/2017	-	-	-	-	5.25	19.2	-	-	-	-
MW/RW-72S	10/10/2014	21.7	5.8	-	-	0.55	6.42	18.41	-98.2	1,331	-
MW/RW-72S	10/15/2014	14.5	14.0	-	-	0.04	6.40	18.56	-85.4	1,340	-
MW/RW-72S	10/15/2014	-	-	-	-	1.70	6.47	18.70	-53.0	1,246	-
MW/RW-72S	10/16/2014	95.0	7.8	-	-	-	-	-	-	-	-
MW/RW-72S	10/20/2014	38.8	9.3	7.4	4.2	-	-	-	-	-	-
MW/RW-72S	10/22/2014	-	-	-	-	1.92	6.39	17.99	-21.2	904	-
MW/RW-72S	02/24/2015	30.6	5.4	11.5	1.6	0.09	6.54	16.13	-101.9	1,325	-
MW/RW-72S	05/11/2015	65.0	6.5	9.4	3.3	0.02	6.49	14.58	-110.6	1,340	-
MW/RW-72S	08/04/2015	8.0	8.2	6.9	0.4	0.11	6.71	16.20	-56.9	1,710	-
MW/RW-72S	03/14/2016	21.4	15.6	4.1	0.1	2.16	6.59	15.02	-101.1	1,960	-
MW/RW-72S	05/23/2016	0.0	20.9	0.2	0.0	NO MEASUREMENTS - BAILER CAUGHT IN WELL (RELEASED NEXT SAMPLE DAY)					
MW/RW-72S	08/24/2016	28.2	-	-	-	-	-	-	-	-	-
MW/RW-72S	08/30/2016	13.8	20.8	0.1	0.0	3.09	4.48	25.13	250.70	1,600	-
MW/RW-72S	11/28/2016	0.2	20.9	0.0	0.0	DRY					
MW/RW-72S	02/21/2017	22.6	20.9	0.0	0.0	DRY					
MW/RW-72S	05/22/2017	4.4	20.2	0.7	0.0	2.96	4.79	15.87	291.50	2,088.9	-
MW/RW-72S	07/19/2017	-	-	-	-	-	4.26	-	-	-	-
MW/RW-72S	08/28/2017	0.1	15.5	1.1	0.0	0.2	4.34	17.4	93.8	3,636	-
MW/RW-72S	08/30/2017	-	-	-	-	-	4.40	18.1	-	-	-
MW/RW-72S	11/28/2017	1.6	21.1	0.1	0.0	0.8	4.39	17.7	140.2	2,710	-
MW/RW-72S	02/20/2018	1.4	12.6	4.0	0.0	-	-	-	-	-	-
MW/RW-72S	02/21/2018	-	-	-	-	0.4	4.35	16.6	136.3	3,100	-
MW/RW-72S	05/21/2018	10.0	6.3	4.8	0.2	-0.03	4.41	14.8	230.6	3,001	-
MW/RW-72S	08/13/2018	0.9	9.9	4.4	0.8	0.08	4.53	16.6	156.0	3,580	-
MW/RW-72S	11/12/2018	1.9	20.9	0.3	0.0	1.76	4.78	18.1	95.6	2,248	-
MW/RW-72S	02/11/2019	0.4	17.6	2.3	0.0	-	-	-	-	-	-
MW/RW-72S	02/14/2019	-	-	-	-	0.16	5.11	15.47	293.0	1,958	-
MW/RW-72S	05/20/2019	1.5	19.8	1.2	0.1	-	-	-	-	-	-
MW/RW-72S	05/22/2019	-	-	-	-	0.31	4.09	14.91	298.9	1,759	-
MW/RW-72S	08/19/2019	3.0	19.0	1.3	0.0	-	-	-	-	-	-
MW/RW-72S	08/22/2019	-	-	-	-	0.50	4.32	20.19	284.4	1,199	-
MW/RW-72S	11/18/2019	2.0	2.9	6.0	0.0	-	-	-	-	-	-
MW/RW-72S	11/19/2019	-	-	-	-	0.11	4.88	16.62	138.3	1,294	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-72S	02/17/2020	12.0	1.8	7.8	0.9	-	-	-	-	-	-
MW/RW-72S	02/18/2020	-	-	-	-	0.26	4.67	16.23	231.9	2,313	-
MW/RW-72	10/10/2014	12.2	6.6	-	-	0.48	5.47	17.86	32.6	743	-
MW/RW-72	10/15/2014	14.8	16.8	-	-	0.14	5.41	18.04	110.3	733	-
MW/RW-72	10/15/2014	-	-	-	-	2.99	5.75	18.09	108.9	739	-
MW/RW-72	10/16/2014	6.9	5.2	-	-	-	-	-	-	-	-
MW/RW-72	10/20/2014	10.5	2.0	16.8	13.0	-	-	-	-	-	-
MW/RW-72	10/22/2014	-	-	-	-	1.77	5.86	17.73	146.2	533	29,800
MW/RW-72	02/24/2015	13.3	14.2	6.9	0.1	0.58	5.48	17.43	82.8	877	-
MW/RW-72	05/11/2015	64.5	20.6	0.2	0.0	0.03	5.82	15.99	-21.9	1,080	-
MW/RW-72	08/04/2015	6.9	12.7	5.0	3.2	0.02	6.68	16.31	-57.3	1,880	-
MW/RW-72	03/14/2016	42.8	19.8	1.0	0.1	0.04	6.62	16.93	-121.3	1,970	-
MW/RW-72	04/21/2016	79.2	20.7	0.6	0.2	10.41	5.98	16.45	143.7	660	-
MW/RW-72	05/23/2016	0.0	20.9	0.0	0.0	7.92	6.42	16.99	112.8	710	-
MW/RW-72	08/24/2016	0.9	20.9	0.1	0.0	4.85	6.63	16.86	72.9	830	-
MW/RW-72	11/28/2016	0.0	20.9	0.0	0.0	8.07	5.36	17.27	103.7	848	-
MW/RW-72	02/21/2017	57.9	20.9	0.0	0.0	9.05	5.61	16.21	55.6	850	-
MW/RW-72	05/22/2017	2.0	19.3	1.0	0.0	0.19	4.37	15.56	176.8	3,591	-
MW/RW-72	08/28/2017	0.2	20.9	0.0	0.0	3.84	4.41	17.36	94.5	2,113.3	-
MW/RW-72	08/30/2017	-	-	-	-	-	4.32	19.6	-	-	-
MW/RW-72	11/30/2017	51.4	20.4	0.3	0.0	3.48	4.40	17.8	162.2	1,899	-
MW/RW-72	02/20/2018	35.5	20.8	0.2	0.0	3.80	4.60	17.5	184.2	1,550	-
MW/RW-72	05/21/2018	16.0	14.1	3.2	0.0	0.06	3.40	16.4	463.7	2,527	-
MW/RW-72	08/13/2018	0.4	2.7	7.6	3.1	0.47	2.45	16.4	264.9	2,850	-
MW/RW-72	11/12/2018	5.3	16.1	2.0	1.6	1.64	4.45	17.1	181.9	1,897	-
MW/RW-72	11/13/2018	-	16.2	2.3	1.7	-	-	-	-	-	-
MW/RW-72	02/11/2019	1.6	5.8	8.0	0.3	-	-	-	-	-	-
MW/RW-72	02/14/2019	-	-	-	-	0.36	3.96	16.15	487.4	2,366	-
MW/RW-72	05/20/2019	4.5	8.8	4.8	0.0	-	-	-	-	-	-
MW/RW-72	05/21/2019	-	-	-	-	0.11	3.07	15.78	384.0	1,900	-
MW/RW-72	08/19/2019	10.6	13.9	3.2	0.4	-	-	-	-	-	-
MW/RW-72	08/22/2019	-	-	-	-	0.15	3.33	18.14	379.6	1,907	-
MW/RW-72	11/18/2019	2.3	9.0	10.6	0.0	-	-	-	-	-	-
MW/RW-72	11/19/2019	-	-	-	-	0.95	3.65	16.76	326.7	1,647	-
MW/RW-72	02/17/2020	4.3	13.2	8.7	0.0	-	-	-	-	-	-
MW/RW-72	02/18/2020	-	-	-	-	0.47	4.00	15.68	361.9	2,163	-
MW-100S	10/10/2014	6.5	6.8	-	-	0.40	5.62	18.36	11.8	915	-
MW-100S	02/24/2015	0.0	17.2	3.5	0.2	4.78	5.79	16.07	25.5	160	-
MW-100S	11/28/2016	0.7	8.5	3.9	0.1	0.44	6.24	18.03	-14.6	1,116	-
MW-100S	08/30/2017	-	-	-	-	-	6.02	18.70	-	-	-
MW-100S	11/28/2017	0.8	21.4	0.0	0.0	0.78	5.81	16.79	81.8	1,100	-
MW-100S	02/20/2018	-	-	-	-	-	5.60	-	-	-	-
MW-100S	05/21/2018	-	-	-	-	-	5.67	-	-	-	-
MW-100S	11/12/2018	-	-	-	-	1.73	4.85	18.25	52.9	782	-
MW-100S	11/18/2019	1.2	6.0	8.4	0.3	-	-	-	-	-	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-100S	11/20/2019	-	-	-	-	0.68	5.55	16.58	74.1	963	-
MW-100	10/10/2014	0.3	20.4	-	-	2.23	5.38	17.60	148.8	531	-
MW-100	02/24/2015	0.0	20.4	0.6	0.2	1.02	5.53	16.80	27.5	309	-
MW-100	11/28/2016	0.2	19.0	2.5	0.0	2.26	5.74	16.96	49.6	262	-
MW-100	08/30/2017	-	-	-	-	-	5.72	18.6	-	-	-
MW-100	11/28/2017	1.3	16.3	2.2	0.0	2.47	5.94	16.65	98.8	290	-
MW-100	11/12/2018	-	-	-	-	2.10	4.70	16.82	64.0	291	-
MW-100	11/18/2019	0.9	20.9	0.4	0.0	-	-	-	-	-	-
MW-100	11/20/2019	-	-	-	-	2.80	5.74	16.56	179.9	255	-
MW-102	10/10/2014	0.6	17.7	-	-	2.44	6.10	17.15	68.2	295	-
MW-102	08/30/2017	-	-	-	-	-	6.21	19.1	-	-	-
MW-103	10/10/2014	8.5	19.4	-	-	1.72	6.41	19.90	71.6	610	-
MW-103	10/23/2014	-	-	-	-	7.32	6.15	19.14	149.3	598	-
MW-103	02/24/2015	0.0	19.5	2.4	0.3	-	-	-	-	-	-
MW-103	02/25/2015	-	-	-	-	5.27	6.17	5.08	85.9	720	-
MW-103	05/11/2015	-	-	-	-	0.13	5.95	12.40	82.3	680	-
MW-103	08/30/2017	-	-	-	-	-	6.05	22.6	-	-	-
MW-104	10/10/2014	5.8	18.9	-	-	1.98	6.90	19.47	6.1	452	-
MW-104	10/21/2014	-	-	-	-	2.17	6.93	18.83	102.6	526	3,250
MW-104	02/24/2015	0.0	15.1	1.1	0.3	-	-	-	-	-	-
MW-104	02/25/2015	-	-	-	-	3.75	7.07	9.30	50.4	496	-
MW-104	05/11/2015	-	-	-	-	1.24	6.89	12.25	54.8	740	-
MW-104	08/30/2017	-	-	-	-	-	6.92	22.8	-	-	-
MW-105	10/10/2014	11.5	19.0	-	-	3.96	6.90	19.03	56.8	427	-
MW-105	10/21/2014	-	-	-	-	4.47	6.89	19.20	155.1	393	2,520
MW-105	05/11/2015	-	-	-	-	0.42	5.38	11.11	98.1	27,900	-
MW-105	08/30/2017	-	-	-	-	-	6.94	22.8	-	-	-
MW-106	10/10/2014	9.2	17.1	-	-	1.20	4.66	18.99	122.5	2,231	-
MW-106	10/14/2014	4.3	18.3	-	-	-	-	-	-	-	-
MW-106	10/20/2014	0.2	15.5	3.8	0.0	-	-	-	-	-	-
MW-106	10/23/2014	-	-	-	-	1.29	5.20	18.35	97.7	1,529	-
MW-106	02/24/2015	0.0	7.1	5.4	0.1	1.03	4.63	9.81	62.0	2,156	-
MW-106	05/11/2015	0.7	0.2	7.6	0.2	0.03	5.00	11.73	100.8	2,010	-
MW-106	08/04/2015	1.0	12.6	4.5	0.0	0.09	5.66	17.62	31.8	2,080	-
MW-106	03/14/2016	0.5	19.2	0.7	0.0	0.06	4.76	10.70	113.8	1,740	-
MW-106	04/21/2016	24.7	0.1	8.8	2.9	0.06	6.05	12.10	34.8	1,830	-
MW-106	05/23/2016	120.4	19.2	0.7	0.3	1.29	3.88	13.24	319.2	1,430	-
MW-106	08/24/2016	430.0	20.2	0.2	0.0	5.38	3.93	19.45	192.5	1,680	-
MW-106	11/28/2016	38.3	20.9	0.1	0.0	9.19	4.42	16.70	150.5	2,259	-
MW-106	02/21/2017	35.8	20.9	0.0	0.0	4.40	4.08	12.30	68.0	1,480	-
MW-106	05/22/2017	8.3	20.7	0.6	0.0	3.23	3.27	14.92	383.1	2,334	-
MW-106	08/28/2017	9.5	20.1	0.1	0.0	DRY					
MW-106	11/28/2017	17.1	20.6	0.1	0.0	DRY					
MW-106	02/20/2018	0.9	20.8	0.1	0.0	-	-	-	-	-	-
MW-106	02/21/2018	-	-	-	-	6.94	3.63	12.08	239.20	2,550	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-106	05/21/2018	3.9	11.5	0.8	0.0	5.72	3.52	13.66	414.20	1,507	-
MW-106	08/13/2018	27.1	11.4	3.2	0.0	0.70	3.21	19.80	323.20	2,340	-
MW-106	11/12/2018	0.8	13.4	4.0	0.0	1.95	3.97	17.29	165.80	1,375	-
MW-106	02/11/2019	0.2	14.5	3.4	0.0	-	-	-	-	-	-
MW-106	02/14/2019	-	-	-	-	0.33	3.73	9.61	325	1,700	0.0
MW-106	05/20/2019	5.3	18.2	1.5	0.0	-	-	-	-	-	-
MW-106	05/22/2019	-	-	-	-	0.23	3.51	13.11	345.2	1,943	-
MW-106	08/19/2019	11.8	18.0	2.6	0.0	-	-	-	-	-	-
MW-106	08/22/2019	-	-	-	-	0.16	3.67	20.71	273.9	2,240	-
MW-106	11/18/2019	0.0	17.2	2.1	0.0	-	-	-	-	-	-
MW-106	11/20/2019	-	-	-	-	0.45	3.34	17.77	307.5	2,265	-
MW-106	02/17/2020	3.3	19.6	1.1	0.0	-	-	-	-	-	-
MW-106	02/18/2020	-	-	-	-	2.02	3.30	11.02	421.5	2,082	-
MW-107	10/10/2014	10.5	11.8	-	-	0.62	3.51	18.90	348.4	2,063	-
MW-107	10/15/2014	7.3	13.7	-	-	1.51	3.63	19.54	393.0	1,047	-
MW-107	10/15/2014	-	-	-	-	2.52	3.76	19.36	428.9	1,117	-
MW-107	10/20/2014	0.3	7.3	9.4	0.0	-	-	-	-	-	-
MW-107	10/23/2014	-	-	-	-	3.40	2.90	19.05	480.1	1,462	-
MW-107	02/24/2015	0.0	19.3	1.5	0.1	7.33	3.01	11.73	338.5	15,400	-
MW-107	05/11/2015	0.8	9.1	6.7	0.0	0.40	3.36	12.51	425.7	2,010	-
MW-107	08/04/2015	0.5	7.9	8.2	0.0	0.31	3.69	18.19	347.8	2,360	-
MW-108	10/10/2014	9.5	11.6	-	-	-	-	-	-	-	-
MW-109S	10/10/2014	50.0	11.3	-	-	1.43	6.35	18.20	-83.5	827	-
MW-109S	10/20/2014	13.8	3.9	13.2	0.0	-	-	-	-	-	-
MW-109S	10/21/2014	-	-	-	-	0.35	6.03	18.29	59.2	769	-
MW-109S	02/24/2015	12.9	1.3	14.9	0.3	-	-	-	-	-	-
MW-109S	02/25/2015	-	-	-	-	1.35	6.19	13.93	36.7	607	-
MW-109S	05/11/2015	4.0	13.8	4.8	0.0	0.33	5.96	12.89	124.7	460	-
MW-109S	11/28/2017	-	-	-	-	-	5.25	15.16	-	-	-
MW-109S	11/19/2019	-	-	-	-	0.59	4.77	15.51	201.8	742	-
MW-109	10/10/2014	11.8	19.1	-	-	1.65	6.03	17.98	35.0	247	-
MW-109	10/20/2014	0.2	20.8	0.6	0.0	-	-	-	-	-	-
MW-109	10/21/2014	-	-	-	-	0.86	5.81	18.04	133.5	261	-
MW-109	02/24/2015	6.2	18.5	3.2	0.3	-	-	-	-	-	-
MW-109	02/25/2015	-	-	-	-	0.71	5.74	15.75	137.9	248	-
MW-109	11/19/2019	-	-	-	-	5.16	4.66	15.66	193.7	250	-
MW-110S	10/10/2014	9.9	14.4	-	-	0.50	6.32	18.38	-87.8	651	-
MW-110S	02/24/2015	12.7	4.3	12.8	0.3	-	-	-	-	-	-
MW-110S	02/25/2015	-	-	-	-	1.65	6.39	13.79	-19.5	849	-
MW-110S	11/28/2017	-	-	-	-	-	6.37	14.66	-	-	-
MW-110S	11/20/2019	-	-	-	-	0.95	5.61	15.43	149.2	411	-
MW-110	10/10/2014	13.1	16.4	-	-	1.30	5.39	17.98	117.8	215	-
MW-110	02/24/2015	5.8	19.4	1.0	0.4	-	-	-	-	-	-
MW-110	02/25/2015	-	-	-	-	1.70	5.48	15.49	168.1	245	-
MW-110	11/20/2019	-	-	-	-	5.07	5.15	15.63	155.3	250	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-111	10/10/2014	7.3	16.9	-	-	1.70	5.82	17.98	75.9	247	-
MW-111	02/24/2015	0.0	18.7	1.7	0.2	-	-	-	-	-	-
MW-111	02/25/2015	-	-	-	-	1.21	6.05	15.24	122.6	368	-
MW-111	11/19/2019	-	-	-	-	5.39	6.30	15.76	159.4	276	-
MW-112S	10/10/2014	25.0	14.7	-	-	1.95	5.46	18.26	148.5	369	-
MW-112S	10/20/2014	0.0	12.0	7.9	0.0	-	-	-	-	-	-
MW-112S	10/21/2014	-	-	-	-	2.50	5.38	18.27	172.9	333	-
MW-112S	02/24/2015	16.8	6.6	9.7	0.3	-	-	-	-	-	-
MW-112S	02/25/2015	-	-	-	-	3.92	5.41	13.06	207.5	347	-
MW-112S	05/11/2015	2.1	16.3	3.3	0.0	3.37	5.21	13.22	197.2	360	-
MW-112S	11/28/2017	-	-	-	-	-	4.88	14.11	-	-	-
MW-112S	11/19/2019	-	-	-	-	0.78	4.81	14.92	193.4	442	-
MW-112	10/10/2014	14.8	16.3	-	-	2.14	5.56	17.93	157.3	162	-
MW-112	02/24/2015	12.3	19.2	1.3	0.3	-	-	-	-	-	-
MW-112	02/25/2015	-	-	-	-	4.34	5.54	15.13	203.8	171	-
MW-112	11/19/2019	-	-	-	-	5.40	4.91	15.55	180.4	204	-
MW-113	10/10/2014	6.3	19.2	-	-	6.17	6.35	17.97	83.2	352	-
MW-113	02/24/2015	0.0	19.9	1.6	0.2	-	-	-	-	-	-
MW-113	02/25/2015	-	-	-	-	5.96	6.73	14.72	73.5	428	-
MW-113	11/19/2019	-	-	-	-	7.54	6.58	15.70	149.4	225	-
MW-114	10/10/2014	9.0	6.3	-	-	1.50	5.83	17.65	78.0	310	-
MW-114	10/20/2014	0.1	16.0	2.1	0.1	-	-	-	-	-	-
MW-114	10/21/2014	-	-	-	-	1.23	6.04	17.81	154.1	262	-
MW-114	02/24/2015	0.0	20.6	0.3	0.3	-	-	-	-	-	-
MW-114	02/25/2015	-	-	-	-	8.72	6.10	12.05	113.7	326	-
MW-114	05/11/2015	0.0	19.4	1.0	0.0	3.99	5.99	15.33	199.7	300	-
MW-114	11/19/2019	-	-	-	-	4.84	6.25	16.05	139.0	256	-
MW-121	08/04/2015	-	-	-	-	0.02	7.00	17.04	-13.1	890	-
MW-121	12/01/2015	14.8	14.8	3.6	15.2	0.04	6.72	17.44	-91.7	880	-
MW-121	03/14/2016	7.0	13.0	4.5	17.6	0.02	6.84	17.13	-159.0	850	-
MW-121	05/23/2016	251.2	17.6	4.4	0.7	1.54	6.77	17.35	-50.8	1,230	-
MW-121	08/24/2016	1,070.0	2.6	14.6	0.6	0.49	6.80	17.89	-126.4	1,300	-
MW-121	11/28/2016	378.4	5.0	10.0	0.1	0.26	6.72	18.08	-106.2	1,298	-
MW-121	02/21/2017	238.3	15.5	3.5	0.0	0.32	6.72	18.03	-46.1	930	-
MW-121	05/22/2017	4.3	13.4	1.3	0.0	0.15	6.53	17.86	-105.7	1,291	-
MW-121	08/28/2017	0.7	17.8	1.5	0.0	0.03	7.02	18.33	-47.6	796.2	-
MW-121	08/29/2017	-	-	-	-	-	6.80	18.7	-	-	-
MW-121	11/28/2017	287.1	17.1	1.9	0.0	0.90	6.76	17.4	-351.9	530	-
MW-121	02/20/2018	161.6	18.0	2.4	0.0	0.12	6.59	18.2	-65.9	590	-
MW-121	05/21/2018	178.8	9.0	3.2	0.0	-0.02	6.67	16.7	-73.5	871	-
MW-121	08/13/2018	2.8	19.5	0.4	0.0	0.30	6.51	16.9	-62.1	1,050	-
MW-121	11/12/2018	18.1	20.9	0.1	0.0	8.20	7.75	16.9	7.3	11	-
MW-121	02/11/2019	3.4	20.9	0.3	0.0	-	-	-	-	-	-
MW-121	02/13/2019	-	-	-	-	0.09	6.40	16.05	-46.1	1,204	-
MW-121	05/20/2019	14.2	20.9	0.5	0.0	0.17	6.46	16.68	-101.5	1,150	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW-121	08/19/2019	31.0	20.5	0.1	0.0	0.16	6.59	17.77	-89.0	1,308.5	-
MW-121	11/18/2019	7.4	20.4	0.7	0.0	-	-	-	-	-	-
MW-121	11/20/2019	-	-	-	-	0.53	6.21	16.41	35.6	1,431	-
MW-121	02/17/2020	3.5	20.0	0.9	0.0	0.75	6.86	15.38	56.5	1,215	-
MW-122	08/04/2015	-	-	-	-	0.06	7.04	16.73	-6.3	1,020	-
MW-122	12/01/2015	2.2	11.2	4.8	4.8	0.27	6.81	17.06	-86.8	1,130	-
MW-122	03/14/2016	5.7	16.2	2.7	1.1	0.11	7.04	16.50	-127.1	1,000	-
MW-122	05/23/2016	8.4	20.9	0.1	0.0	0.97	6.81	16.84	-77.1	1,090	-
MW-122	08/24/2016	0.4	20.9	0.0	0.0	0.53	6.89	16.99	-127.7	1,040	-
MW-122	11/28/2016	4.5	20.9	4.6	0.0	0.12	6.80	17.29	-105.9	1,090	-
MW-122	02/21/2017	3.5	20.6	1.7	0.0	0.84	7.00	17.62	-23.4	1,000	-
MW-122	05/22/2017	4.7	10.5	1.8	0.0	0.17	6.72	17.52	-61.3	988	-
MW-122	08/28/2017	0.8	20.7	0.2	0.0	0.04	6.93	18.09	-28.3	1,129	-
MW-122	08/30/2017	-	-	-	-	-	6.75	18.6	-	-	-
MW-122	11/28/2017	421.3	16.9	1.7	0.0	5.98	6.42	17.4	116.2	1,220	-
MW-122	02/20/2018	383.5	16.6	1.7	0.0	0.08	6.37	18.1	-5.9	2,530	-
MW-122	05/21/2018	334..6	17.0	1.0	0.0	0.07	6.59	16.9	-73.5	1,327	-
MW-122	08/13/2018	3.5	20.3	0.4	0.0	0.12	6.79	16.8	-66.0	1,230	-
MW-122	11/12/2018	28.1	20.9	0.1	0.0	1.77	7.50	16.6	-10.6	1,236	-
MW-122	02/11/2019	2.7	20.9	0.9	0.0	-	-	-	-	-	-
MW-122	02/12/2019	-	-	-	-	0.78	6.64	15.4	-7.0	1,280	-
MW-122	05/20/2019	14.7	20.9	0.9	0.0	-	-	-	-	-	-
MW-122	05/21/2019	-	-	-	-	0.17	6.46	16.07	-59.8	1,170	-
MW-122	08/19/2019	48.8	19.9	0.2	0.0	0.51	7.37	16.92	-62.0	1,122	-
MW-122	11/18/2019	4.5	20.3	0.5	0.0	-	-	-	-	-	-
MW-122	11/20/2019	-	-	-	-	0.55	6.30	16.61	40.6	1,253	-
MW-122	02/17/2020	3.7	20.7	0.9	0.0	-	-	-	-	-	-
MW-122	02/18/2020	-	-	-	-	0.94	6.65	14.64	103.8	1,210	-
MW/RW-123S	08/04/2015	-	-	-	-	2.66	12.52	16.99	-53.2	15,080	-
MW/RW-123S	12/01/2015	0.2	17.8	2.0	10.5	0.13	6.63	17.68	-46.3	810	-
MW/RW-123S	03/14/2016	73.7	16.8	2.9	3.1	0.86	6.50	15.31	-69.7	770	-
MW/RW-123S	04/21/2016	247.0	16.9	2.5	0.3	7.78	7.21	15.96	21.5	480	-
MW/RW-123S	05/23/2016	0.5	19.9	0.5	0.2	6.87	7.28	16.23	65.1	520	-
MW/RW-123S	08/24/2016	56.2	-	-	-	-	-	-	-	-	-
MW/RW-123S	08/30/2016	167.5	21.6	0.0	0.1	5.25	7.39	20.83	0.6	590	-
MW/RW-123S	11/28/2016	-	-	-	-	1.67	8.21	13.95	-7.7	584	-
MW/RW-123S	12/08/2016	54.4	20.9	0.3	0.0	-	-	-	-	-	-
MW/RW-123S	02/21/2017	19.4	20.9	0.0	0.0	0.64	7.34	12.50	40.2	550	-
MW/RW-123S	05/22/2017	0.1	20.9	0.0	0.0	4.08	6.97	16.72	-147.2	862	-
MW/RW-123S	07/10/2017	-	-	-	-	-	7.04	-	-	-	-
MW/RW-123S	08/28/2017	0.3	15.8	0.7	0.0	2.3	6.78	19.01	24.2	1,063	-
MW/RW-123S	11/28/2017	2.3	21.5	0.0	0.0	3.2	6.74	17.78	-123.3	1,070	-
MW/RW-123S	02/01/2018	0.1	20.9	0.0	0.0	-	-	-	-	-	-
MW/RW-123S	02/21/2018	-	-	-	-	3.9	6.20	17.45	-92.8	1,020	-
MW/RW-123S	05/21/2018	0.0	12.1	3.2	0.8	0.03	8.16	16.28	-126.2	1,150	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
MW/RW-123S	08/13/2018	0.4	13.5	4.2	4.0	0.34	6.82	17.54	-90.9	2,100	-
MW/RW-123S	10/02/2018	-	-	-	-	-	6.35	-	-	-	-
MW/RW-123S	10/18/2018	-	-	-	-	-	6.80	-	-	-	-
MW/RW-123S	11/12/2018	14.3	20.9	0.0	0.0	1.71	5.01	16.87	13.6	565	-
MW/RW-123S	11/27/2018	-	-	-	-	-	6.48	-	-	-	-
MW/RW-123S	01/10/2019	-	-	-	-	-	6.60	-	-	-	-
MW/RW-123S	02/11/2019	2.8	20.0	1.9	0.0	-	-	-	-	-	-
MW/RW-123S	02/12/2019	-	-	-	-	0.13	6.86	15.46	-76.1	820	-
MW/RW-123S	04/02/2019	-	-	-	-	-	6.44	-	-	-	-
MW/RW-123S	05/20/2019	4.6	20.2	1.5	0.0	-	-	-	-	-	-
MW/RW-123S	05/21/2019	-	-	-	-	0.23	6.77	15.77	-122.3	736	-
MW/RW-123S	06/18/2019	-	-	-	-	-	6.26	-	-	-	-
MW/RW-123S	07/23/2019	-	-	-	-	-	6.40	-	-	-	-
MW/RW-123S	08/19/2019	3.8	18.9	0.6	0.0	-	-	-	-	-	-
MW/RW-123S	08/20/2019	-	-	-	-	0.44	7.46	17.60	-78.6	620	-
MW/RW-123S	11/18/2019	1.6	1.7	8.5	15.5	-	-	-	-	-	-
MW/RW-123S	11/21/2019	-	-	-	-	0.31	7.31	17.26	-100.6	1,139	-
MW/RW-123S	02/17/2020	2.7	1.8	8.8	28.8	-	-	-	-	-	-
MW/RW-123S	02/19/2020	-	-	-	-	0.25	6.93	13.68	-137.2	1,181	-
RW-1	10/13/2014	130.0	19.0	-	-	1.34	6.92	18.45	136.4	495	-
RW-1	10/13/2014	79.0	18.9	-	-	3.41	6.41	18.31	158.0	473	-
RW-1	10/14/2014	55.0	18.9	-	-	0.53	6.49	18.46	129.6	475	-
RW-1	10/15/2014	80.7	19.3	-	-	1.99	6.29	18.43	60.4	292	-
RW-1	10/15/2014	-	-	-	-	1.06	6.31	18.49	96.9	314	-
RW-1	10/20/2014	29.2	16.4	3.2	2.4	-	-	-	-	-	-
RW-1	10/22/2014	-	-	-	-	2.14	6.50	18.07	85.5	311	-
RW-1	02/24/2015	178.0	3.2	4.2	0.2	-	-	-	-	-	-
RW-1	02/25/2015	-	-	-	-	0.03	6.76	17.88	-86.4	900	-
RW-1	12/01/2015	6.9	3.1	8.5	9.5	0.07	6.68	17.28	-57.6	760	-
RW-1	03/14/2016	0.1	15.3	3.8	0.0	0.16	6.50	17.06	-89.0	730	-
RW-1	04/21/2016	197.4	20.7	0.3	0.2	4.04	6.08	16.83	134.6	240	-
RW-1	05/23/2016	0.0	20.9	0.0	0.0	2.36	6.35	17.17	56.0	230	-
RW-1	08/24/2016	2.4	20.9	0.1	0.0	2.60	6.38	17.35	28.8	220	-
RW-1	11/28/2016	-	-	-	-	0.13	6.37	17.76	19.6	209	-
RW-1	12/08/2016	1.8	20.9	0.1	0.0	-	-	-	-	-	-
RW-1	02/21/2017	96.5	20.9	0.1	0.0	4.16	7.17	17.68	44.4	240	-
RW-1	05/22/2017	1.0	20.3	0.1	0.0	0.74	6.08	17.64	-17.3	211.8	-
RW-1	08/28/2017	0.5	20.4	0.1	0.0	-0.06	7.26	17.93	-25.7	265.4	-
RW-1	08/29/2017	-	-	-	-	-	6.31	18.2	-	-	-
RW-1	11/28/2017	164.4	19.4	0.9	0.0	0.66	6.62	17.1	-47.2	260	-
RW-1	02/20/2018	0.0	20.9	0.0	0.0	0.13	6.30	17.6	-17.7	270	-
RW-1	05/21/2018	44.9	12.3	0.4	0.0	0.05	7.19	16.6	-76.5	517	-
RW-1	08/13/2018	0.7	9.4	3.3	0.0	0.07	6.66	17.4	-25.1	750	-
RW-1	11/12/2018	2.5	20.9	0.2	0.0	1.31	5.44	16.82	-28.5	835	-
RW-1	02/11/2019	0.9	16.6	3.0	0.0	-	-	-	-	-	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-1	02/12/2019	-	-	-	0.32	6.85	14.1	-135	716	6.3	-
RW-1	05/20/2019	0.7	20.6	0.4	0.0	-	-	-	-	-	-
RW-1	05/22/2019	-	-	-	0.12	6.82	16.2	-90.4	577.2	-	-
RW-1	08/19/2019	1.7	20.6	0.0	0.0	0.15	6.96	18.08	-88.1	692.7	-
RW-1	11/18/2019	4.3	16.5	3.1	0.0	-	-	-	-	-	-
RW-1	11/21/2019	-	-	-	0.37	6.57	16.22	18.0	663	-	-
RW-1	02/17/2020	3.3	17.4	3.0	0.0	-	-	-	-	-	-
RW-1	02/19/2020	-	-	-	0.99	6.77	15.45	130.2	680	-	-
RW-05S	08/04/2015	-	-	-	0.00	8.88	15.65	-469.6	1,960	-	-
RW-05S	12/01/2015	193.7	19.2	1.3	3.5	0.04	6.59	17.01	-89.7	1,560	-
RW-05S	03/14/2016	44.2	20.3	0.6	0.3	1.78	6.63	14.38	-98.0	1,260	-
RW-05S	04/21/2016	264.4	19.6	1.2	0.3	6.62	7.09	14.94	-27.4	500	-
RW-05S	05/23/2016	46.1	20.9	0.2	0.0	3.75	6.11	14.74	39.9	710	-
RW-05S	08/24/2016	48.8	-	-	-	-	-	-	-	-	-
RW-05S	08/30/2016	11.2	21.3	0.1	0.1	3.47	6.16	21.27	60.9	940	-
RW-05S	11/28/2016	0.3	20.9	0.0	0.0	-	-	-	-	-	-
RW-05S	02/21/2017	21.4	20.9	0.0	0.0	0.10	6.18	13.58	34.80	1,840	-
RW-05S	05/22/2017	0.0	20.9	0.1	0.0	1.70	2.71	15.46	422.80	4,568	-
RW-05S	07/10/2017	-	-	-	-	-	3.03	-	-	-	-
RW-05S	07/19/2017	-	-	-	-	-	3.28	-	-	-	-
RW-05S	08/28/2017	1.7	20.9	0.1	0.0	2.7	3.70	18.5	112.1	2,270.7	-
RW-05S	11/28/2017	2.5	21.4	0.0	0.0	2.8	2.52	15.0	187.8	2,130	-
RW-05S	02/20/2018	0.7	20.5	0.2	0.0	-	-	-	-	-	-
RW-05S	02/21/2018	-	-	-	-	2.5	5.16	16.0	26.7	1,370	-
RW-05S	05/21/2018	0.8	20.5	0.0	0.0	0.05	6.43	14.5	-41.7	1,744.2	-
RW-05S	08/13/2018	0.6	20.5	0.1	0.0	0.22	6.40	16.4	-57.7	2,200	-
RW-05S	10/02/2018	-	-	-	-	-	5.93	-	-	-	-
RW-05S	10/18/2018	-	-	-	-	-	6.72	-	-	-	-
RW-05S	11/12/2018	28.0	20.9	0.1	0.0	2.9	6.14	15.9	-44.3	914	-
RW-05S	11/27/2018	-	-	-	-	-	6.36	-	-	-	-
RW-05S	01/10/2019	-	-	-	-	-	7.23	-	-	-	-
RW-05S	02/11/2019	2.0	20.3	1.0	0.0	-	-	-	-	-	-
RW-05S	02/13/2019	-	-	-	-	0.30	6.88	13.4	-46.9	558	-
RW-05S	04/02/2019	-	-	-	-	-	6.44	-	-	-	-
RW-05S	05/20/2019	3.4	19.7	1.4	0.0	0.05	7.06	14.3	-154.2	400	-
RW-05S	06/18/2019	-	-	-	-	-	6.48	-	-	-	-
RW-05S	07/23/2019	-	-	-	-	-	6.49	-	-	-	-
RW-05S	08/19/2019	3.8	18.9	1.2	0.0	-	-	-	-	-	-
RW-05S	08/21/2019	-	-	-	-	0.10	6.68	17.15	-106.6	415	-
RW-05S	11/18/2019	2.3	19.3	0.9	0.0	-	-	-	-	-	-
RW-05S	11/21/2019	-	-	-	-	0.16	7.70	16.00	-263.1	735	-
RW-05S	02/17/2020	5.2	18.7	1.5	0.0	0.51	7.97	12.80	-56.8	569	-
RW-25S	08/04/2015	3.9	2.1	14.7	59.9	-	-	-	-	-	-
RW-25S	12/01/2015	111.1	13.1	6.5	9.7	-	-	-	-	-	-
RW-25S	03/14/2016	55.5	18.8	1.4	0.5	-	-	-	-	-	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-25S	04/21/2016	117.1	13.3	2.8	0.8	-	-	-	-	-	-
RW-25S	05/23/2016	72.1	20.9	0.3	0.0	-	-	-	DRY	-	-
RW-25S	08/24/2016	66.5	-	-	-	-	-	-	-	-	-
RW-25S	08/30/2016	399.2	19.3	1.2	0.1	2.02	6.70	21.67	-52.6	1,310	-
RW-25S	11/28/2016	-	-	-	-	0.15	7.54	15.77	-141.8	847	-
RW-25S	12/08/2016	37.3	20.9	0.1	0.0	-	-	-	-	-	-
RW-25S	02/21/2017	17.6	20.9	0.0	0.0	-	-	-	DRY	-	-
RW-25S	05/22/2017	1.8	20.9	0.2	0.0	2.30	6.46	16.30	-40.90	2,781	-
RW-25S	08/28/2017	1.1	20.1	0.1	0.0	-	-	-	DRY	-	-
RW-25S	11/28/2017	5.6	21.2	0.1	0.0	-	-	-	DRY	-	-
RW-25S	02/20/2018	0.2	16.6	3.0	0.0	-	-	-	-	-	-
RW-25S	02/21/2018	-	-	-	-	2.94	6.19	16.62	-33.20	620	-
RW-25S	05/21/2018	0.7	20.7	0.3	0.0	0.16	7.35	15.89	-105.40	809	-
RW-25S	08/13/2018	0.8	20.6	0.6	0.0	0.21	6.75	16.88	-105.9	1,480	-
RW-25S	10/02/2018	-	-	-	-	-	6.29	-	-	-	-
RW-25S	10/18/2018	-	-	-	-	-	6.86	-	-	-	-
RW-25S	11/12/2018	6.1	20.9	0.4	0.0	2.50	4.91	16.70	37.0	1,549	-
RW-25S	11/27/2018	-	-	-	-	-	6.13	-	-	-	-
RW-25S	01/10/2019	-	-	-	-	-	5.91	-	-	-	-
RW-25S	02/11/2019	1.3	20.9	0.7	0.0	-	-	-	-	-	-
RW-25S	02/12/2019	-	-	-	-	0.35	6.65	13.53	-102	1,640	103
RW-25S	04/02/2019	-	-	-	-	-	6.41	-	-	-	-
RW-25S	05/20/2019	2.0	20.9	0.4	0.0	0.14	6.80	15.39	-133.4	1,594	-
RW-25S	06/18/2019	-	-	-	-	-	6.38	-	-	-	-
RW-25S	07/23/2019	-	-	-	-	-	6.39	-	-	-	-
RW-25S	08/19/2019	2.3	20.5	0.0	0.0	-	-	-	-	-	-
RW-25S	08/20/2019	-	-	-	-	0.37	7.56	18.36	-89.4	1,799	-
RW-25S	11/18/2019	9.1	15.7	3.1	0.0	-	-	-	-	-	-
RW-25S	02/17/2020	8.1	17.9	2.3	0.0	-	-	-	-	-	-
RW-28S	08/04/2015	48.5	13.8	1.4	0.3	0.17	6.22	16.59	-12.0	1,610	-
RW-28S	12/01/2015	31.8	17.6	1.6	0.1	0.24	6.50	17.31	-48.20	1,590	-
RW-28S	03/14/2016	68.8	17.6	2.1	0.2	2.25	6.75	12.79	-86.50	1,330	-
RW-28S	04/21/2016	9.6	20.8	0.1	0.1	8.47	7.12	15.50	92.30	1,450	-
RW-28S	05/23/2016	7.4	20.9	0.1	0.0	6.93	7.18	15.77	85.4	1,360	-
RW-28S	08/24/2016	13.6	-	-	-	-	-	-	-	-	-
RW-28S	08/30/2016	20.1	21.8	0.0	0.1	5.80	7.10	21.31	45.0	1,400	-
RW-28S	11/28/2016	-	-	-	-	7.37	7.62	13.91	32.4	1,793	-
RW-28S	12/08/2016	0.4	20.9	0.0	0.0	-	-	-	-	-	-
RW-28S	02/21/2017	10.8	20.9	0.0	0.0	9.50	7.13	10.78	49.7	1,710	-
RW-28S	05/22/2017	7.6	20.8	0.2	0.0	0.33	6.21	14.56	-64.9	1,763	-
RW-28S	07/10/2017	-	-	-	-	-	6.70	-	-	-	-
RW-28S	08/28/2017	1.2	19.8	0.5	0.0	0.12	6.69	20.26	68.6	1,591.4	-
RW-28S	11/28/2017	1.4	21.2	0.1	0.0	8.67	6.79	16.03	-57.5	1,170	-
RW-28S	02/20/2018	0.2	20.8	0.0	0.0	-	-	-	-	-	-
RW-28S	02/21/2018	-	-	-	-	3.95	6.45	16.23	42.6	1,390	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-28S	05/21/2018	3.8	17.4	0.7	0.0	0.64	6.30	12.83	52.7	1,452.9	-
RW-28S	08/13/2018	0.4	10.3	0.9	0.0	0.31	6.81	18.84	223.5	1,720	-
RW-28S	11/12/2018	1.1	19.8	0.3	0.0	6.02	4.71	18.33	105.5	21	-
RW-28S	02/11/2019	0.9	19.8	0.5	0.0	-	-	-	-	-	-
RW-28S	02/14/2019	-	-	-	-	0.55	7.03	10.72	-26	2,090	226
RW-28S	05/20/2019	0.1	20.9	0.4	0.0	-	-	-	-	-	-
RW-28S	05/21/2019	-	-	-	-	0.88	6.82	14.72	-24.4	1,345	-
RW-28S	08/19/2019	1.0	18.6	1.0	0.0	-	-	-	-	-	-
RW-28S	08/20/2019	-	-	-	-	0.30	7.69	21.09	-88.1	965	-
RW-28S	11/18/2019	0.6	7.6	2.6	0.0	-	-	-	-	-	-
RW-28S	11/19/2019	-	-	-	-	0.17	7.06	17.96	-76.2	1,078	-
RW-28S	02/17/2020	1.5	4.8	1.8	0.0	0.76	6.89	12.89	-2.5	1,840	-
RW-30S	10/10/2014	6.8	7.6	-	-	0.31	6.64	18.50	-59.9	1,155	-
RW-30S	10/15/2014	15.5	17.2	-	-	-	6.69	19.02	-114.8	1,084	-
RW-30S	10/15/2014	74.4	10.5	-	-	0.69	6.61	19.43	-60.0	1,030	-
RW-30S	10/20/2014	2.8	11.5	4.0	0.0	-	-	-	-	-	-
RW-30S	02/24/2015	16.5	12.8	0.3	0.2	0.40	6.74	14.15	-51.7	742	-
RW-30S	05/11/2015	49.6	13.4	2.9	0.0	0.81	6.70	13.04	7.0	680	-
RW-30S	08/04/2015	18.3	16.0	0.5	1.1	1.96	7.12	16.90	-93.7	780	-
RW-30S	12/01/2015	32.1	15.7	2.6	0.1	0.27	6.75	17.86	-68.4	1,040	-
RW-30S	03/14/2016	16.4	18.4	2.1	0.3	-	-	-	DRY	-	-
RW-30S	04/21/2016	122.4	20.2	0.6	0.2	-	-	-	-	-	-
RW-30S	05/23/2016	36.4	20.6	0.4	0.0	-	-	-	DRY	-	-
RW-30S	08/24/2016	86.5	-	-	-	-	-	-	-	-	-
RW-30S	08/30/2016	134.3	21.2	0.3	0.0	-	-	-	DRY	-	-
RW-30S	11/28/2016	-	-	-	-	7.59	8.02	14.77	-22.00	875	-
RW-30S	12/08/2016	0.3	20.9	0.0	0.0	-	-	-	-	-	-
RW-30S	02/21/2017	13.4	20.9	0.0	0.0	8.68	7.90	11.57	50.5	1,140	-
RW-30S	05/22/2017	15.9	20.9	0.1	0.0	-	-	-	DRY	-	-
RW-30S	07/10/2017	-	-	-	-	-	6.90	-	-	-	-
RW-30S	08/28/2017	0.3	19.9	0.2	0.0	-	-	-	DRY	-	-
RW-30S	11/28/2017	4.5	21.4	0.1	0.0	-	-	-	DRY	-	-
RW-30S	02/20/2018	16.3	20.9	0.0	0.0	-	-	-	-	-	-
RW-30S	02/21/2018	-	-	-	-	-	-	-	DRY	-	-
RW-30S	05/21/2018	3.0	18.6	0.1	0.0	2.02	6.58	12.96	42.50	855.50	-
RW-30S	08/13/2018	0.8	16.0	0.9	0.0	2.00	6.69	17.29	1.60	1,330	-
RW-30S	11/12/2018	0.4	19.7	1.2	0.0	1.51	4.35	18.94	68.90	1,093	-
RW-30S	02/11/2019	0.4	17.6	2.5	0.0	-	-	-	-	-	-
RW-30S	02/13/2019	-	-	-	-	0.31	7.05	13.23	12.40	810	-
RW-30S	05/20/2019	0.2	20.9	0.1	0.0	-	-	-	-	-	-
RW-30S	05/21/2019	-	-	-	-	0.34	7.07	15.75	36.0	796	-
RW-30S	08/19/2019	0.8	20.0	0.1	0.0	-	-	-	-	-	-
RW-30S	08/20/2019	-	-	-	-	2.35	7.95	21.00	8.3	822	-
RW-30S	11/18/2019	0.0	7.9	3.7	0.0	-	-	-	-	-	-
RW-30S	11/19/2019	-	-	-	-	1.82	7.23	18.46	-93.4	693	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-30S	02/17/2020	2.3	7.2	3.7	0.0	-	-	-	-	-	-
RW-116S	08/04/2015	3.8	13.8	3.9	0.6	0.07	6.68	16.35	-77.4	1,710	-
RW-116S	12/01/2015	50.7	18.8	0.6	1.2	0.06	6.62	16.97	-78.7	1,350	-
RW-116S	03/14/2016	25.1	20.2	0.8	0.2	0.65	6.59	14.49	-92.3	1,150	-
RW-116S	04/21/2016	157.5	17.9	1.6	0.3	6.24	6.71	14.11	18.4	700	-
RW-116S	05/23/2016	29.5	20.9	0.1	0.0	7.89	6.56	14.51	55.8	620	-
RW-116S	08/24/2016	45.7	-	-	-	6.47	3.15	19.33	427.7	1,560	-
RW-116S	08/30/2016	110.3	22.0	0.0	0.0	-	-	-	-	-	-
RW-116S	11/28/2016	-	-	-	-	8.59	3.09	13.74	212.4	1,157	-
RW-116S	12/08/2016	12.2	20.9	0.1	0.0	-	-	-	-	-	-
RW-116S	02/21/2017	8.5	20.9	0.0	0.0	4.30	6.57	12.84	31.8	680	-
RW-116S	05/22/2017	0.0	20.7	0.4	0.0	4.62	6.95	15.24	-6.3	603	-
RW-116S	07/10/2017	-	-	-	-	-	4.33	-	-	-	-
RW-116S	07/19/2017	-	-	-	-	-	4.42	-	-	-	-
RW-116S	08/28/2017	9.4	20.9	0.1	0.0	DRY					
RW-116S	11/28/2017	3.7	21.2	0.0	0.0	2.19	6.79	16.61	-63.2	1,580	-
RW-116S	02/20/2018	10.5	2.3	6.4	0.0	-	-	-	-	-	-
RW-116S	02/21/2018	-	-	-	-	3.43	6.22	16.34	-36.6	2,340	-
RW-116S	05/21/2018	2.5	19.3	0.7	0.0	0.15	6.42	14.88	-16.7	1,477	-
RW-116S	08/13/2018	2.9	20.6	0.0	0.0	0.25	4.55	16.48	169.2	3,830	-
RW-116S	10/18/2018	-	-	-	-	-	6.52	-	-	-	-
RW-116S	11/12/2018	8.5	20.9	0.2	0.0	2.5	5.07	16.11	56.7	304	-
RW-116S	11/27/2018	-	-	-	-	-	5.60	-	-	-	-
RW-116S	01/10/2019	-	-	-	-	-	6.19	-	-	-	-
RW-116S	02/11/2019	0.2	20.9	0.7	0.0	-	-	-	-	-	-
RW-116S	02/13/2019	-	-	-	-	0.44	6.43	13.28	37.8	357	-
RW-116S	04/02/2019	-	-	-	-	-	6.10	-	-	-	-
RW-116S	05/20/2019	0.7	20.4	0.7	0.0	-	-	-	-	-	-
RW-116S	05/23/2019	-	-	-	-	0.19	6.32	13.58	-88.1	347	-
RW-116S	06/18/2019	-	-	-	-	-	6.28	-	-	-	-
RW-116S	07/23/2019	-	-	-	-	-	6.47	-	-	-	-
RW-116S	08/19/2019	17.6	20.3	0.0	0.0	-	-	-	-	-	-
RW-116S	08/21/2019	-	-	-	-	0.11	6.88	17.72	-102.4	438	-
RW-116S	11/18/2019	19.2	9.4	6.2	0.0	-	-	-	-	-	-
RW-116S	11/22/2019	-	-	-	-	0.39	6.95	16.67	-45.9	1,322	-
RW-116S	02/17/2020	19.2	2.1	10.8	0.0	-	-	-	-	-	-
RW-116S	02/19/2020	-	-	-	-	0.29	6.59	12.63	-84.2	2,381	-
RW-117S	08/04/2015	3.2	20.5	0.0	0.0	0.27	6.92	16.29	-76.5	1,740	-
RW-117S	12/01/2015	422.3	17.3	3.1	2.1	0.06	6.64	17.06	-100.6	1,420	-
RW-117S	03/14/2016	84.0	19.6	1.2	0.2	DRY					
RW-117S	04/21/2016	74.5	20.8	0.1	0.2	DRY					
RW-117S	05/23/2016	54.0	20.9	0.2	0.0	DRY					
RW-117S	08/24/2016	52.0	-	-	-	DRY					
RW-117S	08/30/2016	290.6	21.2	0.3	0.0	6.21	5.62	21.90	131.90	1,320	-
RW-117S	11/28/2016	-	-	-	-	2.83	7.19	15.87	-59.60	1,124	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
RW-117S	12/08/2016	16.9	20.9	0.1	0.0	-	-	-	-	-	-
RW-117S	02/21/2017	9.1	20.9	0.0	0.0			DRY			
RW-117S	05/22/2017	0.0	20.3	0.3	0.0			DRY			
RW-117S	08/28/2017	0.0	20.9	0.0	0.0	2.85	7.08	18.97	65.9	2,806.7	-
RW-117S	08/31/2017	-	-	-	-	-	4.97	21.6	-	-	-
RW-117S	11/28/2017	0.3	21.6	0.0	0.0			DRY			
RW-117S	02/20/2018	1.8	14.0	4.2	0.0	-	-	-	-	-	-
RW-117S	02/21/2018	-	-	-	-			DRY			
RW-117S	05/21/2018	0.2	20.7	0.0	0.0			DRY			
RW-117S	08/13/2018	0.8	19.7	0.7	0.0	0.59	6.55	16.46	-45.10	2790	-
RW-117S	10/02/2018	-	-	-	-	-	6.13	-	-	-	-
RW-117S	10/18/2018	-	-	-	-	-	6.64	-	-	-	-
RW-117S	11/12/2018	20.6	20.9	0.3	0.0	2.7	4.90	16.04	61.70	503	-
RW-117S	11/27/2018	-	-	-	-	-	5.93	-	-	-	-
RW-117S	01/10/2019	-	-	-	-	-	5.72	-	-	-	-
RW-117S	02/11/2019	3.1	9.1	4.7	0.0	-	-	-	-	-	-
RW-117S	02/13/2019	-	-	-	-	0.19	6.47	13.85	-112	516	90.2
RW-117S	04/02/2019	-	-	-	-	-	5.90	-	-	-	-
RW-117S	05/20/2019	64.8	6.8	5.9	0.0	-	-	-	-	-	-
RW-117S	05/22/2019	-	-	-	-	0.25	6.51	14.02	-66.7	511	-
RW-117S	06/18/2019	-	-	-	-	-	5.72	-	-	-	-
RW-117S	08/19/2019	12.3	20.4	0.1	0.0	-	-	-	-	-	-
RW-117S	08/21/2019	-	-	-	-	0.12	6.71	17.71	-125.0	598	-
RW-117S	11/18/2019	8.8	16.0	2.6	0.0	-	-	-	-	-	-
RW-117S	11/19/2019	-	-	-	-	1.75	6.74	16.64	-73.2	659	-
RW-117S	02/17/2020	27.2	2.6	11.9	0.0	-	-	-	-	-	-
RW-118S	08/04/2015	19.6	6.4	7.3	0.1	0.14	6.78	16.32	-59.8	1,350	-
RW-118S	08/29/2017	-	-	-	-	-	6.12	18.1	-	-	-
RW-118S	11/28/2017	-	-	-	-	-	6.23	-	-	-	-
RW-118S	02/13/2019	-	-	-	-	0.21	6.18	13.9	-64	646	14.7
RW-118S	05/22/2019	-	-	-	-	0.10	6.27	14.26	-39	635	-
RW-119S	08/04/2015	2.4	12.8	3.4	2.1	0.03	6.69	16.60	-15.9	1,020	-
RW-119S	07/10/2017	-	-	-	-	-	6.48	-	-	-	-
RW-119S	11/28/2017	-	-	-	-	-	6.87	-	-	-	-
RW-119S	02/12/2019	-	-	-	-	0.38	6.83	14.97	8.6	874	-
RW-119S	05/20/2019	-	-	-	-	0.14	6.90	15.35	-19.0	811	-
RW-119S	08/19/2019	-	-	-	-	0.52	7.71	17.30	-43.7	780	-
RW-119S	11/22/2019	-	-	-	-	0.54	7.22	16.07	-133.5	995	-
RW-119S	02/19/2020	-	-	-	-	0.47	7.11	11.87	-111.9	1,192	-
TW-02	10/13/2014	0.3	17.4	-	-	1.01	6.43	18.32	-	523	-
TW-02	10/23/2014	-	-	-	-	0.65	6.70	17.24	-63.8	1,189	-
TW-02	02/24/2015	0.0	19.9	0.3	0.3	-	-	-	-	-	-
TW-02	02/25/2015	-	-	-	-	1.56	6.24	8.82	96.2	991	-
TW-02	05/11/2015	-	-	-	-	1.62	6.60	21.64	-49.5	1,230	-
TW-02	08/05/2015	-	-	-	-	0.27	6.82	18.28	-68.9	792	31.9

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
TW-02	08/24/2016	-	-	-	-	0.34	7.10	17.85	-133.2	849	3.95
TW-02	11/28/2017	-	-	-	-	0.14	6.87	17.80	-138.8	474	6.27
TW-02*	02/13/2019	-	-	-	-	1.89	8.61	13.81	-430.6	508	50.0
TW-02*	05/20/2019	-	-	-	-	0.04	6.30	15.22	92.2	869	45.7
TW-02*	08/20/2019	-	-	-	-	0.04	6.46	17.70	-105.6	612	3.38
TW-02*	11/18/2019	-	-	-	-	0.22	9.46	16.95	-146.0	640	7.52
TW-02*	02/18/2020	-	-	-	-	0.28	6.52	15.22	206.3	798	4.02
TW-03	10/13/2014	0.3	19.5	-	-	1.86	5.73	19.23	-	503	-
TW-03	10/23/2014	-	-	-	-	0.71	6.12	18.54	38.1	489	-
TW-03	02/24/2015	0.0	3.1	10.4	0.3	-	-	-	-	-	-
TW-03	02/25/2015	-	-	-	-	0.75	6.21	8.92	64.8	609	-
TW-03	05/11/2015	0.0	8.5	10.2	0.0	2.03	5.77	20.61	110.5	480	-
TW-03	08/04/2015	0.0	7.8	14.3	0.0	0.26	5.40	21.76	80.4	602	70.6
TW-03	03/14/2016	0.0	9.2	8.0	0.1	-	-	-	-	-	-
TW-03	05/23/2016	WELL OPEN & BEING SAMPLED UPON ARRIVAL, NEVER RECEIVED LOW-FLOW SAMPLING DATA									
TW-03	08/24/2016	164.4	-	-	-	-	-	-	-	-	-
TW-03	08/25/2016	-	-	-	-	0.24	5.33	22.34	92.4	762	5.87
TW-03	08/30/2016	132.6	21.8	0.1	0.0	-	-	-	-	-	-
TW-03	11/28/2016	5.7	19.0	1.8	0.0	0.93	5.68	18.07	98.1	629	4.42
TW-03	02/21/2017	0.4	19.4	0.9	0.0	3.39	5.84	12.94	48.5	470	-
TW-03	05/22/2017	1.0	14.5	1.3	0.0	0.56	5.43	15.99	105.6	971	10.0
TW-03	08/28/2017	0.9	10.1	6.1	0.0	1.07	7.19	19.79	60.2	590	-
TW-03	11/28/2017	0.2	19.5	1.0	0.0	1.04	5.69	19.24	32.5	1,179	8.7
TW-03	02/20/2018	0.2	18.5	0.5	0.0	-	-	-	-	-	-
TW-03	02/21/2018	-	-	-	-	3.98	6.70	20.57	121.9	970	-
TW-03	05/21/2018	0.2	17.9	0.3	0.0	0.95	5.62	15.49	77.5	1,131	-
TW-03	08/13/2018	0.5	6.0	14.1	0.0	0.14	5.48	20.79	83.5	1,169	4.6
TW-03	11/12/2018	0.1	9.4	9.8	0.0	0.13	5.74	17.83	171.3	1,110	2.69
TW-03	02/11/2019	0.0	8.8	2.2	0.0	-	-	-	-	-	-
TW-03*	02/13/2019	-	-	-	-	2.50	6.21	10.62	-293.5	952	3.13
TW-03*	05/20/2019	0.0	20.6	1.6	0.0	-	5.53	15.91	197.3	671	20.0
TW-03	08/19/2019	0.0	9.4	12.0	0.0	-	-	-	-	-	-
TW-03*	08/21/2019	-	-	-	-	0.23	5.34	21.66	76.4	1,030	1.28
TW-03	11/18/2019	0.0	12.2	7.0	0.0	-	-	-	-	-	-
TW-03*	11/19/2019	-	-	-	-	0.38	6.06	16.95	7.3	1,050	5.41
TW-03	02/17/2020	2.1	20.0	1.0	0.0	-	-	-	-	-	-
TW-03*	02/18/2020	-	-	-	-	0.47	5.24	12.16	259.3	1,104	2.18
TW-04	10/13/2014	2.0	19.2	-	-	1.67	5.73	19.08	-	1,344	-
TW-04	10/23/2014	-	-	-	-	0.70	5.76	18.95	35.0	1,232	-
TW-04	02/24/2015	1.2	15.7	4.4	0.3	-	-	-	-	-	-
TW-04	02/25/2015	-	-	-	-	2.36	5.86	6.96	65.1	1,862	-
TW-04	05/11/2015	-	-	-	-	1.92	6.19	19.77	-22.7	1,390	-
TW-04	08/04/2015	-	-	-	-	0.16	6.23	19.04	-35.7	1,203	210
TW-04	08/24/2016	-	-	-	-	0.75	6.17	20.20	-23.4	1,534	6.96

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
TW-04	08/30/2016	77.1	21.6	0.0	0.0	-	-	-	-	-	-
TW-04	11/28/2017	-	-	-	-	4.60	5.59	17.69	32.1	2,194	over range
TW-04*	02/11/2019	-	-	-	-	1.82	5.98	10.61	26.9	824	75.2
TW-04*	05/20/2019	-	-	-	-	1.21	5.59	14.61	94.5	1,055	23.8
TW-04*	08/20/2019	-	-	-	-	1.45	5.66	19.52	9.9	1,765	9.41
TW-04*	11/18/2019	-	-	-	-	1.99	7.00	17.42	28.5	1,876	4.19
TW-04*	02/17/2020	-	-	-	-	6.89	5.22	12.71	287.6	1,516	6.88
TW-05	10/13/2014	129.3	17.0	-	-	1.26	5.23	18.64	61.2	1,204	-
TW-05	10/15/2014	8.7	20.5	-	-	-	-	-	-	-	-
TW-05	10/20/2014	16.0	20.6	0.1	0.0	-	-	-	-	-	-
TW-05	10/23/2014	-	-	-	-	0.85	5.73	19.04	49.2	1,121	-
TW-05	02/24/2015	16.0	11.1	8.6	0.7	-	-	-	-	-	-
TW-05	02/25/2015	-	-	-	-	0.85	6.19	7.42	37.1	992	-
TW-05	05/11/2015	22.1	4.6	12.9	0.0	0.15	5.60	18.61	54.0	800	-
TW-05	08/04/2015	8.2	7.2	13.3	0.0	0.38	5.86	19.61	21.5	901	87.0
TW-05	03/14/2016	0.3	12.3	6.5	0.0	-	-	-	-	-	-
TW-05	05/23/2016	31.7	20.8	0.2	0.0	DID NOT RECEIVE LOW-FLOW SAMPLING DATA					
TW-05	08/25/2016	21.2	20.1	0.3	0.0	6.97	6.15	22.25	-1.1	1,303	171
TW-05	11/28/2016	0.8	20.9	0.0	0.0	-	-	-	-	-	-
TW-05	11/29/2016	-	-	-	-	5.11	6.06	17.85	21.0	1,076	36.5
TW-05	02/21/2017	3.1	20.9	0.0	0.0	2.75	6.17	12.44	27.0	1,040	-
TW-05	05/22/2017	0.8	20.9	0.2	0.1	0.47	6.03	15.39	32.1	1,423	50.8
TW-05	08/28/2017	13.9	19.9	0.1	0.0	1.50	5.65	21.33	75.7	1,329	-
TW-05	11/28/2017	0.4	20.9	0.0	0.0	3.99	5.23	17.14	44.9	1,853	2,195
TW-05	02/20/2018	0.4	20.5	0.0	0.0	-	-	-	-	-	-
TW-05	02/21/2018	-	-	-	-	2.70	4.35	15.48	204.4	2,060	-
TW-05	05/21/2018	6.7	19.8	0.0	0.0	-	-	-	-	-	-
TW-05	08/13/2018	399.2	19.4	0.6	0.0	-	-	-	-	-	-
TW-05	10/02/2018	-	-	-	-	-	6.71	-	-	-	-
TW-05	11/12/2018	1.6	20.9	0.0	0.0	1.0	5.11	16.61	194.7	640	36.2
TW-05	01/10/2019	-	-	-	-	-	4.12	-	-	-	-
TW-05	02/11/2019	0.0	20.9	1.2	0.0	-	-	-	-	-	-
TW-05*	02/13/2019	-	-	-	-	4.13	5.97	10.53	-303.5	840	2.64
TW-05	04/02/2019	-	-	-	-	-	5.80	-	-	-	-
TW-05*	05/20/2019	0.6	20.6	0.1	0.0	1.78	4.76	15.18	296.9	915	97.4
TW-05	06/18/2019	-	-	-	-	-	4.87	-	-	-	-
TW-05	07/23/2019	-	-	-	-	-	4.35	-	-	-	-
TW-05	08/19/2019	53.0	11.1	7.1	0.0	-	-	-	-	-	-
TW-05*	08/21/2019	-	-	-	-	4.39	4.88	21.37	9.9	1,385	35.9
TW-05	11/18/2019	22.5	7.6	10.1	0.0	-	-	-	-	-	-
TW-05*	11/19/2019	-	-	-	-	3.74	5.07	17.25	122.3	1,652	17.6
TW-05	02/17/2020	0.9	20.9	0.1	0.0	-	-	-	-	-	-
TW-05*	02/18/2020	-	-	-	-	4.32	5.20	11.75	277.7	1,090	3.19
TW-06	10/13/2014	39.8	14.4	-	-	1.31	6.42	18.99	-	983	-
TW-06	10/15/2014	78.9	11.0	-	-	1.33	6.54	21.65	-65.0	873	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
TW-06	10/15/2014	-	-	-	0.31	6.28	19.79	-46.8	986	-	
TW-06	10/20/2014	0.8	5.4	12.0	0.0	-	-	-	-	-	
TW-06	10/23/2014	-	-	-	0.84	6.51	18.95	-68.8	823	-	
TW-06	02/24/2015	0.7	5.0	8.9	0.3	-	-	-	-	-	
TW-06	02/25/2015	-	-	-	0.84	6.75	7.20	-32.9	882	-	
TW-06	05/11/2015	-	-	-	1.33	6.49	18.61	-69.1	710	-	
TW-06	08/04/2015	-	-	-	0.22	6.17	19.07	-36.8	975	30.5	
TW-06	12/01/2015	4.7	1.1	14.5	0.0	-	-	-	-	-	
TW-06	03/14/2016	0.0	11.6	4.1	0.1	-	-	-	-	-	
TW-06	04/21/2016	0.6	10.3	5.6	0.2	1.45	6.32	16.91	-24.4	620	-
TW-06	05/23/2016	0.0	20.8	0.1	0.0	-	-	-	-	-	
TW-06	05/24/2016	-	-	-	0.08	6.62	15.82	-17.3	921	-	
TW-06	08/24/2016	0.5	16.8	2.4	0.0	-	-	-	-	-	
TW-06	08/25/2016	-	-	-	0.17	6.02	21.24	-51.9	1,713	6.70	
TW-06	11/28/2016	29.5	16.7	1.3	0.1	-	-	-	-	-	
TW-06	11/29/2016	-	-	-	0.86	5.81	18.29	-13.5	1,708	3.21	
TW-06	02/21/2017	1.5	19.8	0.6	0.0	1.69	6.48	12.81	18.0	1,320	-
TW-06	05/22/2017	1.7	19.4	0.3	0.0	0.45	6.13	15.77	-12.6	1,386	1.41
TW-06	08/28/2017	4.5	16.3	1.3	0.0	1.62	5.49	21.06	77.0	1,567.1	-
TW-06	11/28/2017	0.1	20.8	0.0	0.0	0.26	4.39	19.12	142.3	2,413	16.20
TW-06	02/20/2018	3.4	19.5	0.1	0.0	-	-	-	-	-	
TW-06	02/21/2018	-	-	-	2.88	4.87	16.65	142.8	1,160	-	
TW-06	05/21/2018	1.0	19.0	0.0	0.0	0.78	5.32	15.59	127.5	708	-
TW-06	08/13/2018	12.2	13.6	2.5	0.0	0.23	5.03	19.18	109.3	512	2.74
TW-06	11/12/2018	0.2	20.9	0.2	0.0	1.91	6.08	15.33	184.1	356	2.01
TW-06	02/11/2019	0.0	20.9	0.2	0.0	-	-	-	-	-	
TW-06*	02/13/2019	-	-	-	2.69	6.20	11.82	-321.4	659	1.35	
TW-06*	05/20/2019	0.3	20.9	0.1	0.0	0.06	5.72	14.87	194.2	567	12.6
TW-06	08/19/2019	3.1	16.6	3.7	0.0	-	-	-	-	-	
TW-06*	08/21/2019	-	-	-	0.26	5.86	20.42	23.7	1,071	6.64	
TW-06	11/18/2019	0.0	11.9	5.2	0.0	-	-	-	-	-	
TW-06*	11/19/2019	-	-	-	0.27	6.72	17.68	2.8	1,275	8.64	
TW-06	02/17/2020	4.1	20.9	0.1	0.0	-	-	-	-	-	
TW-06*	02/18/2020	-	-	-	0.54	5.84	12.15	257.5	625	2.89	
TW-07	10/13/2014	33.5	16.4	-	-	1.40	4.96	19.08	-	580	-
TW-07	10/15/2014	15.6	15.4	-	-	0.40	4.94	20.81	97.9	569	-
TW-07	10/20/2014	0.0	14.6	5.0	0.0	-	-	-	-	-	
TW-07	10/23/2014	-	-	-	-	0.41	4.99	19.04	139.5	415	-
TW-07	02/24/2015	0.0	14.4	7.2	0.3	-	-	-	-	-	
TW-07	02/25/2015	-	-	-	-	1.53	5.07	7.15	244.8	640	-
TW-07	05/11/2015	0.0	9.0	11.0	0.0	2.02	4.70	20.64	202.2	660	-
TW-07	08/04/2015	0.0	7.2	16.9	0.0	0.20	4.39	22.88	150.0	629	65.8
TW-07	03/14/2016	0.0	18.8	2.3	0.1	-	-	-	-	-	
TW-07	05/23/2016	2.3	19.9	0.7	0.0	-	-	-	-	-	
TW-07	05/24/2016	-	-	-	-	0.90	4.85	15.88	206.9	653	-

Table 4

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)
TW-07	08/24/2016	1.6	-	-	-	-	-	-	-	-	-
TW-07	08/25/2016	-	-	-	-	6.99	4.58	24.52	223.9	722	45
TW-07	08/30/2016	98.2	21.7	0.0	0.0	-	-	-	-	-	-
TW-07	11/28/2016	0.5	20.9	1.0	0.0	-	-	-	-	-	-
TW-07	11/30/2016	-	-	-	-	6.66	4.60	15.79	172.6	524	3.92
TW-07	02/21/2017	0.2	20.0	0.5	0.0	2.27	4.90	11.29	56.2	580	-
TW-07	05/22/2017	0.8	18.9	0.9	0.0	0.89	4.89	17.01	149.0	788	20.0
TW-07	08/28/2017	0.1	20.0	0.3	0.0	1.92	5.97	21.69	74.2	1,011.5	-
TW-07	11/28/2017	0.0	20.6	0.3	0.0	2.25	5.11	16.23	121.0	922.0	3,373 (au)
TW-07	02/20/2018	0.1	20.3	0.2	0.0	-	-	-	-	-	-
TW-07	02/21/2018	-	-	-	-	3.25	6.13	18.48	94.5	420	-
TW-07	05/21/2018	0.0	19.7	0.0	0.0	1.13	5.52	17.54	91.7	606	-
TW-07	08/13/2018	1.0	9.3	10.5	0.0	0.81	5.00	22.62	151.5	626	0.70
TW-07	11/12/2018	0.0	13.8	3.4	0.0	0.88	4.87	16.24	55.8	730	1.75
TW-07*	02/11/2019	0.0	20.9	0.2	0.0	4.46	5.39	7.81	83.9	420	6.34
TW-07*	05/20/2019	0.0	20.9	0.1	0.0	0.23	5.46	17.46	199.5	361	72.8
TW-07	08/19/2019	0.0	19.0	1.6	0.0	-	-	-	-	-	-
TW-07*	08/21/2019	-	-	-	-	3.53	4.70	24.59	151.6	1,186	2.11
TW-07	11/18/2019	0.0	19.6	1.5	0.0	-	-	-	-	-	-
TW-07*	11/18/2019	-	-	-	-	3.00	6.44	13.68	46.3	1,101	1.85
TW-07	02/17/2020	2.8	17.2	3.2	0.0	-	-	-	-	-	-
TW-07*	02/17/2020	-	-	-	-	3.39	5.31	10.52	338.7	746	9.92
TW-12S	10/10/2014	0.8	18.5	-	-	-	-	-	-	-	-
TW-12S	02/24/2015	0.0	15.0	2.8	0.3	-	-	-	-	-	-
TW-14	10/10/2014	2.3	19.5	-	-	-	-	-	-	-	-
TW-14	10/20/2014	0.0	20.0	0.7	0.0	-	-	-	-	-	-
TW-14	10/23/2014	-	-	-	-	1.99	7.48	19.13	-47.2	562	-
TW-14	02/24/2015	0.0	20.3	0.3	0.3	-	-	-	-	-	-
TW-14	02/25/2015	-	-	-	-	3.80	7.18	3.96	-6.1	465	-
TW-14	05/11/2015	-	-	-	-	1.16	7.14	22.53	-114.6	760	-
TW-14	08/06/2015	-	-	-	-	0.73	6.88	24.20	-107.8	828	-
TW-14	08/24/2016	-	-	-	-	1.20	7.20	24.48	-58.7	517	1.17
TW-14	08/30/2017	-	-	-	-	8.66	6.52	21.9	-61.9	852	680 (au)
TW-14	11/12/2018	-	-	-	-	3.35	7.12	13.2	24.5	410	0.38
TW-14*	02/13/2019	-	-	-	-	1.25	6.91	5.5	-18.3	501	71.00
TW-14*	05/20/2019	-	-	-	-	0.49	6.89	17.98	-61.7	693	12.1
TW-14*	08/20/2019	-	-	-	-	1.83	6.79	15.5	-115.1	871	72.90
TW-14*	02/17/2020	-	-	-	-	3.32	7.33	7.1	225.3	577	0.65

Notes:

- = Not available

mV = Millivolts

% = Percent

ORP = Oxidation-Reduction Potential

µS/cm = Microsiemens per centimeter

ppm = Parts per million

deg C = Degrees Celsius

NTU = Nephelometric Turbidity Unit

mg/L = Milligrams per liter

DRY = Not enough water in well to take measurements.

(cont.) = continued

PRODUCT = No measurements taken due to product in the well.

*Table 4*

**HISTORICAL GROUNDWATER FIELD PARAMETERS DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Head Space Photo Ionization Detector (ppm)	Head Space Oxygen (%)	Head Space Carbon Dioxide (%)	Head Space Methane (%)	Dissolved Oxygen (mg/L)	Well pH	Well Temperature (deg C)	ORP (mV)	Specific Conductance (µS/cm)	Turbidity (NTU)

AU = Attenuation Unit. The light is measured at 180 degrees to incident beam, versus and unlike NTU, which is measured at 90 degrees to incident beam.

\* = Select measurements (dissolved oxygen, temperature, pH, ORP, specific conductance, turbidity) were collected by

Table 5

**HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO <sub>4</sub> (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO <sub>3</sub> )	Ferrous Iron (mg/L)	Manganese (mg/L)
MW-01S	10/22/2014	4,200	-	-	130	0.044 J	0.037 J	306	31.4	-
MW-01S	3/16/2016	4,500	-	-	27.9	<0.040	0.017 J	367	9.3	14.5
MW-01S	8/25/2016	1,200	-	-	257	<0.040	<0.015	226	15.1	10.4
MW-01S	2/22/2017	500	-	-	312	<0.040	0.030 J	138	33.5	8.49
MW-01S	5/24/2017	528	-	-	174	<0.11	<0.010	221	17.4	7.79
MW-01S	8/29/2017	2,730	46.6	-	170	<0.11	<0.010	292	2.3	10.1
MW-01S	11/29/2017	2,330	-	-	29	<0.11	<0.010	437	3.4	9.54
MW-01S	2/22/2018	5,030	-	-	119	<0.11	<0.010	374	0.2	12.6
MW-01S	5/24/2018	2,130	-	-	22.8	0.16	0.023	258	<0.2	5.86
MW-01S	8/14/2018	1,400	-	-	208.0	<0.040	<0.015	195	43.4	14.8
MW-01S	2/12/2019	680 E	-	-	170	<0.040	<0.015	260	50.8	10.2
MW-01S	5/20/2019	1,200	-	-	199	<0.040	<0.015	274	29.7	11.1
MW-01S	8/20/2019	390	-	-	189	<0.040	<0.015	284	19.9	11.9
MW-01S	11/20/2019	47	-	-	243	<0.040	<0.015	204	53.6	8.45
MW-01S	2/18/2020	4.3 J	-	-	228	<0.040	0.034 J	171	31.3	6.26
MW-08S	8/29/2017	-	202	-	696	-	-	122	-	-
MW-08S	11/29/2017	-	-	-	524	-	-	-	-	-
MW-08S	2/20/2018	-	-	-	444	-	-	-	-	-
MW-08S	5/21/2018	-	-	-	643	-	-	-	-	-
MW/RW-10S	10/22/2014	1,100	-	-	33.1	<0.040	0.037 J	461	62.8	-
MW/RW-10S	3/14/2016	1,800	-	-	193	<0.040	0.088	427	129	4.04
MW/RW-10S	5/24/2016	11	-	-	716	<0.040	<0.015	0.7 J	31.2	4.85
MW/RW-10S	8/25/2016	<3.0	-	-	824	0.076 J	<0.015	25.5	5.1	3.6
MW/RW-10S	11/29/2016	<3.0	-	-	488	0.21	<0.015	128	206	2.83
MW/RW-10S	8/29/2017	3.9	442	-	2150	0.64	<0.010	<5	199	8.89
MW/RW-10S	11/30/2017	<0.11	-	-	1640	<0.11	<0.010	75.2	242	10.8
MW/RW-10S	2/22/2018	16.7	-	-	1240	<0.11	<0.010	90.3	257	9.85
MW/RW-10S	5/24/2018	10.1	-	-	763	<0.11	<0.010	115	182	5.73
MW/RW-10S	8/14/2018	54	-	-	838	0.93	0.059	248	136	6.66
MW/RW-10S	11/13/2018	9.7	-	-	407	<0.040	<0.015	<1.7	66.4	3.38
MW/RW-10S	2/15/2019	31	-	-	291	<0.040	<0.015	39.4	86.4	3.93
MW/RW-10S	5/22/2019	19	-	-	197	<0.040	<0.015	46.8	42.0	2.51
MW/RW-10S	8/21/2019	25	-	-	261	<0.040	<0.015	45.9	48.4	3.92
MW/RW-10S	11/21/2019	32	-	-	310	<0.040	0.047 J	256	176.0	6.58
MW/RW-10S	2/19/2020	170	-	-	505	<0.040	0.025 J	208	188	4.54
MW-11	10/22/2014	120	-	-	71.9	<0.040	<0.015	55	0.059	-
MW-11	2/26/2015	200	-	-	79.8	<0.040	<0.015	39	0.37	1.64
MW-11	5/12/2015	280	-	-	70.5	<0.040	<0.015	40.8	0.75	1.73
MW-11	8/6/2015	450	-	-	118	<0.040	0.049 J	356	21.9	5.67
MW-11	11/13/2018	2000	-	-	190	0.089 J	<0.015	162	41.0	11.2
MW/RW-14	2/25/2015	230	-	-	51.4	0.7	<0.015	63	2.5	8.66
MW/RW-14	5/12/2015	660	-	-	44.3	0.6	0.023 J	76.8	6.3	8.54
MW/RW-14	8/6/2015	1,800	-	-	45.9	0.15	0.11	304	18	15.1

Table 5

**HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW/RW-14	3/15/2016	5,800	-	-	23.8	<0.040	0.050 J	171	22.2	6.81
MW/RW-14	8/25/2016	<3.0	-	-	42.5	1.8	<0.015	10.9	0.12	0.485
MW/RW-14	11/29/2016	<3.0	-	-	37.9	1.60	<0.015	8.8	0.029 J	0.107
MW/RW-14	2/22/2017	6	-	-	40.3	1.50	<0.015	9.1	0.20	0.190
MW/RW-14	5/22/2017	1.5	-	-	37.7	1.80	<0.010	8.8	<0.20	0.044
MW/RW-14	11/30/2017	0.11	-	-	41.4	1.80	<0.010	6.7	<0.20	<0.015
MW/RW-14	2/21/2018	0.11	-	-	37.6	1.80	<0.010	8.1	<0.20	0.0191
MW/RW-14	5/24/2018	64.80	-	-	45.2	0.79	<0.010	58.9	13.80	1.62
MW/RW-14	8/15/2018	<3.0	-	-	36.7	1.60	<0.015	9.7	0.36	0.32
MW/RW-14	11/13/2018	850	-	-	83.5	<0.040	<0.015	74.5	40.7	2.32
MW/RW-14	2/13/2019	2,200	-	-	41.8	<0.040	<0.015	198	62.5	3.88
MW/RW-14	5/22/2019	1,500	-	-	56.9	0.21	<0.015	95.1	30.7	1.46
MW/RW-14	8/20/2019	530	-	-	40.8	0.088 J	<0.015	48.3	5.88	0.373
MW/RW-14	11/19/2019	7,200	-	-	19.9	<0.040	0.075	190.0	50.3	2.81
MW/RW-14	2/19/2020	12,000	-	-	17.3	<0.040	0.028 J	265	-	-
MW-15S	8/29/2017	-	72.9	-	270	-	-	487	-	-
MW-15S	2/20/2018	-	-	-	73.2	-	-	-	-	-
MW-15S	5/22/2018	-	-	-	352	-	-	-	-	-
MW-16	8/30/2017	-	55.6	<0.2	212	-	-	39.5	-	-
MW-16	11/30/2017	-	-	-	222	-	-	22.7	-	-
MW-16	2/20/2018	-	-	-	243	-	-	-	-	-
MW-16	5/22/2018	-	-	-	275	-	-	-	-	-
MW-25S	11/29/2017	-	-	-	-	-	-	364	-	-
MW-25S	11/12/2018	-	-	-	-	-	-	15.2	-	-
MW-25S	2/12/2019	-	-	-	-	-	-	42.2	-	-
MW-25S	5/22/2019	-	-	-	-	-	-	47.9	-	-
MW-25S	8/20/2019	-	-	-	-	-	-	51.3	-	-
MW-25S	11/19/2019	-	-	-	-	-	-	294	-	-
MW-25S	2/19/2020	-	-	-	-	-	-	384	-	-
MW/RW-25	11/30/2017	-	-	-	-	-	-	14.4	-	-
MW/RW-25	11/12/2018	-	-	-	-	-	-	40.8	-	-
MW/RW-25	2/12/2019	73	-	-	338	<0.040	<0.015	90.9	30.4	3.94
MW/RW-25	5/20/2019	220	-	-	264	<0.040	<0.015	76.3	19.0	3.34
MW/RW-25	8/20/2019	340	-	-	246	<0.040	<0.15	59.2	17.8	2.95
MW/RW-25	11/19/2019	1200	-	-	227	<0.040	0.082	130	28.5	3.26
MW/RW-25	2/19/2020	960	-	-	186	<0.040	<0.015	183	27.5	2.88
MW-27	12/3/2015	2,500	-	-	112	<0.040	<0.015	424	33.4	10.9
MW-27	3/15/2016	-	-	-	214	<0.040	0.022 J	439	34	10.3
MW-27	5/25/2016	<3.0	-	-	452	<0.040	<0.015	44.3	4.4	6.85
MW-27	8/25/2016	<3.0	-	-	604	<0.040	<0.015	16.3	1.3	12.4
MW-27	11/29/2016	<3.0	-	-	293	0.16	<0.015	33.4	0.8	5.84
MW-27	2/22/2017	<3.0	-	-	322	<0.040	<0.015	15.4	0.53	5.51
MW-27	5/23/2017	1.4	-	-	352	<0.11	<0.010	42.0	0.61	8.12

Table 5

**HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW-27	11/29/2017	0.27	-	-	384	<0.11	<0.010	79.8	0.90	4.61
MW-27	2/21/2018	0.33	-	-	890	<0.11	<0.010	5.6	0.66	8.18
MW-27	5/24/2018	39.80	-	-	957	<0.11	<0.010	80.0	37.5	14.3
MW-27	8/14/2018	270	-	-	1,020	<0.040	<0.015	74.3	58.1	20.5
MW-27	11/14/2018	560	-	-	1,020	<0.040	<0.015	72.2	53.5	14.2
MW-27	2/14/2019	-	-	-	-	-	-	148	-	-
MW-27	5/21/2019	430	-	-	987	<0.040	<0.015	149	15.3	12.8
MW-27	8/20/2019	870	-	-	515	<0.040	0.16 J	195	25.0	10.8
MW-27	11/21/2019	720	-	-	659	<0.040	0.039 J	169	59.3	10.4
MW-27	2/17/2020	870	-	-	699	<0.040	0.069	177	82.4	13.3
MW/RW-31	10/23/2014	4,300	-	-	57.2	<0.040	<0.015	416	2.6	-
MW/RW-31	2/25/2015	5,000	-	-	69.7	<0.040	<0.015	487	9.3	9.84
MW/RW-31	5/13/2015	5,700	-	-	70.1	<0.040	<0.015	510	15.4	10.8
MW/RW-31	8/5/2015	5,400	-	-	85.3	<0.040	<0.015	482	10	5.52
MW/RW-31	11/30/2017	-	-	-	-	-	-	102	-	-
MW-33	10/23/2014	43	-	-	253	1.9	<0.015	119	0.068	-
MW-33	2/25/2015	9.8	-	-	235	2.5	<0.015	55.6	0.030 J	1.23
MW-33	5/13/2015	7.3	-	-	254	2	<0.015	81.7	0.075	0.975
MW-33	8/5/2015	17	-	-	253	1.8	<0.015	97.7	<0.010	0.605
MW-33	8/30/2017	-	-	-	-	-	-	41.5	-	-
MW-51S	10/22/2014	7,100	-	-	36.3	0.047 J	<0.015	564	28.7	-
MW-51S	2/26/2015	8,900	-	-	6.2	<0.040	0.12	518	82.4	4.49
MW-51S	5/13/2015	11,000	-	-	<1.5	<0.040	0.2	676	77.3	1.74
MW-51S	8/6/2015	10,000	-	-	26.1	<0.040	0.046	480	48.3	1.03
MW-51S	3/15/2016	13,000	-	-	535	<0.040	0.049 J	585	69	4.64
MW-51S	5/24/2016	3,800	-	-	884	<0.040	0.039 J	335	32	3.46
MW-51S	8/25/2016	1,700	-	-	895	<0.040	0.11	354	22	10.3
MW-51S	11/29/2016	4,800	-	-	138	<0.040	0.039 J	617	6.5	2.11
MW-51S	2/21/2017	2,400	-	-	60	<0.40	<0.15	477	2.4	4.08
MW-51S	5/24/2017	20.4	-	-	1,160	0.12	<0.010	52.5	80.8	14.1
MW-51S	8/29/2017	29.3	223	-	836	<0.11	<0.010	169	90.1	10.9
MW-51S	11/29/2017	418	-	-	464	<0.11	<0.010	493	135	5.7
MW-51S	2/22/2018	436	-	-	577	<0.11	<0.010	287	7.7	5.8
MW-51S	5/21/2018	-	-	-	604	-	-	341	-	-
MW-51S	5/24/2018	204	-	-	-	<0.11	<0.010	-	<0.20	6.54
MW-51S	8/15/2018	1,400	-	-	481	<0.040	<0.015	233	99.7	7.17
MW-51S	11/13/2018	86	-	-	384	<0.040	<0.015	108	102	7.35
MW-51S	2/14/2019	700	-	-	1,400	<0.040	<0.015	111	61.2	3.94
MW-51S	5/22/2019	490	-	-	199	<0.040	<0.015	133	59.3	3.89
MW-51S	8/21/2019	1,200	-	-	192	<0.040	<0.015	151	60.1	2.83
MW-51S	11/20/2019	3,100	-	-	73	<0.040	<0.015	222	37.0	1.19
MW-51S	2/18/2020	2,800	-	-	22.5	<0.040	<0.015	354	74.2	1.37
MW/RW-51	11/30/2017	-	-	-	-	-	-	70	-	-

Table 5

**HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW/RW-51	2/21/2018	-	-	-	157	-	-	-	-	-
MW/RW-51	5/22/2018	-	-	-	57.6	-	-	-	-	-
MW/RW-51	11/13/2018	-	-	-	-	-	-	79.0	-	-
MW/RW-51	2/14/2019	260	-	-	314	0.14	<0.015	125	29.4	14.8
MW/RW-51	5/22/2019	77	-	-	465	0.051 J	<0.015	55.4	42.7	27.2
MW/RW-51	8/21/2019	30	-	-	556	<0.040	0.019 J	39.8	46.0	31.7
MW/RW-51	11/20/2019	130	-	-	493	<0.040	0.11	184	85.0	23.3
MW/RW-51	2/18/2020	310	-	-	358	<0.040	0.038 J	296	104	35.3
MW-52	8/28/2017	-	-	-	-	-	-	93.8	-	-
MW-70	2/26/2015	<3.0	-	-	361	0.71	<0.015	35.1	0.048 J	2.62
MW-70	5/12/2015	3.4 J	-	-	357	0.7	<0.015	40.7	<0.50	6.13
MW-70	8/6/2015	<3.0	-	-	365	0.73	<0.015	29.6	0.089	1.29
MW-70	8/28/2017	-	-	-	-	-	-	24.6	-	-
MW/RW-72S	10/22/2014	4,400	-	-	80.3	0.093 J	0.019 J	328	9.1	-
MW/RW-72S	2/25/2015	3,600	-	-	64.5	<0.040	<0.015	615	16.7	8.49
MW/RW-72S	5/13/2015	4,100	-	-	130	<0.040	0.097	597	24.6	8.46
MW/RW-72S	8/5/2015	2,300	-	-	207	<0.040	0.067	697	30.7	11.7
MW/RW-72S	3/14/2016	310	-	-	508	<0.040	0.054	543	71.4	16.7
MW/RW-72S	5/25/2016	20	-	-	1,500	<0.040	<0.015	<0.7	51.9	34.8
MW/RW-72S	8/25/2016	15	-	-	982	<0.040	<0.015	<1.7	78.9	24.5
MW/RW-72S	5/23/2017	14	-	-	2,320	<0.11	<0.010	<5.0	238	56.6
MW/RW-72S	8/30/2017	16.1	657	-	3,260	<0.11	<0.010	<5.0	120	50.2
MW/RW-72S	11/30/2017	23.1	-	-	1,880	<0.11	<0.010	<5.0	110	34.5
MW/RW-72S	2/21/2018	0.28	-	-	2,010	0.36	0.043	<5.0	4.4	58.3
MW/RW-72S	5/24/2018	51.4	-	-	2,030	<0.11	<0.010	<5.0	35.2	27
MW/RW-72S	8/14/2018	990	-	-	1,500	<0.040	<0.015	<1.7	99.3	13.4
MW/RW-72S	11/14/2018	240	-	-	1,480	0.22	<0.015	<1.7	30.2	14.1
MW/RW-72S	2/14/2019	1000	-	-	1,160	<0.040	<0.015	<1.7	88.0	8.71
MW/RW-72S	5/22/2019	1200	-	-	928	<0.040	<0.015	<1.7	26.8	6.56
MW/RW-72S	8/22/2019	2100	-	-	621	<0.040	0.020 J	<2.6	49.3	3.76
MW/RW-72S	11/19/2019	190	-	-	1,120	<0.040	0.025 J	<2.6	56.5	8.82
MW/RW-72S	2/18/2020	260	-	-	1,210	<0.040	0.045 J	<2.6	153	12.9
MW/RW-72	10/22/2014	2,200	-	-	389	<0.040	<0.015	65.5	0.33	-
MW/RW-72	2/25/2015	490	-	-	396	<0.040	<0.015	72.7	4.8	18.8
MW/RW-72	5/13/2015	540	-	-	434	<0.040	0.057	101	10.8	17.5
MW/RW-72	8/5/2015	1,400	-	-	393	<0.040	<0.015	548	14.3	13.5
MW/RW-72	5/24/2016	<3.0	-	-	246	0.25	<0.015	24	0.073	1.72
MW/RW-72	8/25/2016	<3.0	-	-	351	0.12	<0.015	25.1	0.085	3.6
MW/RW-72	11/29/2016	<3.0	-	-	438	0.14	0.025 J	4 J	0.5	14.6
MW/RW-72	2/22/2017	<3.0	-	-	372	0.42	<0.015	2.8 J	0.017 J	1.88
MW/RW-72	5/23/2017	0.90	-	-	1,450	<0.11	<0.010	<5.0	0.58	34.9
MW/RW-72	11/29/2017	0.22	-	-	1,080	0.27	<0.010	<5.0	<0.20	22.8
MW/RW-72	2/21/2018	0.28	-	-	879	0.28	<0.010	<5.0	<0.20	5.24

Table 5

**HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW/RW-72	5/24/2018	17.40	-	-	1,390	<0.11	<0.010	<5.0	2.8	23.8
MW/RW-72	8/14/2018	220	-	-	1,720	<0.040	<0.015	<1.7	12.2	30.7
MW/RW-72	11/14/2018	390	-	-	1,130	<0.040	<0.015	<1.7	10.5	25.2
MW/RW-72	2/14/2019	80	-	-	1,160	<0.040	<0.015	<1.7	2.82	14.1
MW/RW-72	5/21/2019	360	-	-	1,130	<0.040	<0.015	<1.7	17.0	13.4
MW/RW-72	8/22/2019	750	-	-	922	0.044 J	<0.015	<2.6	28.9	12.7
MW/RW-72	11/19/2019	230	-	-	970	<0.040	<0.015	<2.6	3.7	25.4
MW/RW-72	2/18/2020	360	-	-	1,180	<0.040	<0.015	<2.6	5.48	29.7
MW-100S	11/29/2016	25	-	-	353	<0.040	0.20 J	37.5	71.6	11.5
MW-100S	8/30/2017	-	74	<0.2	269	-	-	116	-	-
MW-100S	11/30/2017	16.5	-	-	319	<0.11	<0.010	46.4	16.5	9.31
MW-100S	2/20/2018	-	-	-	333	-	-	-	-	-
MW-100S	5/22/2018	-	-	-	268	-	-	-	-	-
MW-100S	11/14/2018	51	-	-	256	0.47	0.038 J	84.2	5.61	2.20
MW-100S	11/20/2019	14	-	-	366	<0.040	0.030 J	39.5	57.6	11.50
MW-100	11/29/2016	12	-	-	56.3	2.60	0.061	29.2	0.19	0.902
MW-100	8/30/2017	-	7.15	<0.2	22.1	-	-	38.5	-	-
MW-100	11/30/2017	<0.11	-	-	47.3	1.9	<0.010	21.6	<1.0	0.446
MW-100	11/14/2018	5.1	-	-	55.3	2.4	<0.015	25.8	0.112	0.978
MW-100	11/20/2019	<3.0	-	-	39.6	3	<0.015	27.3	<0.0150	0.0102
MW-102	8/30/2017	-	-	-	-	-	-	44.6	-	-
MW-103	8/30/2017	-	-	-	-	-	-	55.4	-	-
MW-104	8/30/2017	-	9.28	-	29.2	-	-	256	-	-
MW-105	8/30/2017	-	-	-	-	-	-	117	-	-
MW-106	2/25/2015	260	-	-	1,600	<0.040	0.021 J	<7.0	122	2.23
MW-106	5/12/2015	960	-	-	1,160	<0.040	0.15	<0.70	50.1	1.49
MW-106	8/5/2015	2,100	-	-	1,010	<0.040	<0.015	35.1	32.7	1.38
MW-106	3/15/2016	1,600	-	-	1,250	<0.040	0.016 J	<0.70	25.1	1.67
MW-106	5/24/2016	3 J	-	-	1,310	<0.040	<0.015	<0.7	4.4	2.69
MW-106	8/25/2016	<3.0	-	-	1,270	<0.040	<0.015	<1.7	3.3	1.42
MW-106	11/29/2016	6.9	-	-	1,410	<0.040	<0.015	<1.7	9.6	1.55
MW-106	2/22/2017	4.3 J	-	-	1,310	<0.040	<0.015	<1.7	3.4	1.78
MW-106	5/23/2017	11.3	-	-	1,690	0.38	0.013	<5.0	5.2	4.28
MW-106	2/21/2018	0.14	-	-	1,700	<0.11	<0.010	<5.0	2.9	3.11
MW-106	5/24/2018	<0.11	-	-	823	0.24	<0.010	<5.0	<0.20	0.136
MW-106	8/14/2018	7.8	-	-	1,680	0.13	<0.015	<1.7	6.6	2.71
MW-106	11/13/2018	12	-	-	992	0.42	<0.015	<1.7	5.07	1.77
MW-106	2/14/2019	44	-	-	974	<0.040	<0.015	<1.7	14.9	1.54
MW-106	5/22/2019	47	-	-	1,140	<0.040	<0.015	<1.7	10.1	1.86
MW-106	8/22/2019	140	-	-	1,340	<0.040	<0.015	<2.6	155	3.32
MW-106	11/20/2019	170	-	-	1,320	<0.040	0.023 J	<2.6	183	4.31
MW-106	2/18/2020	61	-	-	1,130	0.12	<0.015	<2.6	11.8	1.71
MW-109S	10/20/2014	1,000	-	-	18.8	<0.040	0.037 J	368	8	-

Table 5

**HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
MW-109S	2/26/2015	140	-	-	55.4	<0.040	<0.015	196	3.1	2.64
MW-109S	5/12/2015	11	-	-	62.7	<0.040	<0.015	126	0.5	2.34
MW-112S	10/20/2014	4.1 J	-	-	99	0.71	<0.015	25	0.13	-
MW-112S	2/26/2015	<3.0	-	-	86.7	2.3	<0.015	13.3	0.029 J	0.649
MW-112S	5/12/2015	<3.0	-	-	98.9	2.5	<0.015	13.8	<0.010	0.597
MW-114	10/20/2014	16	-	-	40.5	1.5	0.16	66.7	0.066	-
MW-114	2/26/2015	<3.0	-	-	42.7	1.7	<0.015	68	0.016 J	0.102
MW-114	5/12/2015	<3.0	-	-	42.4	1.7	<0.015	68.2	0.035 J	0.0465
MW-121	12/2/2015	12,000	-	-	38.7	<0.040	0.033 J	353	66.7	28
MW-121	5/25/2016	3,300	-	-	115	<0.040	<0.015	374	81.4	22
MW-121	8/25/2016	100	-	-	186	<0.040	<0.015	331	14.5	12.6
MW-121	11/29/2016	1,500	-	-	227	<0.040	<0.015	302	24.7	10.3
MW-121	2/22/2017	490	-	-	297	<0.040	0.045 J	262	15.9	12.5
MW-121	5/24/2017	452	-	-	163	<0.11	<0.010	288	3.2	7.06
MW-121	8/29/2017	35.5	34.1	-	122	<0.11	<0.01	158	0.52	4.4
MW-121	11/29/2017	4	-	-	83.3	<0.11	0.015	113	1.4	4.02
MW-121	2/22/2018	7.4	-	-	117	<0.11	<0.010	157	<0.2	5.32
MW-121	5/24/2018	28.8	-	-	131	<0.11	<0.010	250	14.6	9.64
MW-121	8/15/2018	23	-	-	55.5	<0.040	<0.015	293	79.9	9.28
MW-121	11/14/2018	60	-	-	241	<0.040	0.092	208	45.8	12.1
MW-121	2/13/2019	84	-	-	118	<0.040	0.027 J	361	122	7.79
MW-121	5/20/2019	100	-	-	278	<0.040	<0.015	276	107	10.3
MW-121	8/19/2019	190	-	-	293	<0.040	<0.015	317	94.6	9.95
MW-121	11/20/2019	290	-	-	194	<0.040	0.11	352	132	7.00
MW-121	2/17/2020	450	-	-	252	<0.040	0.090	353	119	7.93
MW-122	12/2/2015	1,000	-	-	94.3	<0.040	<0.015	451	7.2	13.1
MW-122	5/25/2016	450	-	-	188	0.048 J	<0.015	300	90.8	16.3
MW-122	8/25/2016	280	-	-	182	<0.040	<0.015	272	9.1	4.12
MW-122	11/29/2016	450	-	-	180	<0.040	<0.015	284	11.1	3.64
MW-122	2/22/2017	350	-	-	190	<0.040	<0.015	291	2.8	4.87
MW-122	5/24/2017	6.2	-	-	239	<0.11	<0.010	257	<0.20	3.71
MW-122	8/30/2017	-	94	<0.20	-	-	-	-	-	-
MW-122	11/29/2017	1.3	-	-	383	<0.11	<0.010	86.5	<0.20	12.3
MW-122	2/22/2018	8.1	-	-	1,210	<0.11	<0.010	47.2	1.5	35.8
MW-122	5/24/2018	10.1	-	-	753	<0.11	<0.010	469	46.4	18.4
MW-122	8/15/2018	24	-	-	221	<0.040	<0.015	427	40.8	6.58
MW-122	11/14/2018	87	-	-	273	<0.040	<0.015	346	33.9	87
MW-122	2/12/2019	210	-	-	251	<0.040	<0.015	331	36.9	11.8
MW-122	5/21/2019	380	-	-	308	<0.040	<0.015	318	36.4	9.45
MW-122	8/19/2019	520	-	-	245	<0.040	<0.015	331	39.4	7.05
MW-122	11/20/2019	740	-	-	198	<0.040	0.07	345	41.9	6.35
MW-122	2/18/2020	1,200	-	-	165	<0.040	0.026 J	341	52.5	5.95
RW-123S	8/29/2017	-	74.9	-	236	-	-	165	-	-

Table 5

**HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO4 (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO3)	Ferrous Iron (mg/L)	Manganese (mg/L)
RW-123S	11/29/2017	-	-	-	77.2	-	-	-	-	-
RW-123S	2/22/2018	-	-	-	154	-	-	-	-	-
RW-123S	5/23/2018	-	-	-	86.1	-	-	-	-	-
RW-123S	11/13/2018	-	-	-	-	-	-	160	-	-
RW-123S	2/12/2019	-	-	-	51.4	-	-	267	-	-
RW-123S	11/21/2019	6,500	-	-	-	-	-	-	-	-
RW-1	8/29/2017	-	5.22	-	15.3	-	-	50.8	-	-
RW-1	2/22/2018	-	-	-	25.5	-	-	46.2	-	-
RW-1	5/22/2018	-	-	-	5.2	-	-	164	-	-
RW-1	8/15/2018	-	-	-	47	-	-	233	-	-
RW-1	11/14/2018	-	-	-	86.9	-	-	207	-	-
RW-1	2/12/2019	-	-	-	70.3	-	-	209	-	-
RW-1	5/22/2019	-	-	-	81.3	-	-	175	-	-
RW-1	8/19/2019	-	-	-	93.6	-	-	210	-	-
RW-1	11/21/19	-	-	-	53.9	-	-	210	-	-
RW-1	2/19/2020	-	-	-	38.1	-	-	240	-	-
RW-05S	8/29/2017	-	446	-	-	-	-	-	-	-
RW-05S	2/22/2018	-	-	-	744	-	-	<5.0	-	-
RW-05S	5/22/2018	-	-	-	692	-	-	267	-	-
RW-05S	8/14/2018	-	-	-	1,030	-	-	200	-	-
RW-05S	11/12/2018	-	-	-	-	-	-	6.8	-	-
RW-05S	2/13/2019	-	-	-	78.2	-	-	89.4	-	-
RW-05S	5/20/2019	-	-	-	50.5	-	-	91.5	-	-
RW-05S	8/21/2019	-	-	-	45.8	-	-	80.3	-	-
RW-05S	11/21/2019	-	-	-	<1.5	-	-	220	-	-
RW-05S	2/17/2020	-	-	-	59.6	-	-	119	-	-
MW/RW-05	11/28/2017	-	-	-	-	-	-	21.1	-	-
MW/RW-05	11/12/2018	-	-	-	-	-	-	41.2	-	-
MW/RW-05	2/13/2019	6,000	-	-	297	<0.040	<0.015	83.9	34.7	1.22
MW/RW-05	5/20/2019	7,900	-	-	288	<0.040	<0.015	101	30.1	3.00
MW/RW-05	8/21/2019	6,300	-	-	224	<0.040	<0.015	116	22.2	2.74
MW/RW-05	11/22/2019	-	-	-	-	-	-	195	-	-
MW/RW-05	2/19/2020	10,000	-	-	304	<0.040	<0.015	265	36.2	2.96
RW-25S	2/22/2018	-	-	-	286	-	-	140	-	-
RW-25S	5/21/2018	-	-	-	58.6	-	-	320	-	-
RW-25S	8/14/2018	-	-	-	284	-	-	451	-	-
RW-25S	11/12/2018	-	-	-	-	-	-	112	-	-
RW-25S	2/12/2019	-	-	-	514	-	-	223	-	-
RW-25S	5/20/2019	-	-	-	280	-	-	455	-	-
RW-25S	8/20/2019	-	-	-	508	-	-	316	-	-
RW-28S	2/22/2018	-	-	-	756	-	-	86.3	-	-
RW-28S	5/22/2018	-	-	-	876	-	-	113	-	-
RW-28S	8/14/2018	-	-	-	1,250	-	-	111	-	-

Table 5

**HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Methane ( $\mu\text{g/L}$ )	Sulfur ( $\text{mg/L}$ )	Sulfide ( $\text{mg/L}$ )	Sulfate as $\text{SO}_4$ ( $\text{mg/L}$ )	Nitrate Nitrogen ( $\text{mg/L}$ )	Nitrite Nitrogen ( $\text{mg/L}$ )	Alkalinity, Carbonate ( $\text{mg/L}$ as $\text{CaCO}_3$ )	Ferrous Iron ( $\text{mg/L}$ )	Manganese ( $\text{mg/L}$ )
RW-28S	11/14/2018	-	-	-	887	-	-	148	-	-
RW-28S	2/14/2019	-	-	-	1,150	-	-	102	-	-
RW-28S	5/21/2019	-	-	-	1,060	-	-	133	-	-
RW-28S	8/20/2019	-	-	-	370	-	-	201	-	-
RW-28S	11/18/2019	-	-	-	410	-	-	252	-	-
RW-28S	2/17/2020	-	-	-	911	-	-	165	-	-
RW-116S	2/22/2018	-	-	-	909	-	-	40.6	-	-
RW-116S	5/21/2018	-	-	-	491	-	-	88.2	-	-
RW-116S	8/14/2018	-	-	-	3,850	-	-	<1.7	-	-
RW-116S	11/12/2018	-	-	-	-	-	-	<1.7	-	-
RW-116S	2/13/2019	-	-	-	91.4	-	-	23.9	-	-
RW-116S	5/23/2019	-	-	-	86.8	-	-	37.9	-	-
RW-116S	8/21/2019	-	-	-	134.0	-	-	36.5	-	-
RW-116S	11/22/2019	-	-	-	400	-	-	121	-	-
RW-116S	2/19/2020	-	-	-	1,090	-	-	94.6	-	-
RW-117S	11/12/2018	-	-	-	-	-	-	<1.7	-	-
RW-117S	2/13/2019	-	-	-	-	-	-	45.4	-	-
RW-117S	5/22/2019	-	-	-	117	-	-	16.0	-	-
RW-117S	8/21/2019	-	-	-	90	-	-	78.8	-	-
RW-117S	11/18/2019	-	-	-	140	-	-	95.5	-	-
RW-118S	8/29/2017	-	-	-	-	-	-	57.9	-	-
RW-118S	8/14/2018	-	-	-	1,980	-	-	83	-	-
RW-118S	11/13/2018	-	-	-	582	-	-	93.6	-	-
RW-118S	2/13/2019	-	-	-	184	-	-	91.1	-	-
RW-118S	5/22/2019	-	-	-	211	-	-	46.6	-	-
RW-118S	8/20/2019	-	-	-	211	-	-	58.9	-	-
RW-118S	11/18/2019	-	-	-	260	-	-	83.4	-	-
RW-119S	8/28/2017	-	109	<0.2	403	-	-	117	-	-
RW-119S	11/29/2017	-	-	-	17.3	-	-	-	-	-
RW-119S	2/20/2018	-	-	-	356	-	-	214	-	-
RW-119S	5/21/2018	-	-	-	533	-	-	399	-	-
RW-119S	8/14/2018	-	-	-	587	-	-	214	-	-
RW-119S	11/13/2018	-	-	-	317	-	-	98.1	-	-
RW-119S	2/12/2019	-	-	-	243	-	-	142	-	-
RW-119S	5/21/2019	-	-	-	255	-	-	172	-	-
RW-119S	8/19/2019	-	-	-	197	-	-	204	-	-
RW-119S	11/22/2019	-	-	-	166	-	-	378	-	-
RW-119S	2/19/2020	-	-	-	112	-	-	419	-	-
TW-02	8/30/2017	-	-	-	-	-	-	146	-	-
TW-03	3/4/2015	2,500	-	-	269	<0.040	0.083	49.7	29.7	5.24
TW-03	5/13/2015	2,200	-	-	298	<0.040	0.13	39	24.6	4.32
TW-03	8/6/2015	1,800	-	-	289	<0.040	0.07	<0.70	32.3	4.61
TW-03	3/16/2016	1,600	-	-	345	<0.040	0.029 J	24.7	21.9	4.99

Table 5

**HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO <sub>4</sub> (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO <sub>3</sub> )	Ferrous Iron (mg/L)	Manganese (mg/L)
TW-03	5/23/2016	410	-	-	365	<0.040	0.043 J	31.2	29.1	7.88
TW-03	8/25/2016	220	-	-	276	<0.040	<0.015	16.7	40.7	6.86
TW-03	11/29/2016	130	-	-	269	<0.040	0.015 J	41.2	38	7.19
TW-03	2/22/2017	75	-	-	255	<0.040	0.047 J	10.5	37.9	5.46
TW-03	5/23/2017	87	-	-	402	<0.11	<0.010	7.7	41.7	6.08
TW-03	8/30/2017	13.1	109	<0.2	370	<0.11	<0.01	<5	42.9	6.51
TW-03	11/29/2017	13.6	-	-	616	<0.11	<0.010	43.3	102	12.1
TW-03	2/21/2018	18.8	-	-	650	<0.11	<0.010	<5.0	12.1	7.71
TW-03	5/22/2018	-	-	-	547	-	-	41	-	-
TW-03	5/24/2018	11.8	-	-	-	<0.11	<0.010	-	15.1	10.2
TW-03	8/14/2018	110	-	-	546	<0.040	<0.015	24.6	59.3	7.69
TW-03	11/13/2018	93	-	-	549	<0.040	<0.015	39.2	59.2	7.92
TW-03	2/13/2019	49	-	-	244	<0.040	<0.015	20.5	33.9	7.13
TW-03	5/21/2019	89	-	-	447	<0.040	<0.015	22.6	57.9	6.85
TW-03	8/21/2019	58	-	-	413	<0.040	0.056	<2.6	91.5	7.53
TW-03	11/19/2019	44	-	-	364	<0.040	0.039 J	13.9	68.1	7.77
TW-03	2/18/2020	87	-	-	500	<0.040	0.032 J	11.4	53.1	7.09
TW-04	8/30/2017	-	-	-	-	-	-	<5	-	-
TW-05	3/4/2015	2,800	-	-	367	<0.040	0.13	89.4	72.6	5.28
TW-05	5/13/2015	1,300	-	-	463	0.052 J	0.18	66.2	58.6	4.77
TW-05	8/6/2015	3,000	-	-	388	-	-	-	-	-
TW-05	8/13/2015	-	-	-	-	<0.040	0.091	16.1	84.5	3.55
TW-05	3/14/2016	460	-	-	410	0.12	0.042 J	114	41.5	3.05
TW-05	8/25/2016	-	-	-	515	<0.040	<0.015	68.7	54.5	4.91
TW-05	11/29/2016	400	-	-	524	<0.040	0.020 J	105	90.5	7.04
TW-05	2/22/2017	2,100	-	-	631	<0.040	0.084	73.4	151	10.9
TW-05	5/22/2017	583	-	-	860	<0.11	<0.010	16.6	63.8	10.2
TW-05	8/30/2017	33	263	<0.2	943	<0.11	<0.01	<5	122	31.6
TW-05	11/30/2017	-	-	-	1,140	-	-	<5	-	-
TW-05	2/21/2018	2.3	-	-	861	<0.11	<0.010	<5.0	50.9	18.8
TW-05	6/26/2018	22.4	-	-	1090	<0.11	<0.010	<10	79.6	14.8
TW-05	11/13/2018	20	-	-	349	0.13	<0.015	2.1 J	58.9	2.72
TW-05	2/13/2019	18	-	-	432	<0.040	<0.015	<1.7	108	4.34
TW-05	5/21/2019	28	-	-	883	<0.040	<0.015	<1.7	167	4.38
TW-05	8/21/2019	49	-	-	654	<0.040	0.038 J	<2.6	191	4.66
TW-05	11/19/2019	43	-	-	1,190	<0.040	0.033 J	<2.6	184	6.07
TW-05	2/18/2020	22	-	-	523	<0.040	0.047 J	4.9 J	95.8	5.03
TW-06	12/2/2015	7,000	-	-	279	<0.040	0.027 J	194	58.4	1.93
TW-06	3/15/2016	3,600	-	-	224	<0.040	0.039 J	128	53.9	1.46
TW-06	5/24/2016	3,400	-	-	402	<0.040	0.036 J	72	46	2.1
TW-06	8/25/2016	-	-	-	931	<0.040	0.017 J	36	144	6.32
TW-06	11/29/2016	1,100	-	-	1,160	<0.040	0.041 J	27.1	249	8.28
TW-06	2/22/2017	630	-	-	794	<0.040	0.059	<1.7	121	7.46

Table 5

**HISTORICAL GROUNDWATER BIOSTIMULATION ANALYTICAL DATA SUMMARY**

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

Well ID	Sample Date	Methane (µg/L)	Sulfur (mg/L)	Sulfide (mg/L)	Sulfate as SO <sub>4</sub> (mg/L)	Nitrate Nitrogen (mg/L)	Nitrite Nitrogen (mg/L)	Alkalinity, Carbonate (mg/L as CaCO <sub>3</sub> )	Ferrous Iron (mg/L)	Manganese (mg/L)
TW-06	5/23/2017	372	-	-	535	<0.11	<0.010	<5	97.9	4.44
TW-06	8/30/2017	39.4	226	<0.2	1530	<0.11	<0.01	<5	247	6.68
TW-06	11/28/2017	20.1	-	-	1840	<0.11	<0.010	<5.0	299	12.7
TW-06	2/21/2018	7.1	-	-	822	0.46	<0.010	<5.0	95.6	6.32
TW-06	5/22/2018	-	-	-	321	-	-	<5.0	-	-
TW-06	5/24/2018	4.8	-	-	-	1.40	<0.010	-	1.2	0.17
TW-06	8/14/2018	52	-	-	420	<0.040	<0.015	7.5	77.1	1.85
TW-06	11/13/2018	12	-	-	131	0.48	<0.015	55.6	10.8	0.288
TW-06	2/13/2019	40	-	-	266	0.14	0.018 J	25.8	67.0	1.17
TW-06	5/21/2019	47	-	-	393	<0.040	<0.015	26.1	71.8	1.27
TW-06	8/21/2019	99	-	-	956	<0.25	-	<2.6	123	2.40
TW-06	11/19/2019	120	-	-	587	<0.040	0.042 J	26.4	142	2.83
TW-06	2/18/2020	54	-	-	235	0.15	0.051	63.2	44.0	0.927
TW-07	3/4/2015	1,300	-	-	258	<0.040	0.034 J	1.6 J	14.1	4.3
TW-07	5/13/2015	800	-	-	323	<0.040	0.046 J	1.1 J	9.5	5.62
TW-07	8/6/2015	2,700	-	-	304	<0.040	0.018 J	2.7	8.7	4.51
TW-07	8/30/2017	-	-	-	-	-	-	<5	-	-
TW-07	2/21/2018	-	-	-	296	-	-	<6	-	-
TW-07	5/22/2018	-	-	-	289	-	-	5.1	-	-
TW-07	8/13/2018	-	-	-	-	-	-	13.3	-	-
TW-07	11/12/2018	-	-	-	431	-	-	21	-	-
TW-07	2/11/2019	-	-	-	285	-	-	11.3	-	-
TW-07	5/20/2019	85	-	-	335	0.31	<0.015	17.2	25.9	4.09
TW-07	8/20/2019	110	-	-	674	0.27	0.029 J	<2.6	79.2	9.87
TW-07	11/18/2019	27	-	-	488	0.2	0.032 J	9.4	83.6	7.74
TW-07	2/17/2020	60	-	-	380	<0.040	0.028 J	10.4	31.0	4.77
TW-14	8/30/2017	-	-	-	-	-	-	217	-	-

Notes:

J = Detected between the Method Detection Limit and the Reporting Limit; therefore, the result is an estimated value.

- = No Data

&lt;# = Less than the method detection limit of #

µg/L = Micrograms per liter

mg/L = Milligrams per liter

Table 6

## TOTAL PHASE EXTRACTION OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation			Vapor Recovery								Groundwater Recovery		
	Period (days)	Operating Days	Operating Hours	Applied Vacuum	Vapor Flow Rate	PID Reading	Influent C1-C10 Hydrocarbon Concentration	Hydrocarbon Recovery Per Day	Hydrocarbon Recovery Per Period	Cumulative Hydrocarbon Recovery	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	
				(in. Hg)	(scfm)	(ppm-v)	(mg/m <sup>3</sup> )	(lbs/day)	(lbs)	(lbs)	(gpm)	(gal)	(gal)	
March 14, 2016	-	-	-	15.8	325	-		-	-	-	-		539	
March 15, 2016	0.1	0.1	2	14.5	340	-		25.4	2.1	2	0.73		627	
March 16, 2016	0.3	0.3	10	14.0	340	150		25.4	8.5	11	0.52		875	
March 17, 2016	0.4	0.4	19	13.7	360	313		26.9	10.1	21	0.22		993	
March 21, 2016	1.3	1.3	49	15.1	320	189		23.9	29.8	50	0.20		1,358	
March 24, 2016	3	2.5	108	-	-	-		-	-	-	0.16		1,920	
March 30, 2016	6	5.4	238	15.1	360	210		26.9	212	262	0.08		2,572	
<b>Q1 2016</b>	<b>11</b>	<b>10</b>		<b>14.7</b>	<b>341</b>	<b>216</b>			<b>262</b>		<b>0.18</b>	<b>2,572</b>		
April 7, 2016	8	7.8	426	14.7	350	120	135	4.2	33	295	0.14		4,207	
April 13, 2016	6	5.9	568	13.7	380	71	-	21.7	129	424	0.14		5,375	
April 20, 2016	7	6.3	718	14.7	360	63	-	18.0	113	537	0.12		6,431	
April 27, 2016	7	5.5	851	15.1	330	59	-	15.7	87	624	0.10		7,243	
May 5, 2016	8	7.7	1035	15.7	330	105	74	2.2	17	640	0.12		8,530	
May 18, 2016	13	8.9	1248	14.4	350	48	-	13.4	119	759	0.12		10,084	
May 25, 2016	7	4.8	1362	15.3	340	-	-	2.3	11	770	0.19		11,364	
June 8, 2016	14	8.8	1573	16.5	340	37	0	0.0	0	770	0.15		13,273	
June 21, 2016	13	12.6	1876	15.2	360	24.4	-	7.0	89	859	0.18		16,560	
<b>Q2 2016</b>	<b>83</b>	<b>68</b>		<b>15.0</b>	<b>349</b>	<b>66</b>			<b>597</b>		<b>0.14</b>	<b>13,988</b>		
July 12, 2016	21	21.0	2379	15.8	350	44.0	<53	12.3	259	1118	0.22		23,064	
July 21, 2016	9	8.8	2589	16.3	330	80.2	-	21.2	186	1303	0.22		25,778	
August 4, 2016	14	14.0	2926	16.5	350	26.4	70	2.2	31	1334	0.30		31,745	
August 15, 2016	11	7.4	3103	16.0	350	-	-	2.2	16	1350	0.38		35,795	
August 17, 2016	2	0.2	3108	14.5	325	46.4	-	12.1	3	1353	0.38		35,909	
September 1, 2016	15	10.7	3365	15.8	340	34.2	71	2.2	23	1376	0.24		39,684	
September 22, 2016	21	20.8	3865	16.6	345	23.7	-	6.6	136	1513	0.20		45,749	
September 30, 2016	8	8.0	4056	-	345	-	-	2.2	18	1530	0.15		47,425	
<b>Q3 2016</b>	<b>101</b>	<b>91</b>		<b>15.9</b>	<b>342</b>	<b>42</b>			<b>671</b>		<b>0.24</b>	<b>30,865</b>		

Table 6

## TOTAL PHASE EXTRACTION OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation			Vapor Recovery								Groundwater Recovery		
	Period (days)	Operating Days	Operating Hours	Applied Vacuum	Vapor Flow Rate	PID Reading	Influent C1-C10 Hydrocarbon Concentration	Hydrocarbon Recovery Per Day	Hydrocarbon Recovery Per Period	Cumulative Hydrocarbon Recovery	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	
				(in. Hg)	(scfm)	(ppm-v)	(mg/m <sup>3</sup> )	(lbs/day)	(lbs)	(lbs)	(gpm)	(gal)	(gal)	
October 5, 2016	5	4.9	4173	16.9	360	13.2	<53	3.8	19	1549	0.18	4,062	48,699	
October 20, 2016	15	13.8	4505	17.2	340	16.9	-	4.6	64	1612	0.14		51,487	
November 3, 2016	14	13.0	4817	16.8	360	17.6	29	0.9	12	1625	0.13	4,897	53,850	
November 22, 2016	19	19.0	5273	17.2	365	28.9	-	8.5	161	1785	0.09		56,384	
December 7, 2016	15	14.8	5627	16.6	370	31.6	<53	9.4	138	1923	0.07	2,753	57,895	
December 22, 2016	15	9.1	5845	16.6	345	42.7	-	11.8	107	2031	0.09		59,137	
<b>Q4 2016</b>	<b>83</b>	<b>75</b>		<b>16.9</b>	<b>357</b>	<b>25</b>			<b>500</b>		<b>0.11</b>	<b>11,712</b>		
January 9, 2017	18	17.2	6257	17.0	350	31.0	<53	8.7	149	2180	0.13	8,266	62,275	
January 30, 2017	21	20.4	6747	16.2	360	31.6	-	9.1	186	2366	0.17		67,403	
February 6, 2017	7	6.9	6913	15.9	370	32.0	<53	9.5	66	2432	0.13	2,619	68,680	
February 22, 2017	16	15.9	7295	15.9	380	17.7	-	5.4	86	2517	0.06		70,022	
March 7, 2017	13	12.1	7585	15.7	360	33.3	<53	9.6	116	2633	0.07	3,230	71,195	
March 29, 2017	22	21.8	8107	15.9	350	13.4	-	3.8	82	2715	0.07		73,252	
<b>Q1 2017</b>	<b>97</b>	<b>94</b>		<b>16.1</b>	<b>362</b>	<b>27</b>			<b>685</b>		<b>0.10</b>	<b>14,115</b>		
April 10, 2017	12	5.5	8240	14.2	370	10.4	140	4.7	26	2741	0.08	1,351	73,890	
April 18, 2017	8	2.9	8310	14.1	370	14.6	-	4.3	13	2754	0.17		74,603	
May 2, 2017	14	14.0	8645	14.2	370	11.3	22.4	3.4	47	2800	0.07	2,673	75,985	
May 18, 2017	16	16.0	9030	16.0	325	2.0	-	0.5	8	2809	0.06		77,276	
June 7, 2017	14*	5.7	9167	15.3	360	27.4	35.3	7.9	45	2854	0.24	4,594	79,285	
June 22, 2017	15	12.1	9457	14.8	375	4.2	-	1.3	15	2869	0.15		81,870	
<b>Q2 2017</b>	<b>79</b>	<b>56</b>		<b>14.8</b>	<b>362</b>	<b>12</b>			<b>154</b>		<b>0.11</b>	<b>8,618</b>		
July 6, 2017	14	9.1	9675	13.25	400	17.3	34.5	1.2	11	2880	0.13	4,696	83,603	
July 19, 2017	13	11.9	9960	15.9	275	9.6	-	2.1	25	2905	0.11		85,484	
July 28, 2017	9	3.6	10047	16.0	275	NR	-	2.1	8	2913	0.21		86,566	
August-17							System Off							
September-17							System Off							
<b>Q3 2017</b>	<b>36</b>	<b>25</b>		<b>15.1</b>	<b>317</b>	<b>13</b>			<b>44</b>		<b>0.13</b>	<b>4,696</b>		

Table 6

## TOTAL PHASE EXTRACTION OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation			Vapor Recovery							Groundwater Recovery		
	Period (days)	Operating Days	Operating Hours	Applied Vacuum	Vapor Flow Rate	PID Reading	Influent C1-C10 Hydrocarbon Concentration	Hydrocarbon Recovery Per Day	Hydrocarbon Recovery Per Period	Cumulative Hydrocarbon Recovery	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery
				(in. Hg)	(scfm)	(ppm-v)	(mg/m <sup>3</sup> )	(lbs/day)	(lbs)	(lbs)	(gpm)	(gal)	(gal)
October-17							System Off						
November-17							System Off						
December-17							System Off						
Q4 2017							System Off						
January-18							System Off						
February-18							System Off						
March-18							System Off						
Q1 2018							System Off						
April-18							System Off						
May-18							System Off						
June-18							System Off						
Q2 2018							System Off						
July-18							System Off						
August-18							System Off						
September 21, 2018	-	-	10083	19.0	190	-	-	10.1	-	-	-		86,781
September 25, 2018	4	0.1	10085	18.0	250	22.4	590	13.3	1.3	2914	20.73	4335	89,268
September 27, 2018	2	0.4	10095	17.0	300	-	-	15.9	6.4	2921	2.72		90,901
Q3 2018	6	1		18.0	247	22			7.7		6.02	4,335	
October 2, 2018	5	1.3	10126	17.0	310	24.6	-	6.1	8	2929	2.68		95,891
October 24, 2018	22	5.5	10258	15.5	350	3.1	-	0.9	5	2933	3.37		122,600
November 1, 2018	8	5.9	10399	15.8	350	1.5	-	0.4	2	2936	3.22		149,844
November 28, 2018	27	14.0	10734	17.0	300	2.2	-	0.5	7	2943	4.08		231,887
December 11, 2018	13	6.0	10879	17.0	315	2.8	-	0.7	4	2948	5.44		279,230
December 27, 2018	16	8.2	11076	17.1	330	-	-	0.7	6	2954	4.60	101737	333,624
Q4 2018	91	41		16.6	326	7			32.9		4.12	242,723	

Table 6

## TOTAL PHASE EXTRACTION OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation			Vapor Recovery								Groundwater Recovery		
	Period (days)	Operating Days	Operating Hours	Applied Vacuum	Vapor Flow Rate	PID Reading	Influent C1-C10 Hydrocarbon Concentration	Hydrocarbon Recovery Per Day	Hydrocarbon Recovery Per Period	Cumulative Hydrocarbon Recovery	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	
				(in. Hg)	(scfm)	(ppm-v)	(mg/m³)	(lbs/day)	(lbs)	(lbs)	(gpm)	(gal)	(gal)	
January 10, 2019	14	7.0	11244	17.0	360	-	-	0.3	2	2956	4.80	72161	382,037	
January 24, 2019	14	6.9	11410	7.3	340	1.2	-	0.3	2	2958	2.38		405,785	
February 15, 2019	22	7.2	11583	16.8	350	-	-	0.3	2	2961	1.46	16073	420,922	
February 21, 2019	6	0.2	11588	16.3	375	-	-	0.6	0	2961	3.12		421,858	
March 7, 2019	14	7.1	11759	16.5	375	2.0	-	0.6	4	2965	2.70	66844	449,529	
March 19, 2019	12	7.3	11934	16.0	330	1.2	-	0.3	2	2967	3.73		488,702	
<b>Q1 2019</b>	<b>82</b>	<b>36</b>		<b>15.0</b>	<b>355</b>	<b>1</b>			<b>13.8</b>		<b>3.01</b>	<b>155,078</b>		
April 2, 2019	14	6.6	12092	17.0	310	2.2	-	0.5	4	2971	2.49	58453	512,280	
April 22, 2019	20	6.3	12244	17.0	330	2.0	-	0.5	3	2974	3.82		547,155	
May 6, 2019	14	7.8	12432	17.0	340	-	-	0.5	4	2979	3.32	56882	584,613	
May 23, 2019	17	4.5	12541	17.0	350	-	-	1.0	5	2983	2.97		604,037	
June 4, 2019	12	9.5	12768	16.6	375	3.6	-	1.1	10	2994	2.68	66208	640,522	
June 18, 2019	14	7.0	12936	17.0	300	3.1	-	0.7	5	2999	2.95		670,245	
<b>Q2 2019</b>	<b>91</b>	<b>42</b>		<b>16.9</b>	<b>334</b>	<b>3</b>			<b>31.2</b>		<b>3.02</b>	<b>181,543</b>		
July 9, 2019	21	7.0	13104	17.0	310	2.2	-	0.5	4	3003	3.17	66696	702,182	
July 23, 2019	14	7.3	13280	17.0	305	1.8	-	0.4	3	3006	3.29		736,941	
August 9, 2019	17	0.3	13287	17.0	320		-	0.5	0	3006	4.52	38066	738,839	
August 22, 2019	13	6.2	13436	16.0	360	-	-	0.5	3	3009	4.05		775,007	
September 3, 2019	12	7.1	13607	15.7	370	-	-	0.5	4	3013	3.43	113318	810,165	
September 17, 2019	14	9.3	13829	15.7	365	-	-	0.5	5	3018	2.75		846,821	
September 29, 2019	12	11.9	14114	-	-	-	-	-	-	-	2.43			888,325
<b>Q3 2019</b>	<b>91</b>	<b>49</b>		<b>16.4</b>	<b>338</b>	<b>2</b>			<b>19.1</b>		<b>3.09</b>	<b>218,080</b>		
October-19							System Off							
November-19							System Off							
December-19							System Off							
<b>Q4 2019</b>							<b>System Off</b>							
January-20							System Off							
February-20							System Off							
March-20							System Off							
<b>Q1 2020</b>							<b>System Off</b>							

Notes:

Table 6

## TOTAL PHASE EXTRACTION OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation			Vapor Recovery							Groundwater Recovery		
	Period (days)	Operating Days	Operating Hours	Applied Vacuum (in. Hg)	Vapor Flow Rate (scfm)	PID Reading (ppm-v)	Influent C1-C10 Hydrocarbon Concentration (mg/m <sup>3</sup> )	Hydrocarbon Recovery Per Day (lbs/day)	Hydrocarbon Recovery Per Period (lbs)	Cumulative Hydrocarbon Recovery (lbs)	Average Groundwater Flow Rate (gpm)	Monthly Groundwater Recovery (gal)	Cumulative Groundwater Recovery (gal)

PID - photoionization detector

ppm-v - parts per million by volume

gal - gallons

in. Hg - inches of mercury

mg/m<sup>3</sup> - milligrams per cubic meter

gpm - gallons per minute

scfm - standard cubic feet per minute

lbs - pounds

NR - not recorded

**Bold** hydrocarbon recovery per day values indicate the result is from analytical results (sum of C1-C4 and >C4-C10 hydrocarbons). Other a PID reading is used.

\* The remediation system was shut for 6 days prior to and during the groundwater sampling event.

Estimate of TPE vapor >C4-C10 hydrocarbon recovery using analytical results in units of mg/m<sup>3</sup>:Pounds = Vapor Flow Rate (scfm) x Influent >C4-C10 Hydrocarbons (mg/m<sup>3</sup>) x Period (days) x cc = conversion factors, 1440 min/day, 0.02832 m<sup>3</sup>/ft<sup>3</sup>, 2.2046E-6 lb/mgEstimate of hydrocarbon recovery per day using PID reading:

Pounds = VOC concentration (ppm) / 1 million x MW (g/mol) / MV (mol/L) x vapor flow rate (scfm) x c

MW = molecular weight, assumed at 200 grams/mol for diesel

MV = molar volume, 22.4 at standard temperature and pressure (25 deg. Celsius, 1 atm)

c = conversion factors, 1440 min/day, 0.0022 lb/g, 28.3 L/ft<sup>3</sup>Estimate of recovery using analytical results in units of mg/L:

Pounds = Total Monthly Flow (gal) x Concentration (mg/L) x c

c = conversion factors, 3.7854 L/gal, 2.2046E-6 lb/mg

Table 7

## PUMP AND TREAT OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation			Groundwater Recovery			Recovery Wells											
	Period (days)	Operating Days	Operating Hours	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	RW-05		RW-25		RW-31		RW-51		RW-72		RW-14	
				(gpm)	(gal)	(gal)	Cumulative Pump Cycles	Cycles per Minute										
March 14, 2016	-	-	-	-	43,907	536	692	-	6,213	-	3,309	-	5,987	-	4,157	-		
March 15, 2016	0.2	0.2	6	0.5		729	1,120	1.8	10,090	16	9,063	24	10,880	20	7,307	13		
March 16, 2016	0.4	0.4	15	4.6		3,220	1,299	0.3	14,530	8	11,994	5	15,925	9	8,755	3		
March 17, 2016	0.3	0.3	22	3.3		4,595	1,436	0.3	21,226	16	16,785	11	23,056	17	9,825	3		
March 21, 2016	1.3	1.3	54	1.1		6,677	1,505	0.0	31,176	5	18,124	1	29,238	3	16,073	3		
March 24, 2016	3.0	2.3	108	1.8		12,539	1,625	0.0	-	-	-	-	-	-	-	-		
March 30, 2016	6.0	5.2	232	4.2		43,907	11,823	1.4	212,345	17	151,623	12	205,395	16	39,882	2		
<b>Q1 2016</b>	<b>11</b>	<b>10</b>		<b>3.2</b>	<b>43,907</b>		<b>11,823</b>	<b>0.9</b>	<b>212,345</b>	<b>15</b>	<b>151,623</b>	<b>11</b>	<b>205,395</b>	<b>15</b>	<b>39,882</b>	<b>3</b>		
April 7, 2016	8	7.8	418	3.3	117,175	81,177	17,696	0.5	430,776	20	244,598	8	431,044	20	51,551	1.0		
April 13, 2016	6	5.5	551	3.6		109,780	26,045	1.0	589,447	20	347,559	13	591,420	20	62,240	1.3		
April 20, 2016	7	6.3	701	3.1		137,844	34,325	0.9	773,123	20	355,229	1	775,119	20	69,772	0.8		
April 27, 2016	7	5.1	824	3.1		161,082	37,883	0.5	918,471	20	407,031	7	921,715	20	80,116	1.4		
May 5, 2016	8	7.5	1,005	3.0	87,572	193,885	39,826	0.2	1,138,059	20	471,149	6	1,136,789	20	90,455	1.0		
May 10, 2016	5	1.1	1,031	3.1		198,662	40,882	0.7	1,168,873	20	500,383	19	1,167,296	20	91,887	0.9		
May 18, 2016	8	7.2	1,204	2.7		226,298	60,355	1.9	1,387,605	21	525,551	2	1,381,275	21	97,943	0.6		
May 25, 2016	7	6.5	1,360	2.4		248,654	-	-	-	-	-	-	-	-	-	-		
June 2, 2016	8	5.5	1,493	2.1	61,464	265,336	90,911	1.8	1,760,840	22	777,780	15	1,743,745	21	112,951	0.0		
June 8, 2016	6	3.3	1,571	2.1		275,335	97,569	1.4	1,861,909	22	844,068	14	1,841,688	21	117,805	1.0		
June 14, 2016	6.0	6.0	1,714	1.9		291,227	110,555	1.5	2,069,338	24	948,955	12	2,035,824	23	127,548	1.1		
June 21, 2016	7.0	6.8	1,877	1.9		310,118	143,720	3.4	2,299,257	24	1,075,182	13	2,259,050	23	137,772	1.0		
<b>Q2 2016</b>	<b>83</b>	<b>69</b>		<b>2.7</b>	<b>266,211</b>		<b>131,897</b>	<b>1.3</b>	<b>2,086,912</b>	<b>21</b>	<b>923,559</b>	<b>9</b>	<b>2,053,655</b>	<b>21</b>	<b>97,890</b>	<b>1</b>		
July 12, 2016	21	21.0	2,380	2.2	90,967	375,524	621,945	15.8	3,046,598	25	1,501,331	14	2,963,874	23	163,265	0.8		
July 21, 2016	9	8.8	2,591	2.0		401,085	965,118	27.1	3,336,362	23	1,703,585	16	3,245,984	22	172,720	0.7		
August 4, 2016	14	14.0	2,927	2.0	66,632	441,884	1,504,724	26.8	3,784,552	22	2,035,460	16	3,692,700	22	188,936	0.8	188,936	-
August 15, 2016	11	8.0	3,118	2.2		466,850	1,780,380	24.1	3,986,072	18	2,200,705	14	3,916,870	20			274,167	7.4
August 17, 2016	2	0.2	3,123	2.9		467,717	1,784,800	14.7	3,991,637	19	2,204,352	12	3,922,639	19			276,953	9.3
September 1, 2016	15	12.3	3,418	1.8	97,504	499,541	2,110,116	18.4	4,141,750	8	2,252,093	3	4,205,454	16			456,696	10.2
September 22, 2016	21	21.0	3,921	1.6		547,172	2,402,720	9.7	4,809,103	22	2,252,895	0	4,833,693	21			700,754	8.1
September 30, 2016	8	7.8	4,108	1.6		565,221	2,404,744	0.2	-	-	2,253,087	0	-	-			-	-
<b>Q3 2016</b>	<b>101</b>	<b>93</b>		<b>1.9</b>	<b>255,103</b>		<b>2,261,024</b>	<b>16.9</b>	<b>2,509,846</b>	<b>20</b>	<b>1,177,905</b>	<b>9</b>	<b>2,574,643</b>	<b>21</b>	<b>51,164</b>	<b>1</b>	<b>511,818</b>	<b>9</b>
October 5, 2016	5	4.9	4,226	2.5	62,337	583,206	2,406,092	0.2	4,985,425	10	2,380,012	18	5,204,070	20			897,581	11
October 20, 2016	15	13.8	4,558	2.2		627,558	2,410,677	0.2	5,430,437	22	2,759,561	19	5,620,685	21			1,074,660	9
November 3, 2016	14	13.0	4,870	2.0	74,361	665,013	2,414,200	0.2	5,830,392	21	3,089,438	18	5,999,578	20			1,245,397	9
November 22, 2016	19	19.0	5,326	1.3		701,919	2,421,950	0.3	6,450,887	23	3,309,768	8	6,423,209	15			1,401,129	6
December 7, 2016	15	14.6	5,677	1.7	55,598	738,594	2,445,294	1.1	6,928,011	23	3,587,633	13	6,740,188	15			1,656,410	12
December 22, 2016	15	9.3	5,900	1.4		757,517	2,478,549	2.5	7,242,904	24	3,696,939	8	6,946,164	15			1,690,554	3
<b>Q4 2016</b>	<b>83</b>	<b>75</b>		<b>1.8</b>	<b>192,296</b>		<b>73,805</b>	<b>0.7</b>	<b>2,433,801</b>	<b>23</b>	<b>1,443,852</b>	<b>13</b>	<b>2,112,471</b>	<b>20</b>	<b>0</b>	<b>0</b>	<b>989,800</b>	<b>9</b>

Table 7

## PUMP AND TREAT OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation			Groundwater Recovery			Recovery Wells											
	Period (days)	Operating Days	Operating Hours	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	RW-05		RW-25		RW-31		RW-51		RW-72		RW-14	
				(gpm)	(gal)	(gal)	Cumulative Pump Cycles	Cycles per Minute										
January 9, 2017	18	17.2	6,312	1.1	27,603	784,463	2,494,287	0.6	7,829,388	24	3,815,194	5	7,211,328	11			1,853,106	7
January 19, 2017	10	0.7	6,328	0.7		785,120	2,494,860	0.6	7,851,610	23	3,828,163	14	7,230,971	20			1,856,756	4
February 6, 2017	18	6.7	6,489	1.7	45,008	801,393	2,495,498	0.1	8,070,030	23	3,933,692	11	7,421,271	20			1,884,884	3
February 22, 2017	16	15.9	6,871	1.3		830,128	2,496,043	0.02	8,623,835	24	4,141,969	9	7,558,931	6			2,114,207	10
March 7, 2017	13	12.1	7,161	1.3	63,709	851,954	2,496,525	0.03	9,020,300	23	4,241,925	6	7,838,994	16			2,219,822	6
March 29, 2017	22	21.9	7,686	1.3		893,837	2,506,402	0.3	9,393,785	12	4,746,021	16	8,681,479	27			2,286,621	2
<b>Q1 2017</b>	<b>97</b>	<b>74</b>		<b>1.3</b>	<b>136,320</b>		<b>27,853</b>	<b>0.3</b>	<b>2,150,881</b>	<b>20</b>	<b>1,049,082</b>	<b>10</b>	<b>1,735,315</b>	<b>16</b>	<b>0</b>	<b>0</b>	<b>596,067</b>	<b>6</b>
April 10, 2017	12	11.7	7,967	1.4	33,068	918,041	2,514,214	0.5	10,125,850	43	4,947,186	12	9,556,777	52			2,438,043	9
April 18, 2017	8	4.2	8,067	1.5		926,905	2,523,654	1.6	10,260,855	23	5,041,960	16	9,659,267	17			2,452,180	2
May 2, 2017	14	13.5	8,390	1.5	67,507	955,134	2,558,928	1.8	10,700,135	23	5,358,699	16	9,976,314	16			2,488,966	2
May 18, 2017	16	16.0	8,775	1.7		994,412	2,773,700	9.3	11,201,156	22	5,742,876	17	10,340,804	16			2,912,156	18
June 7, 2017	15*	14.1	9,114	1.5	39,790	1,025,509	2,948,465	8.6	11,639,850	22	6,037,220	14	10,619,527	14			3,425,060	25
June 22, 2017	15	11.6	9,392	0.5		1,034,202	2,948,771	0.0	12,064,871	25	6,114,629	5	10,747,764	8			3,733,091	18
<b>Q2 2017</b>	<b>80</b>	<b>71</b>		<b>1.4</b>	<b>140,365</b>		<b>442,369</b>	<b>4.3</b>	<b>2,671,086</b>	<b>26</b>	<b>1,368,608</b>	<b>13</b>	<b>2,066,285</b>	<b>20</b>	<b>0</b>	<b>0</b>	<b>1,446,470</b>	<b>14</b>
July 7, 2017	15	10.5	9,644	0.2	7,329	1,037,554	2,948,828	0.0	12,236,542	11	6,117,984	0.2	10,816,747	5			3,733,091	0
July 19, 2017	12	12.5	9,943	0.2		1,041,531	2,948,856	0.0	12,376,875	8	6,121,005	0.2	10,902,614	5			3,733,091	0
August 9, 2017	21	17.8	10,371	0.2	8,959	1,046,508	2,948,878	0.0	12,602,437	9	6,126,678	0.2	11,037,287	5			3,733,095	0
August 21, 2017	12	11.5	10,646	0.2		1,050,490	2,960,235	0.7	12,798,127	12	6,128,644	0.1	11,140,402	6			3,865,276	8
September 5, 2017	15	3.2	10,723	0.1	7,520	1,051,027	2,963,181	0.6	12,831,995	7	6,129,433	0.2	11,156,633	4			3,895,853	7
September 20, 2017	15	14.8	11,078	0.3		1,058,010	3,099,965	6.4	12,887,393	3	6,141,855	0.6	11,267,437	5			4,115,111	10
<b>Q3 2017</b>	<b>90</b>	<b>70</b>		<b>0.2</b>	<b>23,808</b>		<b>151,194</b>	<b>1.5</b>	<b>822,522</b>	<b>8</b>	<b>27,226</b>	<b>0.3</b>	<b>519,673</b>	<b>5</b>	<b>0</b>	<b>0</b>	<b>382,020</b>	<b>4</b>
October 3, 2017	13	12.3	11,372	0.1	13,545	1,060,140	3,518,731	23.7	13,046,133	9	6,144,871	0.2	11,374,255	6			4,124,063	1
October 17, 2017	14	13.8	11,704	0.6		1,071,555	3,531,896	0.7	13,254,085	10	6,158,757	0.7	11,516,361	7			4,190,623	3
November 2, 2017	16	15.4	12,074	1.0	67,496	1,093,414	3,533,318	0.1	13,533,646	13	6,360,635	9	11,697,764	8			4,352,876	7
November 30, 2017	28	28.0	12,747	1.1		1,139,051	3,567,226	0.8	14,053,988	13	6,942,169	14	12,041,703	9			4,667,761	8
December 5, 2017	5	4.9	12,864	1.1	22,392	1,146,659	3,567,280	0.0	14,151,750	14	7,075,109	19	12,103,352	9			4,726,270	8
December 19, 2017	14	13.7	13,192	0.8		1,161,443	3,567,464	0.0	14,384,237	12	7,293,257	11	12,230,206	6			4,856,464	7
<b>Q4 2017</b>	<b>90</b>	<b>88</b>		<b>0.8</b>	<b>103,433</b>		<b>467,499</b>	<b>3.7</b>	<b>1,496,844</b>	<b>12</b>	<b>1,151,402</b>	<b>9.1</b>	<b>962,769</b>	<b>8</b>	<b>0</b>	<b>0</b>	<b>741,353</b>	<b>6</b>
January 3, 2018	15	12.7	13,497	0.5	17,623	1,170,138	3,567,719	0.0	14,562,902	10	7,376,972	67.5	12,299,218	4			4,926,260	4
January 26, 2018	23	10.3	13,745	0.6		1,179,066	3,567,863	0.0	14,682,365	8	7,472,814	6.4	12,349,921	3			4,995,038	5
February 1, 2018	6	5.9	13,886	1.3	56,832	1,189,808	3,570,120	0.3	14,760,435	9	7,563,659	11	12,424,651	9			5,041,233	5
February 22, 2018	21	20.8	14,385	1.5		1,235,898	3,570,232	0.0	15,079,952	11	7,919,430	12	12,732,520	10			5,354,633	10
March 6, 2018	12	6.1	14,531	1.8	15,419	1,251,317	3,570,832	0.1	15,223,241	16	7,932,007	1	12,804,732	8			5,494,518	16
March 29, 2018																		
<b>Q1 2018</b>	<b>100</b>	<b>56</b>		<b>1.1</b>	<b>89,874</b>		<b>3,368</b>	<b>0.0</b>	<b>839,004</b>	<b>10</b>	<b>638,750</b>	<b>8.0</b>	<b>574,526</b>	<b>7</b>	<b>0</b>	<b>0</b>	<b>638,054</b>	<b>8</b>
System Off																		

Table 7

## PUMP AND TREAT OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation			Groundwater Recovery			Recovery Wells												
	Period (days)	Operating Days	Operating Hours	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	RW-05		RW-25		RW-31		RW-51		RW-72		RW-14		
				(gpm)	(gal)	(gal)	Cumulative Pump Cycles	Cycles per Minute											
April 11, 2018																			
April 23, 2018																			
May 3, 2018																			
May 24, 2018																			
June 12, 2018																			
June 26, 2018																			
<b>Q2 2018</b>																			
July 3, 2018																			
July 18, 2018																			
August 6, 2018	-	-	14,531	-	152,150	1,251,317	3,570,832	-	15,223,241	-				12,804,732	-			5,494,518	-
August 29, 2018	23	14.4	14,876	2.3		1,298,809	3,673,976	5.0	15,224,097	0				13,043,671	12			5,768,404	13
September 4, 2018	6	3.4	14,957	2.6		1,311,227	3,701,827	5.7	15,224,116	0				13,112,499	14			5,844,857	16
September 21, 2018	17	3.7	15,045	3.1		1,327,739	3,724,471	4.3	15,308,624	16				13,178,706	13			5,918,745	14
<b>Q3 2018</b>	<b>46</b>	<b>21</b>		<b>5.9</b>	<b>181,080</b>		<b>157,191</b>	<b>5.1</b>	<b>1,156,874</b>	<b>38</b>	<b>0</b>	<b>0.0</b>	<b>1,075,354</b>	<b>35</b>	<b>0</b>	<b>0</b>	<b>1,192,475</b>	<b>39</b>	
October 2, 2018																			
October 24, 2018																			
November 1, 2018																			
November 28, 2018																			
December 11, 2018																			
December 27, 2018																			
<b>Q4 2018</b>																			
January 10, 2019																			
January 24, 2019																			
February 15, 2019																			
February 21, 2019																			
March 7, 2019																			
March 19, 2019																			
<b>Q1 2019</b>																			
April 2, 2019																			
April 22, 2019																			
May 6, 2019																			
May 23, 2019																			
June 4, 2019																			
June 18, 2019																			
<b>Q2 2019</b>																			

Table 7

## PUMP AND TREAT OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation			Groundwater Recovery			Recovery Wells											
	Period (days)	Operating Days	Operating Hours	Average Groundwater Flow Rate	Monthly Groundwater Recovery	Cumulative Groundwater Recovery	RW-05		RW-25		RW-31		RW-51		RW-72		RW-14	
				(gpm)	(gal)	(gal)	Cumulative Pump Cycles	Cycles per Minute										
July 9, 2019							System Off											
July 23, 2019							System Off											
August 9, 2019							System Off											
August 22, 2019							System Off											
September 3, 2019							System Off											
September 17, 2019							System Off											
September 29, 2019							System Off											
Q3 2019							System Off											
October 1, 2019							System Off											
November 22, 2019							System Off											
December 5, 2019							System Off											
Q4 2019							System Off											
January 14, 2020							System Off											
February 17, 2020							System Off											
March 10, 2020							System Off											
Q1 2020							System Off											

Notes:

gal - gallons

gpm - gallons per minute

Pump Cycles - Cycle counters at each pneumatic well pump are used as relative measurements to estimate proportion of total flow and evaluate changes in flow rates over time.

\* - The remediation system was shut for 6 days prior to and during the groundwater sampling event.

Table 8

## BIOSPARGE OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation		Biosparge Injection Points														
	Period (days)	Operating Days	SP-01	SP-02	SP-03	SP-04	SP-05	SP-06	SP-07	SP-08	SP-09	SP-10	SP-11	SP-12	SP-13	SP-14	SP-15
			Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	
March 15, 2016	0.0	0.0	0.8	0.7	0.6	0.8	0.8	0.6	0.8	0.7							
March 16, 2016	0.4	0.4	0.8	0.8	0.7	0.7	0.7	0.7	0.7	0.7							
March 17, 2016	0.9	0.9	0.7	0.75	0.7	0.7	0.7	0.7	0.75	0.75							
March 21, 2016	1.3	1.3	1.0	1.0	1.0	1.0	1.2	1.1	1.0	1.0							
March 30, 2016	9.0	8.3	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8							
<b>Q1 2016</b>	<b>12</b>	<b>11</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>							
April-16	28	27.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8							
May-16	28	23.4	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.5	0.5	0.5	0.5	0.5	0.5	0.5
June-16	27	22.7	0.8	0.75	0.8	0.8	0.8	0.75	0.75	0.8	0.5	0.5	0.5	0.5	0.5	0.5	0.5
<b>Q2 2016</b>	<b>83</b>	<b>73</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>
July-16	30	30.0	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.5	0.5	0.5	0.5	0.5	0.5	0.5
August-16	27	22.2	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
September-16	44	42.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0	0
<b>Q3 2016</b>	<b>101</b>	<b>95</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.6</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>	<b>0.3</b>
October-16	20	18.9	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0	0
November-16	33	32.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0	0	0
December-16	30	24.3	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0	0	0
<b>Q4 2016</b>	<b>83</b>	<b>75</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.3</b>	<b>0.3</b>	<b>0.3</b>	<b>0.3</b>	<b>0.3</b>	<b>0.0</b>	<b>0.0</b>
January-17	39	18.0	0.5	0.5	0.5	0.5	0.5	0.75	0.5	0.5	0.5	0.3	0.3	0.3	0.3	0.3	0.3
February-17	23	22.6	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.5	0.5	0.5	0.5	0.3	0.3	0.3
March-17	35	35.0	0.75	0.75	0.75	0.75	0.75	0.3	0.75	0.75	0.5	0.5	0.5	0.5	0.3	0.3	0.3
<b>Q1 2017</b>	<b>97</b>	<b>76</b>	<b>0.7</b>	<b>0.7</b>	<b>0.7</b>	<b>0.7</b>	<b>0.7</b>	<b>0.6</b>	<b>0.7</b>	<b>0.7</b>	<b>0.5</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.4</b>	<b>0.3</b>	<b>0.3</b>
April-17	20	16.4	0.75	0.75	0.75	0.75	0.75	0.3	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.3	0.3
May-17	36*	36.0	0.75	0.75	0.75	0.75	0.75	0.3	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.3	0.3
June-17	23	20.1	0.75	0.75	0.75	0.75	0.75	0.3	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.3	0.3
<b>Q2 2017</b>	<b>79</b>	<b>73</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.3</b>	<b>0.8</b>	<b>0.8</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.3</b>	<b>0.3</b>

Table 8

## BIOSPARGE OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation		Biosparge Injection Points														
	Period (days)	Operating Days	SP-01	SP-02	SP-03	SP-04	SP-05	SP-06	SP-07	SP-08	SP-09	SP-10	SP-11	SP-12	SP-13	SP-14	SP-15
			Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	
July-17	34	29.0	0.75	0.75	0.75	0.75	0.75	0.3	0.75	0.75	0.5	0.5	0.5	0.5	0.5	0.3	0.3
August-17	30	29.0	OFF								0.5	0.5	0.5	0.5	0.5	0.3	0.3
September-17	26	14.9	0.75	0.75	0.75	0.75	0.75	OFF	0.75	OFF	0.5	0.5	0.5	0.5	0.5	0.3	0.3
<b>Q3 2017</b>	<b>90</b>	<b>73</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.3</b>	<b>0.8</b>	<b>0.8</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.3</b>	<b>0.3</b>
October-17	27	26.8	0.75	0.75	0.75	0.75	0.75	OFF	0.75	OFF	0.5	0.5	0.5	0.5	0.5	0.3	0.3
November-17	44	41.8	0.75	0.75	0.75	0.75	0.75	OFF	0.75	OFF	0.5	0.5	0.5	0.5	0.5	0.3	0.3
December-17	19	18.5	0.75	0.75	0.75	0.75	0.75	OFF	0.75	OFF	0.5	0.5	0.5	0.5	0.5	0.3	0.3
<b>Q4 2017</b>	<b>90</b>	<b>87</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>OFF</b>	<b>0.8</b>	<b>OFF</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.3</b>	<b>0.3</b>
January-18	38	25.0	OFF	0.75	0.75	0.75	0.75	OFF	OFF	OFF	0.5	0.5	0.5	0.5	0.5	0.3	0.3
February-18	27	26.9	OFF	0.75	0.75	0.75	0.75	OFF	OFF								
March-18	35	11.0	System Off														
<b>Q1 2018</b>	<b>100</b>	<b>63</b>	<b>OFF</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>0.8</b>	<b>OFF</b>	<b>OFF</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.5</b>	<b>0.3</b>	<b>0.3</b>
April-18	32	0.0	System Off														
May-18	31	0.0	System Off														
June-18	30	0.0	System Off														
<b>Q2 2018</b>	<b>93</b>	<b>0</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>
July-18	31	0.0	System Off														
August-18	23	0.0	System Off														
September-18	17	0.0	System Off														
<b>Q3 2018</b>	<b>71</b>	<b>0</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>
October-18	27	0.0	System Off														
November-18	36	0.0	System Off														
December-18	29	0.0	System Off														
<b>Q4 2018</b>	<b>92</b>	<b>0</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>
January-19	28	0.0	System Off														
February-19	28	0.0	System Off														
March-19	26	0.0	System Off														
<b>Q1 2019</b>	<b>82</b>	<b>0</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>	<b>OFF</b>
April-19	34	0.0	System Off														
May-19	31	0.0	System Off														

Table 8

## BIOSPARGE OPERATIONAL SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	Operation		Biosparge Injection Points														
	Period (days)	Operating Days	SP-01	SP-02	SP-03	SP-04	SP-05	SP-06	SP-07	SP-08	SP-09	SP-10	SP-11	SP-12	SP-13	SP-14	SP-15
			Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	Flow (scfm)	
June-19	26	0.0	System Off														
<b>Q2 2019</b>	<b>91</b>	<b>0</b>	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
July-19	35	0.0	System Off														
August-19	30	0.0	System Off														
September-19	26	0.0	System Off														
<b>Q3 2019</b>	<b>91</b>	<b>0</b>	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
October-19	34	0.0	System Off														
November-19	30	0.0	System Off														
December-19	30	0.0	System Off														
<b>Q4 2019</b>	<b>94</b>	<b>0</b>	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
January-20	25	0.0	System Off														
February-20	34	0.0	System Off														
March-20	22	0.0	System Off														
<b>Q1 2020</b>	<b>81</b>	<b>0</b>	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF

Notes:

scfm - standard cubic feet per minute

Table 9

## HYDROCARBON RECOVERY SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	TPE			P&T			LNAPL		Cumulative Hydrocarbon Recovery					
	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	LNAPL Thickness in Drum <sup>1</sup>	Monthly Recovered LNAPL	Dissolved-Phase		Liquid-Phase	Vapor-Phase <sup>2</sup>	Total	
									TPE	P&T				
	(gal)	(mg/L)	(lbs)	(gal)	(mg/L)	(lbs)	(ft)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(gal)
March-16	2,572	250	5.4	43,907	56	20.5	0.39	56.8	5	21	57	262	345	47
<b>Q1 2016</b>			<b>5.4</b>			<b>20.5</b>		<b>56.8</b>						
April-16	4,671	10	0.4	117,175	2.4	2.3	0.41	2.9	6	23	60	624	712	97
May-16	4,121	69	2.4	87,572	2.8	2.0	0.43	21.2	8	25	81	770	884	121
June-16	5,196	18	0.8	61,464	0.7	0.3	0.43	0.0	9	25	81	859	974	133
<b>Q2 2016</b>			<b>3.5</b>			<b>4.7</b>		<b>24.1</b>						
July-16	9,218	73	5.6	90,967	23	17.5	0.46	4.4	15	43	85	1303	1446	197
August-16	10,131	83	7.0	66,632	6.7	3.7	0.46	0	22	46	85	1353	1506	206
September-16	11,516	100	9.6	97,504	5.4	4.4	0.46	0	31	51	85	1530	1697	232
<b>Q3 2016</b>			<b>22.2</b>			<b>25.6</b>		<b>4.4</b>						
October-16	4,062	36	1.2	62,337	11	5.7	0.46	0	32	57	85	1612	1787	244
November-16	4,897	68	2.8	74,361	1.2	0.7	0.46	0	35	57	85	1785	1963	268
December-16	2,753	81	1.9	55,598	0.42	0.2	0.46	0	37	57	85	2031	2210	302
<b>Q4 2016</b>			<b>5.9</b>			<b>6.7</b>		<b>0</b>						
January-17	8,266	51	3.5	27,603	0.32	0.1	0.00*	0	41	58	85	2366	2549	348
February-17	2,619	8.3	0.2	45,008	0.46	0.2	0	0	41	58	85	2517	2701	369
March-17	3,230	5	0.1	63,709	0.56	0.3	0	0	41	58	85	2715	2899	396
<b>Q1 2017</b>			<b>3.8</b>			<b>0.5</b>		<b>0</b>						
April-17	1,351	1.3	0.01	33,068	55	15.2	0	0	41	73	85	2754	2953	403
May-17	2,673	25.3	0.6	67,507	31.6	17.8	0	0	41	91	85	2809	3026	413
June-17	4,594	11.8	0.5	39,790	0.83	0.3	0	0	42	91	85	2869	3087	421
<b>Q2 2017</b>			<b>1.0</b>			<b>33.3</b>		<b>0</b>						
July-17	4,696	17.4	0.68	7,329	0.832	0.1	0	0	43	91	85	2913	3132	428
August-17	0	0	0	8,959	0.20	0.0	0	0	43	91	85	2913	3132	428
September-17	0	0	0	7,520	1.59	0.1	0	0	43	91	85	2913	3132	428
<b>Q3 2017</b>			<b>0.7</b>			<b>0.2</b>		<b>0</b>						
October-17	0	0	0	13,545	0.757	0.1	0	0	43	92	85	2913	3132	428
November-17	0	0	0	67,496	0.189	0.1	0	0	43	92	85	2913	3133	428
December-17	0	0	0	22,392	2.49	0.5	0	0	43	92	85	2913	3133	428
<b>Q4 2017</b>			<b>0</b>			<b>0.7</b>		<b>0</b>						

Table 9

## HYDROCARBON RECOVERY SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	TPE			P&T			LNAPL		Cumulative Hydrocarbon Recovery					
	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	LNAPL Thickness in Drum <sup>1</sup>	Monthly Recovered LNAPL	Dissolved-Phase		Liquid-Phase	Vapor-Phase <sup>2</sup>	Total	
									TPE	P&T				
	(gal)	(mg/L)	(lbs)	(gal)	(mg/L)	(lbs)	(ft)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(lbs)	(gal)
January-18	0	0	0	17,623	0.134	0.0	0	0	43	92	85	2913	3133	428
February-18	0	0	0	56,832	0.353	0.2	0	0	43	92	85	2913	3133	428
March-18	0	0	0	15,419	NS	0.05**	0	0	43	92	85	2913	3133	428
<b>Q1 2018</b>			<b>0</b>			<b>0.2</b>			<b>0</b>					
April-18	0	0	0	0	0	0.0	0	0	43	92	85	2913	3133	428
May-18	0	0	0	0	0	0.0	0	0	43	92	85	2913	3133	428
June-18	0	0	0	0	0	0.0	0	0	43	92	85	2913	3133	428
<b>Q2 2018</b>			<b>0</b>			<b>0.0</b>			<b>0</b>					
July-18	0	0	0	0	0	0.0	0	0	43	92	85	2913	3133	428
August-18	0	0	0	152,150	0.960	1.2	0	0	43	94	85	2913	3134	428
September-18	4,335	19	0.69	28,930	0.540	0.1	0	0	43	94	85	2921	3143	429
<b>Q3 2018</b>			<b>0.7</b>			<b>1.3</b>			<b>0</b>					
October-18	31,699	10	3	0	0	0.0	0	0	46	94	85	2933	3158	431
November-18	109,287	NS	9.12**	0	0	0.0	0	0	55	94	85	2943	3177	434
December-18	101,737	NS	8.49**	0	0	0.0	0	0	64	94	85	2954	3196	436
<b>Q4 2018</b>			<b>20.3</b>			<b>0.0</b>			<b>0</b>					
January-19	72,161	6.5	3.91	0	0	0.0	0	0	67	94	85	2958	3205	437
February-19	16,073	NS	0.87**	0	0	0.0	0	0	68	94	85	2961	3208	438
March-19	66,844	3.9	2.18	0	0	0.0	0	0	70	94	85	2967	3217	439
<b>Q1 2019</b>			<b>7.0</b>			<b>0.0</b>			<b>0</b>					
April-19	58,453	NS	1.9**	0	0	0.0	0	0	72	94	85	2974	3226	440
May-19	56,882	NS	7.6**	0	0	0.0	0	0	80	94	85	2983	3242	443
June-19	66,208	16	8.84	0	0	0.0	0	0	89	94	85	2999	3267	446
<b>Q2 2019</b>			<b>18.3</b>			<b>0.0</b>			<b>0</b>					
July-19	66,696	NS	8.91**	0	0	0.0	0	0	98	94	85	3006	3282	448
August-19	38,066	5.8	1.84	0	0	0.0	0	0	100	94	85	3009	3288	449
September-19	113,318	NS	5.48**	0	0	0.0	0	0	105	94	85	3018	3302	451
<b>Q3 2019</b>			<b>16.2</b>			<b>0.0</b>			<b>0</b>					
October-19	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
November-19	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451
December-19	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451

Table 9

## HYDROCARBON RECOVERY SUMMARY

Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

DATE	TPE			P&T			LNAPL		Cumulative Hydrocarbon Recovery						
	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	Monthly Groundwater Recovery	Dissolved-Phase TPH-DRO Concentration	Monthly TPH-DRO Recovery	LNAPL Thickness in Drum <sup>1</sup>	Monthly Recovered LNAPL	Dissolved-Phase		Liquid-Phase	Vapor-Phase <sup>2</sup>	Total		
	(gal)	(mg/L)	(lbs)	(gal)	(mg/L)	(lbs)	(ft)	(lbs)	TPE	P&T	(lbs)	(lbs)	(lbs)	(lbs)	(gal)
Q4 2019			0			0.0		0							
January-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451	
February-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451	
March-20	0	0	0	0	0	0.0	0	0	105	94	85	3018	3302	451	
Q4 2019			0			0.0		0							

Notes:

TPE - total phase extraction

LNAPL - light non-aqueous phase liquid

lbs - pounds

P&amp;T - pump &amp; treat

gal - gallon

ft - feet

TPH-DRO - total petroleum hydrocarbons - diesel range organics

mg/L - milligrams per liter

NS - not sampled

<sup>1</sup> - LNAPL drum includes LNAPL bailed previously during well gauge and bail events<sup>2</sup> - Vapor-Phase recovery values are calculated within the Total Phase Extraction Operational Summary Table

\* - The LNAPL drum was emptied during an oil/water separator cleaning event.

\*\* - Groundwater was not be sampled. The prior or following month concentration was used for recovery calculations.

Italics - May LNAPL recovery includes LNAPL removed from the oil/water separator during a cleaning event.

Estimate of dissolved-phase recovery using analytical results in units of mg/L:

Pounds = Total Monthly Flow (gal) x Concentration (mg/L) x c

c = conversion factors, 3.7854 L/gal, 2.2046E-6 lb/mg

Estimate of recovered LNAPL in drum using product thickness in units of ft:Pounds = LNAPL Thickness (ft) x Drum Radius<sup>2</sup> (ft<sup>2</sup>) x  $\pi$  x LNAPL Density (lb/ft<sup>3</sup>)

drum diameter = 1.875 feet

Density of LNAPL (#2 fuel oil) is 54.81 lb/ft<sup>3</sup> based on an average from LNAPL samples from MW-05 and MW-25Conversion of recovered hydrocarbons from pounds to gallons:Gallons = Total Hydrocarbons (lbs) / Denisty of LNAPL (54.8 lb/ft<sup>3</sup>) x 7.48 gal/ft<sup>3</sup>


## Attachment A – Concentration Trend Graphs

---

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW-01S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA


### MW-08S



## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW/RW-10S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW/RW-14




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW-25S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW/RW-25




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA


### MW-27



## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW/RW-31




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW-51S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW/RW-51




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW/RW-72S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA


### MW/RW-72



## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA


### MW-106



## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW-121




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW-122




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### MW/RW-123S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

**RW-1**




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### RW-05S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA


### MW/RW-05



Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### RW-28S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### RW-30S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### RW-116S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### RW-117S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### RW-118S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5 µg/L is plotted for a TPH-DRO result of <45 µg/L).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

### RW-119S




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

**TW-03**




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA


**TW-04**



## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA


**TW-05**



## CONCENTRATION TREND GRAPHS

NRG PRGS  
1400 North Royal Street  
Alexandria, VA

**TW-06**




Note: 1. Non-detect results are plotted at half the method detection limit (i.e. 22.5  $\mu\text{g/L}$  is plotted for a TPH-DRO result of <45  $\mu\text{g/L}$ ).

## CONCENTRATION TREND GRAPHS


NRG PRGS  
1400 North Royal Street  
Alexandria, VA


**TW-07**





## **Attachment B – Monitored Natural Attenuation Trend Graphs**


---




































### Dissolved Manganese vs Time - Shallow Zone







### Dissolved Ferrous Iron vs Time - Shallow Zone













# Methane Headspace vs Time - Shallow Zone









## **Attachment C – Laboratory Analytical Reports and Chains of Custody**

### **Documentation - February 17-19, 2020 Groundwater Monitoring Events**

---



## ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

GES, Inc.  
440 Creamery Way, Suite 500  
Exton PA 19341

Report Date: February 20, 2020 14:37


**Project: NRG PRGS**

Account #: 08390  
Group Number: 2088378  
PO Number: 0402919-51-206  
Release Number: ORG # 0404  
State of Sample Origin: VA

Electronic Copy To GES, Inc.-MD  
Electronic Copy To GES, Inc.-MD

Attn: Data Distribution  
Attn: Anne Ashley Bell

Respectfully Submitted,



Lynn M. Frederiksen  
Principal Specialist Group Leader

(717) 556-7255

To view our laboratory's current scopes of accreditation please go to <https://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/certifications-and-accreditations-eurofins-lancaster-laboratories-environmental/>. Historical copies may be requested through your project manager.



## SAMPLE INFORMATION

**Client Sample Description**

RW-30S Grab Groundwater  
MW-108 Grab Groundwater  
MW-121 Grab Grab Groundwater  
MW-08S Grab Grab Groundwater

**Sample Collection****Date/Time**

02/17/2020 12:45  
02/17/2020 13:15  
02/17/2020 14:15  
02/17/2020 14:30

**ELLE#**

1262158  
1262159  
1262160  
1262161

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** RW-30S Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1262158  
**ELLE Group #:** 2088378  
**Matrix:** Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/18/2020 17:26  
Collection Date/Time: 02/17/2020 12:45

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	54 J	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200490018A	02/19/2020 20:20	Heather E Williams	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	1	200490018A	02/19/2020 08:00	Logan M Brosemer	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** MW-108 Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1262159  
**ELLE Group #:** 2088378  
**Matrix:** Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/18/2020 17:26  
Collection Date/Time: 02/17/2020 13:15

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l N.D.	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200490018A	02/19/2020 20:44	Heather E Williams	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	1	200490018A	02/19/2020 08:00	Logan M Brosemer	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** MW-121 Grab Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1262160  
**ELLE Group #:** 2088378  
**Matrix:** Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/18/2020 17:26  
Collection Date/Time: 02/17/2020 14:15

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Petroleum Hydrocarbons</b> 12858 DRO C10-C28	<b>SW-846 8015B</b> n.a.		ug/l 28,000	ug/l 53	1
		The surrogate data is outside the QC limits due to unresolvable matrix problems evident in the sample chromatogram.			

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200490018A	02/19/2020 21:08	Heather E Williams	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	1	200490018A	02/19/2020 08:00	Logan M Brosemer	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** MW-08S Grab Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1262161  
**ELLE Group #:** 2088378  
**Matrix:** Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/18/2020 17:26  
Collection Date/Time: 02/17/2020 14:30

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l 11,000	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200490018A	02/19/2020 21:32	Heather E Williams	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	1	200490018A	02/19/2020 08:00	Logan M Brosemer	1

## Quality Control Summary

Client Name: GES, Inc.

Group Number: 2088378

Reported: 02/20/2020 14:37

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result ug/l	MDL ug/l
Batch number: 200490018A DRO C10-C28	N.D.	53

### LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 200490018A DRO C10-C28	2857.37	1676.11	2857.37	1781.09	59	62	54-116	6	20

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: DRO micro-ext 8015B

Batch number: 200490018A

Orthoterphenyl

1262158	92
1262159	78
1262160	44*
1262161	83
Blank	82
LCS	77
LCSD	78

Limits: 52-132

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

**Environmental Analysis Request/Chain of Custody**Lancaster Laboratories  
Environmental

Acct. # 3390 Group # 2088373 Sample # 1262158-61

Client: Groundwater & Env. Services, Inc.					Matrix			Analyses Requested								For Lab Use Only					
Project Name/#:		Site ID #: NRG PRGS			Sediment	Soil	Water	NPDES	Other:	Preservation Codes								SF #:			
Project Manager:		P.O. #: 0402919/51/206								H	-	-/S	N	H	-	H			SCR #:		
Sampler: Jeff Plummer		PWSID #:																			
Phone #: 800-220-3606 x 3704		Quote #:																			
State where sample(s) were collected: 1400 North Royal St, Alexandria, VA																					
Sample Identification		Collection			Grab	Composite	Soil	Water	NPDES	Other:	Total # of Containers									Preservation Codes	
		Date	Time									H	-	-/S	N	H	-	H			
RW-305	2-17-20	1245	X			X				2	X	TPH-DRO C-10-28 (SW-846 8015B)	Alkalinity (SM 2320B)	Nitrate NO <sub>3</sub> -1 & Nitrite NO <sub>2</sub> (EPA 353.2)	Manganese (6010)	Ferrous Iron Fe <sup>2+</sup> (SM 3500-Fe B modified-1997)	Sulfate SO <sub>4</sub> 2- (EPA 300.0)	Methane (RS/KSOP-175 modified)			
MW-108		1315	↓			↓															
MW-121 Grab		1415	↓			↓															
MW-085 Grab	2-17-20	1430	X			X				2	X										
Turnaround Time Requested (TAT) (please check): Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/>																					
(Rush TAT is subject to laboratory approval and surcharges.)																					
Date results are needed:																					
Rush results requested by (please check): E-Mail <input checked="" type="checkbox"/> Phone <input type="checkbox"/>																					
E-mail Address: midatlantic@gesonline.com & ges@equisonline.com																					
Phone:																					
Data Package Options (please check if required)																					
Type I (Validation/non-CLP)	<input type="checkbox"/>	MA MCP	<input type="checkbox"/>	Relinquished by: <i>Jeff Plummer</i> Date 2-18-2020 Time 0800 Received by: <i>Denise Wodin</i> Date 2-18-20 Time 0800																	
Type III (Reduced non-CLP)	<input type="checkbox"/>	CT RCP	<input type="checkbox"/>	Relinquished by: <i>Denise Wodin</i> Date 2-18-2020 Time 1351 Received by: <i>km</i> Date 2/18/2020 Time 1351																	
Type VI (Raw Data Only)	<input type="checkbox"/>	TX TRRP-13	<input type="checkbox"/>	Relinquished by: <i>km</i> Date 2/18/2020 Time 1700 Received by: <i>km</i> Date 2/18/2020 Time 1700																	
NYSDEC Category	<input type="checkbox"/>	A or	<input type="checkbox"/>	B	Relinquished by: Commercial Carrier: <i>E Plummer</i> Date 2-18-2020 Time 1726																
EDD Required?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	If yes, format: GES EQEDD																		
EQEDD Name: NRG PRGS.Lab report #.25800.EQEDD.zip																					
UPS _____ FedEx _____ Other _____													Temperature upon receipt 1.0 °C								

Client: GES

Group Number(s):

2088378

**Delivery and Receipt Information**

Delivery Method: ELLE Courier Arrival Date: 02/18/2020  
 Number of Packages: 1 Number of Projects: 3  
 State/Province of Origin: VA

**Arrival Condition Summary**

Shipping Container Sealed:	No	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	No	Sample Date/Times match COC:	Yes
Samples Chilled:	Yes	Total Trip Blank Qty:	0
Paperwork Enclosed:	Yes	Air Quality Samples Present:	No
Samples Intact:	Yes		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

*Unpacked by Cory Jeremiah***Samples Chilled Details**Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Matrix	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	Water	DT146	1.0	DT	Wet	Y	Loose	N

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mL</b>	milliliter(s)
<b>C</b>	degrees Celsius	<b>MPN</b>	Most Probable Number
<b>cfu</b>	colony forming units	<b>N.D.</b>	non-detect
<b>CP Units</b>	cobalt-chloroplatinate units	<b>ng</b>	nanogram(s)
<b>F</b>	degrees Fahrenheit	<b>NTU</b>	nephelometric turbidity units
<b>g</b>	gram(s)	<b>pg/L</b>	picogram/liter
<b>IU</b>	International Units	<b>RL</b>	Reporting Limit
<b>kg</b>	kilogram(s)	<b>TNTC</b>	Too Numerous To Count
<b>L</b>	liter(s)	<b>µg</b>	microgram(s)
<b>lb.</b>	pound(s)	<b>µL</b>	microliter(s)
<b>m3</b>	cubic meter(s)	<b>umhos/cm</b>	micromhos/cm
<b>meq</b>	milliequivalents	<b>MCL</b>	Maximum Contamination Limit
<b>mg</b>	milligram(s)		
<	less than		
>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

# Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value >= the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column >40%. The lower result is reported.
P^	Concentration difference between the primary and confirmation column > 40%. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods.

Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.



## ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

GES, Inc.  
440 Creamery Way, Suite 500  
Exton PA 19341

Report Date: February 26, 2020 09:25


**Project: NRG PRGS**

Account #: 08390  
Group Number: 2088388  
PO Number: 0402919-51-206  
Release Number: ORG # 0404  
State of Sample Origin: VA

Electronic Copy To GES, Inc.-MD  
Electronic Copy To GES, Inc.-MD

Attn: Data Distribution  
Attn: Anne Ashley Bell

Respectfully Submitted,



Lynn M. Frederiksen  
Principal Specialist Group Leader

(717) 556-7255

To view our laboratory's current scopes of accreditation please go to <https://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/certifications-and-accreditations-eurofins-lancaster-laboratories-environmental/>. Historical copies may be requested through your project manager.



## SAMPLE INFORMATION

**Client Sample Description**

MW-08S Grab Groundwater  
MW-27 Grab Groundwater  
MW-31 Grab Groundwater  
RW-28S Grab Groundwater

**Sample Collection****Date/Time**

02/17/2020 10:28  
02/17/2020 11:50  
02/17/2020 13:38  
02/17/2020 14:24

**ELLE#**

1262179  
1262180  
1262181  
1262182

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** MW-08S Grab Groundwater  
NRG - PRGSGES, Inc.  
ELLE Sample #: RW 1262179  
ELLE Group #: 2088388  
Matrix: Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/18/2020 17:26  
Collection Date/Time: 02/17/2020 10:28

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l 10,000	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200490018A	02/19/2020 21:56	Heather E Williams	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	1	200490018A	02/19/2020 08:00	Logan M Brosemer	1

**Sample Description:** MW-27 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262180  
ELLE Group #: 2088388  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/18/2020 17:26  
Collection Date/Time: 02/17/2020 11:50

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105 Methane	<b>RSKSOP-175 modified</b> 74-82-8	ug/l	870	ug/l 15	5
<b>GC Petroleum Hydrocarbons</b> 12858 DRO C10-C28	<b>SW-846 8015B</b> n.a.	ug/l	910	ug/l 53	1
<b>Metals</b> 07058 Manganese	<b>SW-846 6010C</b> 7439-96-5	mg/l	13.3	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228 Sulfate	<b>EPA 300.0</b> 14808-79-8	mg/l	669	mg/l 150	500
00220 Nitrate Nitrogen 00219 Nitrite Nitrogen	<b>EPA 353.2</b> 14797-55-8 14797-65-0	mg/l	N.D. 0.069	mg/l 0.040 0.015	1 1
14855 Ferrous Iron <sup>1</sup>	<b>SM 3500-Fe B-2011</b> n.a.	mg/l	82.4	mg/l 0.750	50
12150 Total Alkalinity to pH 4.5	<b>SM 2320 B-2011</b> n.a.	mg/l as CaCO <sub>3</sub>	177	mg/l as CaCO <sub>3</sub> 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/21/2020 11:27	Esther Kathryn Lane	5
12858	DRO micro-ext 8015B	SW-846 8015B	1	200490018A	02/19/2020 22:20	Heather E Williams	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	1	200490018A	02/19/2020 08:00	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200501404402	02/22/2020 15:35	Christina Termini	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200501404402	02/20/2020 14:05	JoElla L Rice	1
00228	Sulfate	EPA 300.0	1	20050135113A	02/19/2020 12:15	Kevin Litwa	500
00220	Nitrate Nitrogen	EPA 353.2	1	20055106103A	02/24/2020 11:48	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105101A	02/19/2020 11:10	Ashlynn M Cornelius	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 13:18	Jonathan Saul	50
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20050006202A	02/19/2020 19:03	Jeremy L Bolf	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** MW-31 Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1262181  
**ELLE Group #:** 2088388  
**Matrix:** Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/18/2020 17:26  
Collection Date/Time: 02/17/2020 13:38

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l 190	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200490018A	02/19/2020 22:43	Heather E Williams	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	1	200490018A	02/19/2020 08:00	Logan M Brosemer	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** RW-28S Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262182  
ELLE Group #: 2088388  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/18/2020 17:26  
Collection Date/Time: 02/17/2020 14:24

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons	SW-846 8015B		ug/l	ug/l	
12858 DRO C10-C28		n.a.	97 J	53	1
Wet Chemistry	EPA 300.0		mg/l	mg/l	
00228 Sulfate		14808-79-8	911	150	500
	SM 2320 B-2011		mg/l as CaCO3	mg/l as CaCO3	
12150 Total Alkalinity to pH 4.5		n.a.	165	2.6	1

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200490018A	02/19/2020 23:07	Heather E Williams	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	1	200490018A	02/19/2020 08:00	Logan M Brosemer	1
00228	Sulfate	EPA 300.0	1	20050135113A	02/19/2020 12:30	Kevin Litwa	500
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20050006202A	02/19/2020 19:15	Jeremy L Bolf	1

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/26/2020 09:25

Group Number: 2088388

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result ug/l	MDL ug/l
Batch number: 200510014A Methane	Sample number(s): 1262180 N.D.	3.0
Batch number: 200490018A DRO C10-C28	Sample number(s): 1262179-1262182 N.D.	53
	mg/l	mg/l
Batch number: 200501404402 Manganese	Sample number(s): 1262180 N.D.	0.0030
Batch number: 20050105101A Nitrite Nitrogen	Sample number(s): 1262180 N.D.	0.015
Batch number: 20050135113A Sulfate	Sample number(s): 1262180,1262182 N.D.	0.30
Batch number: 20055106103A Nitrate Nitrogen	Sample number(s): 1262180 N.D.	0.040
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1262180 N.D.	0.0150
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>
Batch number: 20050006202A Total Alkalinity to pH 4.5	Sample number(s): 1262180,1262182 N.D.	2.6

### LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 200510014A Methane	Sample number(s): 1262180 59.42	61.9	59.42	62.56	104	105	85-115	1	20
	ug/l	ug/l	ug/l	ug/l					
Batch number: 200490018A DRO C10-C28	Sample number(s): 1262179-1262182 2857.37	1676.11	2857.37	1781.09	59	62	54-116	6	20

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/26/2020 09:25

Group Number: 2088388

### LCS/LCSD (continued)

Analysis Name	LCS Spike Added mg/l	LCS Conc mg/l	LCSD Spike Added mg/l	LCSD Conc mg/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 200501404402 Manganese	Sample number(s): 1262180 0.0200	0.0201			100		80-120		
	mg/l	mg/l	mg/l	mg/l					
Batch number: 20050105101A Nitrite Nitrogen	Sample number(s): 1262180 0.700	0.744			106		90-110		
Batch number: 20050135113A Sulfate	Sample number(s): 1262180,1262182 7.50	7.02			94		90-110		
Batch number: 20055106103A Nitrate Nitrogen	Sample number(s): 1262180 2.50	2.60			104		90-110		
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1262180 1.00	0.937	1.00	0.952	94	95	90-110	2	10
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>					
Batch number: 20050006202A Total Alkalinity to pH 4.5	Sample number(s): 1262180,1262182 188	182.6			97		82-106		

### MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc mg/l	MS Spike Added mg/l	MS Conc mg/l	MSD Spike Added mg/l	MSD Conc mg/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 20050105101A Nitrite Nitrogen	Sample number(s): 1262180 UNSPK: 1262180 0.0690	0.200	0.275			103		90-110		

### Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	BKG Conc mg/l	DUP Conc mg/l	DUP RPD	DUP RPD Max
Batch number: 20050105101A Nitrite Nitrogen	Sample number(s): 1262180 BKG: 1262180 0.0690	0.0680	1 (1)	20

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/26/2020 09:25

Group Number: 2088388

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: DRO micro-ext 8015B

Batch number: 200490018A

Orthoetherphenyl

1262179	92
1262180	84
1262181	80
1262182	81
Blank	82
LCS	77
LCSD	78

Limits: 52-132

Analysis Name: Methane

Batch number: 200510014A

Propene

1262180	73
Blank	100
LCS	100
LCSD	100

Limits: 46-135

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.



Lancaster Laboratories  
Environmental

# Environmental Analysis Request/Chain of Custody

Acct. # 9390

Group # 2000306

Sample # 1242179-02

Client: Groundwater & Env. Services, Inc.				Matrix			Analyses Requested							For Lab Use Only								
Project Name/#: NRG PRGS		Site ID #: NRG PRGS		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Preservation Codes							SF #: _____								
Project Manager: Anne Ashley Bell		P.O. #: 0402919/51/206					Sediment	Ground	Surface	H	-	-S	N	H	H		SCR #: _____					
Sampler: Kirk Marks DW		PWSID #:		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Potable	Water	NPDES	Composite	Other:	Total # of Containers	TPH-DRO C-10-28 (SW-846 80-15B)	Alkalinity (SM 2320B)	Nitrate NO3-1 & Nitrite NO-2(EPA 353.2)	Manganese (6010)	Ferrous Iron Fe2+ (SM 3500-Fe B modified-1997)	Sulfate SO4 2- (EPA 300.0)	Methane (RSKSOP-175 modified)	Preservation Codes		
Phone #: 800-220-3606 x 3704		Quote #:																		H = HCl	T = Thiosulfate	
State where sample(s) were collected: 1400 North Royal St, Alexandria, VA																N = HNO3		B = NaOH				
Sample Identification				Collection		Grab	Composite	Soil	Water	NPDES	Composite	Other:	Total # of Containers	TPH-DRO C-10-28 (SW-846 80-15B)	Alkalinity (SM 2320B)	Nitrate NO3-1 & Nitrite NO-2(EPA 353.2)	Manganese (6010)	Ferrous Iron Fe2+ (SM 3500-Fe B modified-1997)	Sulfate SO4 2- (EPA 300.0)	Methane (RSKSOP-175 modified)	Remarks	
				Date	Time																MW-08S	2/11/20
MW-27				11:50								10	X	X	X	X	X	X	X			
MW-31				13:38								2	X									
RW-28S				14:24								4	X	X				X				
Turnaround Time Requested (TAT) (please check): Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/>				Relinquished by: <i>Fol M</i>												Date 2/17/20	Time 5:00PM	Received by: <i>Danice W</i>	Date 2-17-20	Time 17:00		
(Rush TAT is subject to laboratory approval and surcharges.)																<i>17:00 dw</i>						
Date results are needed:				Relinquished by: <i>Danice W</i>												Date 2-18-20	Time 13:51	Received by: <i>dw</i>	Date 2/18/20	Time 13:51		
Rush results requested by (please check): E-Mail <input checked="" type="checkbox"/> Phone <input type="checkbox"/>				Relinquished by: <i>dw</i>												Date 2/18/20	Time 17:00	Received by: <i>dw</i>	Date 2/18/20	Time 17:00		
E-mail Address: midatlantic@gesonline.com & ges@equisonline.com				Relinquished by: <i>dw</i>												Date 2/18/20	Time 17:00	Received by: <i>dw</i>	Date 2/18/20	Time 17:00		
Phone:				Relinquished by: <i>dw</i>												Date 2/18/20	Time 17:00	Received by: <i>dw</i>	Date 2/18/20	Time 17:00		
Data Package Options (please check if required)				Relinquished by: <i>dw</i>												Date 2/18/20	Time 17:00	Received by: <i>dw</i>	Date 2/18/20	Time 17:00		
Type I (Validation/non-CLP)	<input type="checkbox"/>	MA MCP	<input type="checkbox"/>	Relinquished by: <i>dw</i>												Date 2/18/20	Time 17:00	Received by: <i>dw</i>	Date 2/18/20	Time 17:00		
Type III (Reduced non-CLP)	<input type="checkbox"/>	CT RCP	<input type="checkbox"/>	Relinquished by: <i>dw</i>												Date 2/18/20	Time 17:00	Received by: <i>dw</i>	Date 2/18/20	Time 17:00		
Type VI (Raw Data Only)	<input type="checkbox"/>	TX TRRP-13	<input type="checkbox"/>	Relinquished by: <i>dw</i>												Date 2/18/20	Time 17:00	Received by: <i>dw</i>	Date 2/18/20	Time 17:00		
NYSDEC Category	<input type="checkbox"/>	A	or	<input type="checkbox"/>	B	Relinquished by Commercial Carrier: <i>dw</i>												Temperature upon receipt 1.0 °C				
EDD Required?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	If yes, format: GES_EQEDD		UPS FedEx Other																	
EQEDD Name: NRG PRGS.Lab report #.25800.EQEDD.zip																						



Group Number(s):

Client: GES2009300**Delivery and Receipt Information**

Delivery Method: ELLE Courier Arrival Date: 02/18/2020  
 Number of Packages: 1 Number of Projects: 3  
 State/Province of Origin: VA

**Arrival Condition Summary**

Shipping Container Sealed:	No	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	No	Sample Date/Times match COC:	Yes
Samples Chilled:	Yes	Total Trip Blank Qty:	0
Paperwork Enclosed:	Yes	Air Quality Samples Present:	No
Samples Intact:	Yes		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

*Unpacked by Cory Jeremiah***Samples Chilled Details**

Thermometer Types: DT = Digital (Temp. Bottle)    IR = Infrared (Surface Temp)    All Temperatures in °C.

Cooler #	Matrix	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	Water	DT146	1.0	DT	Wet	Y	Loose	N

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mL</b>	milliliter(s)
<b>C</b>	degrees Celsius	<b>MPN</b>	Most Probable Number
<b>cfu</b>	colony forming units	<b>N.D.</b>	non-detect
<b>CP Units</b>	cobalt-chloroplatinate units	<b>ng</b>	nanogram(s)
<b>F</b>	degrees Fahrenheit	<b>NTU</b>	nephelometric turbidity units
<b>g</b>	gram(s)	<b>pg/L</b>	picogram/liter
<b>IU</b>	International Units	<b>RL</b>	Reporting Limit
<b>kg</b>	kilogram(s)	<b>TNTC</b>	Too Numerous To Count
<b>L</b>	liter(s)	<b>µg</b>	microgram(s)
<b>lb.</b>	pound(s)	<b>µL</b>	microliter(s)
<b>m3</b>	cubic meter(s)	<b>umhos/cm</b>	micromhos/cm
<b>meq</b>	milliequivalents	<b>MCL</b>	Maximum Contamination Limit
<b>mg</b>	milligram(s)		
<	less than		
>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

# Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value >= the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column >40%. The lower result is reported.
P^	Concentration difference between the primary and confirmation column > 40%. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods.

Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.



## ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

GES, Inc.  
440 Creamery Way, Suite 500  
Exton PA 19341

Report Date: February 26, 2020 09:26


**Project: NRG PRGS**

Account #: 08390  
Group Number: 2088389  
PO Number: 0402919-51-206  
Release Number: ORG # 0404  
State of Sample Origin: VA

Electronic Copy To GES, Inc.-MD  
Electronic Copy To GES, Inc.-MD

Attn: Data Distribution  
Attn: Anne Ashley Bell

Respectfully Submitted,



Lynn M. Frederiksen  
Principal Specialist Group Leader

(717) 556-7255

To view our laboratory's current scopes of accreditation please go to <https://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/certifications-and-accreditations-eurofins-lancaster-laboratories-environmental/>. Historical copies may be requested through your project manager.



## SAMPLE INFORMATION

**Client Sample Description**

MW-121 Grab Groundwater  
RW-05S Grab Groundwater  
TW-07 Grab Groundwater

**Sample Collection****Date/Time**

02/17/2020 12:53  
02/17/2020 14:00  
02/17/2020 12:30

**ELLE#**

1262183  
1262184  
1262185

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

**Sample Description:** MW-121 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262183  
ELLE Group #: 2088389  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/18/2020 17:26  
Collection Date/Time: 02/17/2020 12:53

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105 Methane	<b>RSKSOP-175 modified</b> 74-82-8	ug/l	450	ug/l 15	5
<b>GC Petroleum Hydrocarbons</b> 12858 DRO C10-C28	<b>SW-846 8015B</b> n.a.	ug/l	11,000	ug/l 53	1
<b>Metals</b> 07058 Manganese	<b>SW-846 6010C</b> 7439-96-5	mg/l	7.93	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228 Sulfate	<b>EPA 300.0</b> 14808-79-8	mg/l	252	mg/l 60.0	200
00220 Nitrate Nitrogen 00219 Nitrite Nitrogen	<b>EPA 353.2</b> 14797-55-8 14797-65-0	mg/l	N.D. 0.090	mg/l 0.040 0.015	1 1
14855 Ferrous Iron <sup>1</sup>	<b>SM 3500-Fe B-2011</b> n.a.	mg/l	119	mg/l 3.00	200
12150 Total Alkalinity to pH 4.5	<b>SM 2320 B-2011</b> n.a.	mg/l as CaCO <sub>3</sub>	353	mg/l as CaCO <sub>3</sub> 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/21/2020 11:44	Esther Kathryn Lane	5
12858	DRO micro-ext 8015B	SW-846 8015B	1	200490018A	02/19/2020 23:31	Heather E Williams	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	1	200490018A	02/19/2020 08:00	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200501404402	02/22/2020 15:38	Christina Termini	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200501404402	02/20/2020 14:05	JoElla L Rice	1
00228	Sulfate	EPA 300.0	1	20050135113A	02/19/2020 12:45	Kevin Litwa	200
00220	Nitrate Nitrogen	EPA 353.2	1	20055106103A	02/24/2020 11:50	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105101A	02/19/2020 11:14	Ashlynn M Cornelius	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 13:35	Jonathan Saul	200
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20050006202A	02/19/2020 18:52	Jeremy L Bolf	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** RW-05S Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262184  
ELLE Group #: 2088389  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/18/2020 17:26  
Collection Date/Time: 02/17/2020 14:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l 3,100	ug/l 53	1
<b>Wet Chemistry</b> 00228	<b>EPA 300.0</b> Sulfate	14808-79-8	mg/l 59.6	mg/l 3.0	10
12150	<b>SM 2320 B-2011</b> Total Alkalinity to pH 4.5	n.a.	mg/l as CaCO3 119	mg/l as CaCO3 2.6	1

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200490018A	02/19/2020 23:55	Heather E Williams	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	1	200490018A	02/19/2020 08:00	Logan M Brosemer	1
00228	Sulfate	EPA 300.0	1	20050135113A	02/19/2020 08:45	Kevin Litwa	10
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20050006202A	02/19/2020 18:57	Jeremy L Bolf	1

**Sample Description:** TW-07 Grab Groundwater  
NRG - PRGS      **GES, Inc.**  
**Project Name:** NRG PRGS      **ELLE Sample #:** RW 1262185  
**Submittal Date/Time:** 02/18/2020 17:26      **ELLE Group #:** 2088389  
**Collection Date/Time:** 02/17/2020 12:30      **Matrix:** Groundwater

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105	<b>RSKSOP-175 modified</b> Methane	74-82-8	ug/l 60	ug/l 3.0	1
<b>Metals</b> 07058	<b>SW-846 6010C</b> Manganese	7439-96-5	mg/l 4.77	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228	<b>EPA 300.0</b> Sulfate	14808-79-8	mg/l 380	mg/l 15.0	50
00220	<b>EPA 353.2</b> Nitrate Nitrogen	14797-55-8	mg/l N.D.	mg/l 0.040	1
00219	Nitrite Nitrogen	14797-65-0	0.028 J	0.015	1
14855	<b>SM 3500-Fe B-2011</b> Ferrous Iron <sup>1</sup>	n.a.	mg/l 31.0	mg/l 0.300	20
12150	<b>SM 2320 B-2011</b> Total Alkalinity to pH 4.5	n.a.	mg/l as CaCO3 10.4	mg/l as CaCO3 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/20/2020 13:44	Esther Kathryn Lane	1
07058	Manganese	SW-846 6010C	1	200501404402	02/22/2020 15:42	Christina Termini	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200501404402	02/20/2020 14:05	JoElla L Rice	1
00228	Sulfate	EPA 300.0	1	20050135113B	02/20/2020 07:31	Niyati Desai	50
00220	Nitrate Nitrogen	EPA 353.2	1	20055106103A	02/24/2020 11:54	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105101A	02/19/2020 11:15	Ashlynn M Cornelius	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 13:00	Jonathan Saul	20
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20050006202A	02/19/2020 19:09	Jeremy L Bolf	1

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/26/2020 09:26

Group Number: 2088389

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result ug/l	MDL ug/l
Batch number: 200510014A Methane	N.D.	Sample number(s): 1262183,1262185 3.0
Batch number: 200490018A DRO C10-C28	N.D.	Sample number(s): 1262183-1262184 53
	mg/l	mg/l
Batch number: 200501404402 Manganese	N.D.	Sample number(s): 1262183,1262185 0.0030
Batch number: 20050105101A Nitrite Nitrogen	N.D.	Sample number(s): 1262183,1262185 0.015
Batch number: 20050135113A Sulfate	N.D.	Sample number(s): 1262183-1262184 0.30
Batch number: 20050135113B Sulfate	N.D.	Sample number(s): 1262185 0.30
Batch number: 20055106103A Nitrate Nitrogen	N.D.	Sample number(s): 1262183,1262185 0.040
Batch number: 20055127101A Ferrous Iron	N.D.	Sample number(s): 1262183,1262185 0.0150
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>
Batch number: 20050006202A Total Alkalinity to pH 4.5	N.D.	Sample number(s): 1262183-1262185 2.6

### LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 200510014A Methane	59.42	61.9	59.42	62.56	104	105	85-115	1	20
Batch number: 200490018A									

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/26/2020 09:26

Group Number: 2088389

### LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
DRO C10-C28	2857.37	1676.11	2857.37	1781.09	59	62	54-116	6	20
	mg/l	mg/l	mg/l	mg/l					
Batch number: 200501404402 Manganese	Sample number(s): 1262183,1262185 0.0200	0.0201			100		80-120		
	mg/l	mg/l	mg/l	mg/l					
Batch number: 20050105101A Nitrite Nitrogen	Sample number(s): 1262183,1262185 0.700	0.744			106		90-110		
Batch number: 20050135113A Sulfate	Sample number(s): 1262183-1262184 7.50	7.02			94		90-110		
Batch number: 20050135113B Sulfate	Sample number(s): 1262185 7.50	7.02			94		90-110		
Batch number: 20055106103A Nitrate Nitrogen	Sample number(s): 1262183,1262185 2.50	2.60			104		90-110		
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1262183,1262185 1.00	0.937	1.00	0.952	94	95	90-110	2	10
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>					
Batch number: 20050006202A Total Alkalinity to pH 4.5	Sample number(s): 1262183-1262185 188	182.6			97		82-106		

### MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc mg/l	MS Spike Added mg/l	MS Conc mg/l	MSD Spike Added mg/l	MSD Conc mg/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 20050135113A Sulfate	Sample number(s): 1262183-1262184 UNSPK: 1262184 59.62	50	102.29			85*		90-110		
Batch number: 20050135113B Sulfate	Sample number(s): 1262185 UNSPK: 1262185 379.97	250	655.34			110		90-110		

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/26/2020 09:26

Group Number: 2088389

### Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	BKG Conc mg/l	DUP Conc mg/l	DUP RPD	DUP RPD Max
Batch number: 20050135113A Sulfate	Sample number(s): 1262183-1262184 BKG: 1262184 59.62	60.06	1	15
Batch number: 20050135113B Sulfate	Sample number(s): 1262185 BKG: 1262185 379.97	378.13	0	15

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: DRO micro-ext 8015B  
Batch number: 200490018A

Orthoterphenyl	
1262183	66
1262184	104
Blank	82
LCS	77
LCSD	78

Limits: 52-132

Analysis Name: Methane  
Batch number: 200510014A

Propene	
1262183	72
1262185	89
Blank	100
LCS	100
LCSD	100

Limits: 46-135

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

# Environmental Analysis Request/Chain of Custody



Lancaster Laboratories  
Environmental

Acct. # 8390 Group # 2009309 Sample # 126210305

Client: Groundwater & Env. Services, Inc.					Matrix										Analyses Requested										For Lab Use Only										
Project Name/#: NRG PRGS		Site ID #: NRG PRGS			<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Sediment			Preservation Codes										SF #: _____														
Project Manager: Anne Ashley Bell		P.O. #: 0402919/51/206						Potable	<input type="checkbox"/>	Ground	<input type="checkbox"/>	Surface	<input type="checkbox"/>	H	-	-/S	N	H	-	H			SCR #: _____												
Sampler: <i>Amelia Ryan</i>		PWSID #:																							Preservation Codes										
Phone #: 800-220-3606 x 3704		Quote #:																							H = HCl	T = Thiosulfate									
State where sample(s) were collected: 1400 North Royal St, Alexandria, VA																									N = HNO <sub>3</sub>	B = NaOH									
Sample Identification															Collection		Grab	Composite	Soil	Water	NPDES	Other:	Total # of Containers											P = H <sub>3</sub> PO <sub>4</sub>	
															Date	Time																		Manganese (6010)	Ferrous Iron Fe2+ (SM 3500-Fe B modified-1997)
															2/17/2020	1253	X					10	X	X	X	X	X	X	X	X			Remarks		
															2/17/2020	1400	X					4	X	X					X						
															2/17/2020	1230	X					3	X	X	X	X	X	X	X	X					
Turnaround Time Requested (TAT) (please check): Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/>															Relinquished by: <i>Dawn Woodin</i> Date 2/17/2020 Time 1615 Received by: <i>Dawn Woodin</i> Date 2/17/2020 Time 1700																				
(Rush TAT is subject to laboratory approval and surcharges.)																																			
Date results are needed:															Relinquished by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1351 Received by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1357																				
Rush results requested by (please check): E-Mail <input checked="" type="checkbox"/> Phone <input type="checkbox"/>															Relinquished by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700 Received by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700																				
E-mail Address: <a href="mailto:midatlantic@gesonline.com">midatlantic@gesonline.com</a> & <a href="mailto:ges@equisonline.com">ges@equisonline.com</a>															Relinquished by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700 Received by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700																				
Phone:															Relinquished by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700 Received by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700																				
Data Package Options (please check if required)															Relinquished by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700 Received by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700																				
Type I (Validation/non-CLP) <input type="checkbox"/> MA MCP <input type="checkbox"/>															Relinquished by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700 Received by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700																				
Type III (Reduced non-CLP) <input type="checkbox"/> CT RCP <input type="checkbox"/>															Relinquished by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700 Received by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700																				
Type VI (Raw Data Only) <input type="checkbox"/> TX TRRP-13 <input type="checkbox"/>															Relinquished by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700 Received by: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700																				
NYSDEC Category <input type="checkbox"/> A or <input type="checkbox"/> B															Relinquished by Commercial Carrier: <i>Dawn Woodin</i> Date 2/18/2020 Time 1700																				
EDD Required? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, format: GES_EQEDD															Temperature upon receipt 10 °C																				
EQEDD Name: NRG PRGS.Lab report #.25800.EQEDD.zip																																			



Group Number(s):

Client: GES

2080309

**Delivery and Receipt Information**

Delivery Method: ELLE Courier Arrival Date: 02/18/2020  
 Number of Packages: 1 Number of Projects: 3  
 State/Province of Origin: VA

**Arrival Condition Summary**

Shipping Container Sealed:	No	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	No	Sample Date/Times match COC:	Yes
Samples Chilled:	Yes	Total Trip Blank Qty:	0
Paperwork Enclosed:	Yes	Air Quality Samples Present:	No
Samples Intact:	Yes		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

*Unpacked by Cory Jeremiah***Samples Chilled Details**

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Matrix	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	Water	DT146	1.0	DT	Wet	Y	Loose	N

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mL</b>	milliliter(s)
<b>C</b>	degrees Celsius	<b>MPN</b>	Most Probable Number
<b>cfu</b>	colony forming units	<b>N.D.</b>	non-detect
<b>CP Units</b>	cobalt-chloroplatinate units	<b>ng</b>	nanogram(s)
<b>F</b>	degrees Fahrenheit	<b>NTU</b>	nephelometric turbidity units
<b>g</b>	gram(s)	<b>pg/L</b>	picogram/liter
<b>IU</b>	International Units	<b>RL</b>	Reporting Limit
<b>kg</b>	kilogram(s)	<b>TNTC</b>	Too Numerous To Count
<b>L</b>	liter(s)	<b>µg</b>	microgram(s)
<b>lb.</b>	pound(s)	<b>µL</b>	microliter(s)
<b>m3</b>	cubic meter(s)	<b>umhos/cm</b>	micromhos/cm
<b>meq</b>	milliequivalents	<b>MCL</b>	Maximum Contamination Limit
<b>mg</b>	milligram(s)		
<	less than		
>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

# Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value >= the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column >40%. The lower result is reported.
P^	Concentration difference between the primary and confirmation column > 40%. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods.

Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.



## ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

GES, Inc.  
440 Creamery Way, Suite 500  
Exton PA 19341

Report Date: February 28, 2020 15:20


**Project: NRG PRGS**

Account #: 08390  
Group Number: 2088571  
PO Number: 0402919-51-206  
Release Number: ORG # 0404  
State of Sample Origin: VA

Electronic Copy To GES, Inc.-MD  
Electronic Copy To GES, Inc.-MD

Attn: Data Distribution  
Attn: Anne Ashley Bell

Respectfully Submitted,



Lynn M. Frederiksen  
Principal Specialist Group Leader

(717) 556-7255

To view our laboratory's current scopes of accreditation please go to <https://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/certifications-and-accreditations-eurofins-lancaster-laboratories-environmental/>. Historical copies may be requested through your project manager.



## SAMPLE INFORMATION

<u>Client Sample Description</u>	<u>Sample Collection Date/Time</u>	<u>ELLE#</u>
RW-05S-Grab Grab Groundwater	02/18/2020 09:15	1262884
TW-05 Grab Groundwater	02/18/2020 09:45	1262885
MW-01S Grab Groundwater	02/18/2020 10:00	1262886
MW-122 Grab Groundwater	02/18/2020 11:20	1262887
TW-06 Grab Groundwater	02/18/2020 11:00	1262888
TW-03 Grab Groundwater	02/18/2020 12:15	1262889
MW-51/RW-51 Grab Groundwater	02/18/2020 12:40	1262890
MW-51S Grab Groundwater	02/18/2020 13:45	1262891
MW-51/RW-51 Grab Grab Groundwater	02/18/2020 14:35	1262892
MW-01S Grab Groundwater	02/18/2020 14:45	1262893

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** RW-05S-Grab Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1262884  
**ELLE Group #:** 2088571  
**Matrix:** Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 09:15

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l 3,400	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 20:57	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1

**Sample Description:** TW-05 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262885  
ELLE Group #: 2088571  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 09:45

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105	<b>RSKSOP-175 modified</b> Methane	74-82-8	ug/l 22	ug/l 3.0	1
<b>Metals</b> 07058	<b>SW-846 6010C</b> Manganese	7439-96-5	mg/l 5.03	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228	<b>EPA 300.0</b> Sulfate	14808-79-8	mg/l 523	mg/l 60.0	200
00220	<b>EPA 353.2</b> Nitrate Nitrogen	14797-55-8	mg/l N.D.	mg/l 0.040	1
00219	Nitrite Nitrogen	14797-65-0	0.047 J	0.015	1
14855	<b>SM 3500-Fe B-2011</b> Ferrous Iron <sup>1</sup>	n.a.	mg/l 95.8	mg/l 0.750	50
12150	<b>SM 2320 B-2011</b> Total Alkalinity to pH 4.5	n.a.	mg/l as CaCO3 4.9 J	mg/l as CaCO3 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/20/2020 14:54	Esther Kathryn Lane	1
07058	Manganese	SW-846 6010C	1	200511404402	02/23/2020 17:47	Elaine F Stoltzfus	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200511404402	02/21/2020 05:30	Annamaria Kuhns	1
00228	Sulfate	EPA 300.0	1	20051720113B	02/20/2020 21:31	Samantha Favero	200
00220	Nitrate Nitrogen	EPA 353.2	1	20057106101A	02/26/2020 08:00	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105103A	02/19/2020 22:42	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 11:46	Jonathan Saul	50
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 21:12	Jeremy L Bolf	1

**Sample Description:** MW-01S Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262886  
ELLE Group #: 2088571  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 10:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105 Methane	<b>RSKSOP-175 modified</b> 74-82-8	ug/l 4.3 J		ug/l 3.0	1
<b>GC Petroleum Hydrocarbons</b> 12858 DRO C10-C28	<b>SW-846 8015B</b> n.a.	ug/l 2,100		ug/l 53	1
<b>Metals</b> 07058 Manganese	<b>SW-846 6010C</b> 7439-96-5	mg/l 6.26		mg/l 0.0030	1
<b>Wet Chemistry</b> 00228 Sulfate	<b>EPA 300.0</b> 14808-79-8	mg/l 228		mg/l 30.0	100
00220 Nitrate Nitrogen 00219 Nitrite Nitrogen	<b>EPA 353.2</b> 14797-55-8 14797-65-0	mg/l N.D. 0.034 J		mg/l 0.040 0.015	1 1
14855 Ferrous Iron <sup>1</sup>	<b>SM 3500-Fe B-2011</b> n.a.	mg/l 31.3		mg/l 0.300	20
12150 Total Alkalinity to pH 4.5	<b>SM 2320 B-2011</b> n.a.	mg/l as CaCO <sub>3</sub> 171		mg/l as CaCO <sub>3</sub> 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/20/2020 15:12	Esther Kathryn Lane	1
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 21:21	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200511404402	02/23/2020 17:50	Elaine F Stoltzfus	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200511404402	02/21/2020 05:30	Annamaria Kuhns	1
00228	Sulfate	EPA 300.0	1	20051720113B	02/20/2020 22:46	Samantha Faverio	100
00220	Nitrate Nitrogen	EPA 353.2	1	20057106101A	02/26/2020 08:03	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105103A	02/19/2020 22:32	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 12:59	Jonathan Saul	20
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 20:59	Jeremy L Bolf	1

**Sample Description:** MW-122 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262887  
ELLE Group #: 2088571  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 11:20

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105	<b>RSKSOP-175 modified</b> Methane	74-82-8	ug/l 1,200	ug/l 15	5
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l 920	ug/l 53	1
<b>Metals</b> 07058	<b>SW-846 6010C</b> Manganese	7439-96-5	mg/l 5.95	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228	<b>EPA 300.0</b> Sulfate	14808-79-8	mg/l 165	mg/l 15.0	50
00220	<b>EPA 353.2</b> Nitrate Nitrogen	14797-55-8	mg/l N.D.	mg/l 0.040	1
00219	Nitrite Nitrogen	14797-65-0	0.026 J	0.015	1
14855	<b>SM 3500-Fe B-2011</b> Ferrous Iron <sup>1</sup>	n.a.	mg/l 52.5	mg/l 0.750	50
12150	<b>SM 2320 B-2011</b> Total Alkalinity to pH 4.5	n.a.	mg/l as CaCO <sub>3</sub> 341	mg/l as CaCO <sub>3</sub> 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/21/2020 12:02	Esther Kathryn Lane	5
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 21:45	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200511404402	02/23/2020 17:09	Elaine F Stoltzfus	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200511404402	02/21/2020 05:30	Annamaria Kuhns	1
00228	Sulfate	EPA 300.0	1	20051720113B	02/20/2020 23:01	Samantha Faverio	50
00220	Nitrate Nitrogen	EPA 353.2	1	20057106101A	02/26/2020 08:05	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105103A	02/19/2020 22:33	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 13:17	Jonathan Saul	50
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 21:05	Jeremy L Bolf	1

**Sample Description:** TW-06 Grab Groundwater  
NRG - PRGS      **GES, Inc.**  
**Project Name:** NRG PRGS      **ELLE Sample #:** RW 1262888  
**Submittal Date/Time:** 02/19/2020 17:30      **ELLE Group #:** 2088571  
**Collection Date/Time:** 02/18/2020 11:00      **Matrix:** Groundwater

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105	<b>RSKSOP-175 modified</b> Methane	74-82-8	ug/l 54	ug/l 3.0	1
<b>Metals</b> 07058	<b>SW-846 6010C</b> Manganese	7439-96-5	mg/l 0.927	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228	<b>EPA 300.0</b> Sulfate	14808-79-8	mg/l 235	mg/l 30.0	100
00220	<b>EPA 353.2</b> Nitrate Nitrogen	14797-55-8	mg/l 0.15	mg/l 0.040	1
00219	Nitrite Nitrogen	14797-65-0	0.051	0.015	1
14855	<b>SM 3500-Fe B-2011</b> Ferrous Iron <sup>1</sup>	n.a.	mg/l 44.0	mg/l 0.750	50
12150	<b>SM 2320 B-2011</b> Total Alkalinity to pH 4.5	n.a.	mg/l as CaCO <sub>3</sub> 63.2	mg/l as CaCO <sub>3</sub> 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/20/2020 15:47	Esther Kathryn Lane	1
07058	Manganese	SW-846 6010C	1	200511404402	02/23/2020 17:53	Elaine F Stoltzfus	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200511404402	02/21/2020 05:30	Annamaria Kuhns	1
00228	Sulfate	EPA 300.0	1	20051720113B	02/20/2020 22:16	Samantha Faverio	100
00220	Nitrate Nitrogen	EPA 353.2	1	20057106101A	02/26/2020 08:06	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105103A	02/19/2020 22:45	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 11:43	Jonathan Saul	50
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 21:34	Jeremy L Bolf	1

**Sample Description:** TW-03 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262889  
ELLE Group #: 2088571  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 12:15

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105	<b>RSKSOP-175 modified</b> Methane	74-82-8	ug/l 87	ug/l 3.0	1
<b>Metals</b> 07058	<b>SW-846 6010C</b> Manganese	7439-96-5	mg/l 7.09	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228	<b>EPA 300.0</b> Sulfate	14808-79-8	mg/l 500	mg/l 60.0	200
00220	<b>EPA 353.2</b> Nitrate Nitrogen	14797-55-8	mg/l N.D.	mg/l 0.040	1
00219	Nitrite Nitrogen	14797-65-0	0.032 J	0.015	1
14855	<b>SM 3500-Fe B-2011</b> Ferrous Iron <sup>1</sup>	n.a.	mg/l 53.1	mg/l 0.750	50
12150	<b>SM 2320 B-2011</b> Total Alkalinity to pH 4.5	n.a.	mg/l as CaCO3 11.4	mg/l as CaCO3 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/20/2020 16:21	Esther Kathryn Lane	1
07058	Manganese	SW-846 6010C	1	200511404402	02/23/2020 17:56	Elaine F Stoltzfus	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200511404402	02/21/2020 05:30	Annamaria Kuhns	1
00228	Sulfate	EPA 300.0	1	20051720113B	02/20/2020 21:01	Samantha Favero	200
00220	Nitrate Nitrogen	EPA 353.2	1	20057106101A	02/26/2020 08:07	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105103A	02/19/2020 22:36	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 11:47	Jonathan Saul	50
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 21:46	Jeremy L Bolf	1

**Sample Description:** MW-51/RW-51 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262890  
ELLE Group #: 2088571  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 12:40

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105 Methane	<b>RSKSOP-175 modified</b> 74-82-8	ug/l	310	ug/l 3.0	1
<b>GC Petroleum Hydrocarbons</b> 12858 DRO C10-C28	<b>SW-846 8015B</b> n.a.	ug/l	1,700	ug/l 53	1
<b>Metals</b> 07058 Manganese	<b>SW-846 6010C</b> 7439-96-5	mg/l	35.3	mg/l 0.0150	5
<b>Wet Chemistry</b> 00228 Sulfate	<b>EPA 300.0</b> 14808-79-8	mg/l	358	mg/l 30.0	100
00220 Nitrate Nitrogen 00219 Nitrite Nitrogen	<b>EPA 353.2</b> 14797-55-8 14797-65-0	mg/l	N.D. 0.038 J	mg/l 0.040 0.015	1 1
14855 Ferrous Iron <sup>1</sup>	<b>SM 3500-Fe B-2011</b> n.a.	mg/l	104	mg/l 1.50	100
12150 Total Alkalinity to pH 4.5	<b>SM 2320 B-2011</b> n.a.	mg/l as CaCO <sub>3</sub>	296	mg/l as CaCO <sub>3</sub> 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/20/2020 16:39	Esther Kathryn Lane	1
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 22:09	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200511404402	02/23/2020 18:00	Elaine F Stoltzfus	5
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200511404402	02/21/2020 05:30	Annamaria Kuhns	1
00228	Sulfate	EPA 300.0	1	20051720113B	02/20/2020 23:16	Samantha Faverio	100
00220	Nitrate Nitrogen	EPA 353.2	1	20057106101A	02/26/2020 08:08	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105103A	02/19/2020 22:35	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 12:02	Jonathan Saul	100
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103B	02/21/2020 20:39	Jeremy L Bolf	1

**Sample Description:** MW-51S Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262891  
ELLE Group #: 2088571  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 13:45

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105 Methane	<b>RSKSOP-175 modified</b>	ug/l 74-82-8	2,800	ug/l 30	10
<b>GC Petroleum Hydrocarbons</b> 12858 DRO C10-C28	<b>SW-846 8015B</b>	ug/l n.a.	7,400	ug/l 53	1
<b>Metals</b> 07058 Manganese	<b>SW-846 6010C</b>	mg/l 7439-96-5	1.37	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228 Sulfate	<b>EPA 300.0</b>	mg/l 14808-79-8	22.5	mg/l 3.0	10
00220 Nitrate Nitrogen 00219 Nitrite Nitrogen	<b>EPA 353.2</b>	mg/l 14797-55-8 14797-65-0	N.D. N.D.	mg/l 0.040 0.015	1 1
14855 Ferrous Iron <sup>1</sup>	<b>SM 3500-Fe B-2011</b>	mg/l n.a.	74.2	mg/l 0.750	50
12150 Total Alkalinity to pH 4.5	<b>SM 2320 B-2011</b>	mg/l as CaCO <sub>3</sub> n.a.	354	mg/l as CaCO <sub>3</sub> 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/21/2020 12:19	Esther Kathryn Lane	10
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 22:33	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200511404402	02/23/2020 18:12	Elaine F Stoltzfus	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200511404402	02/21/2020 05:30	Annamaria Kuhns	1
00228	Sulfate	EPA 300.0	1	20051720113B	02/21/2020 19:50	Niyati Desai	10
00220	Nitrate Nitrogen	EPA 353.2	1	20057106101A	02/26/2020 08:12	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105103A	02/19/2020 22:40	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 14:56	Jonathan Saul	50
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 20:52	Jeremy L Bolf	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** MW-51/RW-51 Grab Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1262892  
**ELLE Group #:** 2088571  
**Matrix:** Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 14:35

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons	SW-846 8015B		ug/l	ug/l	
12858 DRO C10-C28	n.a.		11,000	53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858 DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 22:57	Bridget Kovacs	1	
12059 Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1	

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** MW-01S Grab Groundwater  
NRG - PRGSGES, Inc.  
ELLE Sample #: RW 1262893  
ELLE Group #: 2088571  
Matrix: Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 14:45

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l 5,100	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 23:21	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/28/2020 15:20

Group Number: 2088571

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result ug/l	MDL ug/l
Batch number: 200510014A Methane	Sample number(s): 1262885-1262891 N.D.	3.0
Batch number: 200570027A DRO C10-C28	Sample number(s): 1262884,1262886-1262887,1262890-1262893 N.D.	53
	mg/l	mg/l
Batch number: 200511404402 Manganese	Sample number(s): 1262885-1262891 0.0030 J	0.0030
Batch number: 20050105103A Nitrite Nitrogen	Sample number(s): 1262885-1262891 N.D.	0.015
Batch number: 20051720113B Sulfate	Sample number(s): 1262885-1262891 N.D.	0.30
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1262885-1262891 N.D.	0.0150
Batch number: 20057106101A Nitrate Nitrogen	Sample number(s): 1262885-1262891 N.D.	0.040
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>
Batch number: 20052002103A Total Alkalinity to pH 4.5	Sample number(s): 1262885-1262889,1262891 N.D.	2.6
Batch number: 20052002103B Total Alkalinity to pH 4.5	Sample number(s): 1262890 N.D.	2.6

### LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 200510014A Methane	Sample number(s): 1262885-1262891 59.42	61.9	59.42	62.56	104	105	85-115	1	20
	ug/l	ug/l	ug/l	ug/l					
Batch number: 200570027A	Sample number(s): 1262884,1262886-1262887,1262890-1262893								

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/28/2020 15:20

Group Number: 2088571

## LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
DRO C10-C28	2857.37	1837.08	2857.37	1898.19	64	66	54-116	3	20
	mg/l	mg/l	mg/l	mg/l					
Batch number: 200511404402 Manganese	Sample number(s): 1262885-1262891 0.0200	0.0238			119		80-120		
	mg/l	mg/l	mg/l	mg/l					
Batch number: 20050105103A Nitrite Nitrogen	Sample number(s): 1262885-1262891 0.700	0.663			95		90-110		
Batch number: 20051720113B Sulfate	Sample number(s): 1262885-1262891 7.50	7.17			96		90-110		
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1262885-1262891 1.00	0.937	1.00	0.952	94	95	90-110	2	10
Batch number: 20057106101A Nitrate Nitrogen	Sample number(s): 1262885-1262891 2.50	2.52			101		90-110		
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>					
Batch number: 20052002103A Total Alkalinity to pH 4.5	Sample number(s): 1262885-1262889,1262891 188	166.79			89		82-106		
Batch number: 20052002103B Total Alkalinity to pH 4.5	Sample number(s): 1262890 188	166.79			89		82-106		

## MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc mg/l	MS Spike Added mg/l	MS Conc mg/l	MSD Spike Added mg/l	MSD Conc mg/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 200511404402 Manganese	Sample number(s): 1262885-1262891 UNSPK: 1262887 5.95	0.0200	6.11	0.0200	6.05	801 (2)	529 (2)	75-125	1	20
	mg/l	mg/l	mg/l	mg/l	mg/l					
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1262885-1262891 UNSPK: 1262888 44.02	1.00	41.6	1.00	41.17	-240 (2)	-283 (2)	90-110	1	10
Batch number: 20057106101A Nitrate Nitrogen	Sample number(s): 1262885-1262891 UNSPK: 1262885 N.D.	1.00	0.990			99		90-110		

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/28/2020 15:20

Group Number: 2088571

### Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	BKG Conc mg/l	DUP Conc mg/l	DUP RPD	DUP RPD Max
Batch number: 200511404402 Manganese	Sample number(s): 1262885-1262891 BKG: 1262887 5.95	6.16	3	20
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1262885-1262891 BKG: 1262888 44.02	41.54	6	10
Batch number: 20057106101A Nitrate Nitrogen	Sample number(s): 1262885-1262891 BKG: 1262885 N.D.	N.D.	0 (1)	10
Batch number: 20052002103B Total Alkalinity to pH 4.5	mg/l as CaCO <sub>3</sub> 295.84	mg/l as CaCO <sub>3</sub> 293.53	1	5

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: Methane  
Batch number: 200510014A

Propene	
1262885	90
1262886	89
1262887	74
1262888	92
1262889	75
1262890	84
1262891	81
Blank	100
LCS	100
LCSD	100

Limits: 46-135

Analysis Name: DRO micro-ext 8015B  
Batch number: 200570027A

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/28/2020 15:20

Group Number: 2088571

### Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: DRO micro-ext 8015B  
Batch number: 200570027A

Orthoterphenyl

1262884	103
1262886	88
1262887	84
1262890	82
1262891	82
1262892	103
1262893	92
Blank	83
LCS	78
LCSD	78

Limits: 52-132

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

# Environmental Analysis Request/Chain of Custody



Lancaster Laboratories  
Environmental

Acct. # 0390 Group # 2008571 Sample # 1202804-93

Client: Groundwater & Env. Services, Inc.					Matrix		Analyses Requested										For Lab Use Only					
							Preservation Codes															
Project Name/#: NRG PRGS	Site ID #: NRG PRGS				<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	H	-	-/S	N	H	-	H			SF #:					
Project Manager: Anne Ashley Bell	P.O. #: 0402919/51/206				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Water	Potable	Ground	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Manganese (6010)	Ferrous Iron Fe2+ (SM 3500-Fe B modified-1997)	Sulfate SO4-2 (EPA 300.0)	<input type="checkbox"/>	T = Thiosulfate				
Sampler: Jeff Plummer	PWSID #:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NPDES	Surface	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	N = HNO3	B = NaOH								
Phone #: 800-220-3606 x 3704	Quote #:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	S = H2SO4	P = H3PO4			
State where sample(s) were collected: 1400 North Royal St, Alexandria, VA					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	O = Other			
Sample Identification					Collection			Soil	<input type="checkbox"/>	Sediment	<input type="checkbox"/>	Total # of Containers	Analyses Requested									
					Date	Time	Grab						Composite	Other:	TPH-DRO C-10-28 (SV-N-846 8015B)	H	-	-/S	N	H	-	H
RW-055 - Grab	2-18-20	0915	X				X															
TW-05		0945					X															
MW-015		1000					X															
MW-122		1120					X															
TW-06		1100					X															
TW-03		1215					X															
MW-51 / RW-51		1240					X															
MW-51S		1345					X															
MW-51 / RW-51 Grab	V	1435	V				X															
MW-015	2-18-20	1445	X				X															
Turnaround Time Requested (TAT) (please check): Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/> (Rush TAT is subject to laboratory approval and surcharges.)					Relinquished by:			Date		Time		Received by:			Date		Time					
					<i>Jeff Plummer</i>			2-19-2020		0800		<i>Denise Woolley</i>			2-19-20		0800					
Date results are needed:					Relinquished by:			Date		Time		Received by:			Date		Time					
					<i>Denise Woolley</i>			2-19-20		1043		<i>km</i>			2/19/20		1043					
Rush results requested by (please check): E-Mail <input checked="" type="checkbox"/> Phone <input type="checkbox"/>					Relinquished by:			Date		Time		Received by:			Date		Time					
E-mail Address: midatlantic@gesonline.com & ges@equisonline.com					<i>km</i>			2/18/20		1701		<i>km</i>			2/18/20		1701					
Phone:					Relinquished by:			Date		Time		Received by:			Date		Time					
Data Package Options (please check if required)					Relinquished by:			Date		Time		Received by:			Date		Time					
Type I (Validation/non-CLP)	<input type="checkbox"/>	MA MCP	<input type="checkbox"/>																			
Type III (Reduced non-CLP)	<input type="checkbox"/>	CT RCP	<input type="checkbox"/>																			
Type VI (Raw Data Only)	<input type="checkbox"/>	TX TRRP-13	<input type="checkbox"/>																			
NYSDEC Category	<input type="checkbox"/>	A or	<input type="checkbox"/>	B																		
EDD Required?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	If yes, format: GES_EQEDD		Relinquished by Commercial Carrier:																	
EQEDD Name: NRG PRGS.Lab report #.25800.EQEDD.zip					UPS			FedEx		Other												
Temperature upon receipt 0.5 °C																						



Group Number(s):

Client: GES

2000571

**Delivery and Receipt Information**

Delivery Method: ELLE Courier Arrival Date: 02/19/2020  
 Number of Packages: 2 Number of Projects: 2  
 State/Province of Origin: VA

**Arrival Condition Summary**

Shipping Container Sealed:	No	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	No	Sample Date/Times match COC:	Yes
Samples Chilled:	Yes	Total Trip Blank Qty:	0
Paperwork Enclosed:	Yes	Air Quality Samples Present:	No
Samples Intact:	Yes		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

*Unpacked by Cory Jeremiah***Samples Chilled Details**

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Matrix	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	Water	DT146	0.5	DT	Wet	Y	Loose	N
2	Water	DT146	0.5	DT	Wet	Y	Loose	N

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mL</b>	milliliter(s)
<b>C</b>	degrees Celsius	<b>MPN</b>	Most Probable Number
<b>cfu</b>	colony forming units	<b>N.D.</b>	non-detect
<b>CP Units</b>	cobalt-chloroplatinate units	<b>ng</b>	nanogram(s)
<b>F</b>	degrees Fahrenheit	<b>NTU</b>	nephelometric turbidity units
<b>g</b>	gram(s)	<b>pg/L</b>	picogram/liter
<b>IU</b>	International Units	<b>RL</b>	Reporting Limit
<b>kg</b>	kilogram(s)	<b>TNTC</b>	Too Numerous To Count
<b>L</b>	liter(s)	<b>µg</b>	microgram(s)
<b>lb.</b>	pound(s)	<b>µL</b>	microliter(s)
<b>m3</b>	cubic meter(s)	<b>umhos/cm</b>	micromhos/cm
<b>meq</b>	milliequivalents	<b>MCL</b>	Maximum Contamination Limit
<b>mg</b>	milligram(s)		
<	less than		
>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

# Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value >= the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column >40%. The lower result is reported.
P^	Concentration difference between the primary and confirmation column > 40%. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods.

Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.



## ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

GES, Inc.  
440 Creamery Way, Suite 500  
Exton PA 19341

Report Date: February 28, 2020 15:20


**Project: NRG PRGS**

Account #: 08390  
Group Number: 2088570  
PO Number: 0402919-51-206  
Release Number: ORG # 0404  
State of Sample Origin: VA

Electronic Copy To GES, Inc.-MD  
Electronic Copy To GES, Inc.-MD

Attn: Data Distribution  
Attn: Anne Ashley Bell

Respectfully Submitted,



Lynn M. Frederiksen  
Principal Specialist Group Leader

(717) 556-7255

To view our laboratory's current scopes of accreditation please go to <https://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/certifications-and-accreditations-eurofins-lancaster-laboratories-environmental/>. Historical copies may be requested through your project manager.



## SAMPLE INFORMATION

<u>Client Sample Description</u>	<u>Sample Collection Date/Time</u>	<u>ELLE#</u>
MW-16 Grab Groundwater	02/18/2020 10:08	1262880
MW-72/RW-72 Grab Groundwater	02/18/2020 11:48	1262881
MW-72S/RW-72S Grab Groundwater	02/18/2020 12:58	1262882
MW-106 Grab Groundwater	02/18/2020 14:43	1262883

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

**Sample Description:** MW-16 Grab Groundwater  
NRG - PRGS

**GES, Inc.**  
**ELLE Sample #:** RW 1262880  
**ELLE Group #:** 2088570  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 10:08

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l N.D.	ug/l 53	1

## Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 19:22	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1

**Sample Description:** MW-72/RW-72 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262881  
ELLE Group #: 2088570  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 11:48

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105 Methane	<b>RSKSOP-175 modified</b> 74-82-8	ug/l	360	ug/l 3.0	1
<b>GC Petroleum Hydrocarbons</b> 12858 DRO C10-C28	<b>SW-846 8015B</b> n.a.	ug/l	890	ug/l 53	1
<b>Metals</b> 07058 Manganese	<b>SW-846 6010C</b> 7439-96-5	mg/l	29.7	mg/l 0.0150	5
<b>Wet Chemistry</b> 00228 Sulfate	<b>EPA 300.0</b> 14808-79-8	mg/l	1,180	mg/l 150	500
00220 Nitrate Nitrogen 00219 Nitrite Nitrogen	<b>EPA 353.2</b> 14797-55-8 14797-65-0	mg/l	N.D. N.D.	mg/l 0.040 0.015	1 1
14855 Ferrous Iron <sup>1</sup>	<b>SM 3500-Fe B-2011</b> n.a.	mg/l	5.48	mg/l 0.0750	5
12150 Total Alkalinity to pH 4.5	<b>SM 2320 B-2011</b> n.a.	mg/l as CaCO <sub>3</sub>	N.D.	mg/l as CaCO <sub>3</sub> 2.6	1

### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/20/2020 14:02	Esther Kathryn Lane	1
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 19:46	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200511404402	02/23/2020 17:37	Elaine F Stoltzfus	5
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200511404402	02/21/2020 05:30	Annamaria Kuhns	1
00228	Sulfate	EPA 300.0	1	20051720113B	02/20/2020 20:16	Samantha Faverio	500
00220	Nitrate Nitrogen	EPA 353.2	1	20056106101B	02/25/2020 10:40	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105103A	02/19/2020 22:28	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 12:39	Jonathan Saul	5
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 21:16	Jeremy L Bolf	1

**Sample Description:** MW-72S/RW-72S Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262882  
ELLE Group #: 2088570  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 12:58

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105 Methane	<b>RSKSOP-175 modified</b> 74-82-8	ug/l	260	ug/l 3.0	1
<b>GC Petroleum Hydrocarbons</b> 12858 DRO C10-C28	<b>SW-846 8015B</b> n.a.	ug/l	2,000	ug/l 53	1
<b>Metals</b> 07058 Manganese	<b>SW-846 6010C</b> 7439-96-5	mg/l	12.9	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228 Sulfate	<b>EPA 300.0</b> 14808-79-8	mg/l	1,210	mg/l 150	500
00220 Nitrate Nitrogen 00219 Nitrite Nitrogen	<b>EPA 353.2</b> 14797-55-8 14797-65-0	mg/l	N.D. 0.045 J	mg/l 0.040 0.015	1 1
14855 Ferrous Iron <sup>1</sup>	<b>SM 3500-Fe B-2011</b> n.a.	mg/l	153	mg/l 3.00	200
12150 Total Alkalinity to pH 4.5	<b>SM 2320 B-2011</b> n.a.	mg/l as CaCO <sub>3</sub>	N.D.	mg/l as CaCO <sub>3</sub> 2.6	1

### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/20/2020 14:19	Esther Kathryn Lane	1
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 20:10	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200511404402	02/23/2020 17:44	Elaine F Stoltzfus	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200511404402	02/21/2020 05:30	Annamaria Kuhns	1
00228	Sulfate	EPA 300.0	1	20051720113B	02/20/2020 22:01	Samantha Faverio	500
00220	Nitrate Nitrogen	EPA 353.2	1	20056106101B	02/25/2020 10:41	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105103A	02/19/2020 22:44	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 13:34	Jonathan Saul	200
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 21:39	Jeremy L Bolf	1

**Sample Description:** MW-106 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1262883  
ELLE Group #: 2088570  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:30  
Collection Date/Time: 02/18/2020 14:43

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105	<b>RSKSOP-175 modified</b> Methane	74-82-8	ug/l 61	ug/l 3.0	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l N.D.	ug/l 53	1
<b>Metals</b> 07058	<b>SW-846 6010C</b> Manganese	7439-96-5	mg/l 1.71	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228	<b>EPA 300.0</b> Sulfate	14808-79-8	mg/l 1,130	mg/l 150	500
00220	<b>EPA 353.2</b> Nitrate Nitrogen	14797-55-8	mg/l 0.12	mg/l 0.040	1
00219	Nitrite Nitrogen	14797-65-0	N.D.	0.015	1
14855	<b>SM 3500-Fe B-2011</b> Ferrous Iron <sup>1</sup>	n.a.	mg/l 11.8	mg/l 0.150	10
12150	<b>SM 2320 B-2011</b> Total Alkalinity to pH 4.5	n.a.	mg/l as CaCO <sub>3</sub> N.D.	mg/l as CaCO <sub>3</sub> 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200510014A	02/20/2020 14:37	Esther Kathryn Lane	1
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570027A	02/27/2020 20:34	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570027A	02/27/2020 10:30	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200511404402	02/23/2020 17:34	Elaine F Stoltzfus	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200511404402	02/21/2020 05:30	Annamaria Kuhns	1
00228	Sulfate	EPA 300.0	1	20051720113B	02/20/2020 19:31	Samantha Faverio	500
00220	Nitrate Nitrogen	EPA 353.2	1	20056106101B	02/25/2020 10:42	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20050105103A	02/19/2020 22:41	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 14:32	Jonathan Saul	10
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 22:54	Jeremy L Bolf	1

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/28/2020 15:20

Group Number: 2088570

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result	MDL
	ug/l	ug/l
Batch number: 200510014A Methane	Sample number(s): 1262881-1262883 N.D.	3.0
Batch number: 200570027A DRO C10-C28	Sample number(s): 1262880-1262883 N.D.	53
	mg/l	mg/l
Batch number: 200511404402 Manganese	Sample number(s): 1262881-1262883 0.0030 J	0.0030
Batch number: 20050105103A Nitrite Nitrogen	Sample number(s): 1262881-1262883 N.D.	0.015
Batch number: 20051720113B Sulfate	Sample number(s): 1262881-1262883 N.D.	0.30
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1262881-1262883 N.D.	0.0150
Batch number: 20056106101B Nitrate Nitrogen	Sample number(s): 1262881-1262883 N.D.	0.040
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>
Batch number: 20052002103A Total Alkalinity to pH 4.5	Sample number(s): 1262881-1262883 N.D.	2.6

### LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 200510014A Methane	Sample number(s): 1262881-1262883 59.42	61.9	59.42	62.56	104	105	85-115	1	20
	ug/l	ug/l	ug/l	ug/l					
Batch number: 200570027A DRO C10-C28	Sample number(s): 1262880-1262883 2857.37	1837.08	2857.37	1898.19	64	66	54-116	3	20

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/28/2020 15:20

Group Number: 2088570

### LCS/LCSD (continued)

Analysis Name	LCS Spike Added mg/l	LCS Conc mg/l	LCSD Spike Added mg/l	LCSD Conc mg/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 200511404402 Manganese	Sample number(s): 1262881-1262883 0.0200	0.0238			119		80-120		
	mg/l	mg/l	mg/l	mg/l					
Batch number: 20050105103A Nitrite Nitrogen	Sample number(s): 1262881-1262883 0.700	0.663			95		90-110		
Batch number: 20051720113B Sulfate	Sample number(s): 1262881-1262883 7.50	7.17			96		90-110		
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1262881-1262883 1.00	0.937	1.00	0.952	94	95	90-110	2	10
Batch number: 20056106101B Nitrate Nitrogen	Sample number(s): 1262881-1262883 2.50	2.53			101		90-110		
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>					
Batch number: 20052002103A Total Alkalinity to pH 4.5	Sample number(s): 1262881-1262883 188	166.79			89		82-106		

### MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc mg/l	MS Spike Added mg/l	MS Conc mg/l	MSD Spike Added mg/l	MSD Conc mg/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 20050105103A Nitrite Nitrogen	Sample number(s): 1262881-1262883 UNSPK: 1262881 N.D.	0.200	0.142			71*		90-110		
Batch number: 20051720113B Sulfate	Sample number(s): 1262881-1262883 UNSPK: 1262883 1126.39	2500	3321.86			88*		90-110		

### Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	BKG Conc mg/l	DUP Conc mg/l	DUP RPD	DUP RPD Max
---------------	------------------	------------------	---------	-------------

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/28/2020 15:20

Group Number: 2088570

### Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	BKG Conc mg/l	DUP Conc mg/l	DUP RPD	DUP RPD Max
Batch number: 20050105103A Nitrite Nitrogen	Sample number(s): 1262881-1262883 BKG: 1262881 N.D.	N.D.	0 (1)	20
Batch number: 20051720113B Sulfate	Sample number(s): 1262881-1262883 BKG: 1262883 1126.39	1081.89	4 (1)	15

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: Methane  
Batch number: 200510014A

Propene	
1262881	83
1262882	82
1262883	92
Blank	100
LCS	100
LCSD	100

Limits: 46-135

Analysis Name: DRO micro-ext 8015B  
Batch number: 200570027A

Orthoterphenyl	
1262880	84
1262881	90
1262882	93
1262883	83
Blank	83
LCS	78
LCSD	78

Limits: 52-132

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## ***Environmental Analysis Request/Chain of Custody***



**Lancaster Laboratories**  
**Environmental**

Acct. # B390

Acct. # 0390

# 2009570

Sample # 12

42090-03 Pg. 18

Client: Groundwater & Env. Services, Inc.				Matrix		Analyses Requested							For Lab Use Only														
Project Name/#: NRG PRGS		Site ID #: NRG PRGS											SF #:														
Project Manager: Anne Ashley Bell		P.O. #: 0402919/51/206											SCR #:														
Sampler: Kirk Marks Jr.		PWSID #:											Preservation Codes														
Phone #: 800-220-3606 x 3704		Quote #:											H = HCl      T = Thiosulfate														
State where sample(s) were collected: 1400 North Royal St, Alexandria, VA															N = HNO <sub>3</sub> B = NaOH												
Sample Identification		Collection		Grab	Composite	Soil	Sediment	Potable	Ground	Surface	NPDES	Other:	Total # of Containers	Analyses Requested							Remarks						
		Date	Time											Water													
MW-16	2/18/20	10:08	X					X					2	X	TPH-DRO C-10-28 (SW-846 8015B)	Alkalinity (SM 2320B)	Nitrate NO <sub>3</sub> -1 & Nitrite NO <sub>2</sub> (EPA 353.2)	Manganese (6010)	Ferrous Iron Fe <sup>2+</sup> (SM 3500-Fe B modified-1997)	Sulfate SO <sub>4</sub> 2- (EPA 300.0)	Methane (RSKSOP-175 modified)						
MW-72/RW-72		11:48	X					X					10	X	X	X	X	X	X	X	X						
MW-72S/RW-72S		12:58	X					X					10	X	X	X	X	X	X	X	X						
MW-106		14:43	X					X					10	X	X	X	X	X	X	X	X						
Turnaround Time Requested (TAT) (please check): Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/>	(Rush TAT is subject to laboratory approval and surcharges.)				Relinquished by: <i>Kirk Marks</i>		Date 2/18/20	Time 17:00	Received by: <i>Denise Wadding</i>	Date 2-18-20	Time 17:00	Date results are needed:		Relinquished by: <i>Denise Wadding</i>		Date 2-19-20	Time 1043	Received by: <i>Kim</i>	Date 2/19/20	Time 10:43							
Rush results requested by (please check): E-Mail <input checked="" type="checkbox"/> Phone <input type="checkbox"/>					Relinquished by: <i>Denise Wadding</i>		Date 2/19/20	Time 1043	Received by: <i>Kim</i>	Date 2/19/20	Time 10:43	E-mail Address: <u>midatlantic@gesonline.com</u> & <u>ges@equisonline.com</u>		Relinquished by: <i>Kim</i>		Date 2/19/20	Time 1701	Received by: <i>Denise Wadding</i>	Date 2/19/20	Time 17:01							
Phone:					Relinquished by: <i>Kim</i>		Date 2/19/20	Time 1701	Received by: <i>Denise Wadding</i>	Date 2/19/20	Time 17:01	Data Package Options (please check if required)		Relinquished by: <i>Denise Wadding</i>		Date 2/19/20	Time 1701	Received by: <i>Denise Wadding</i>	Date 2/19/20	Time 17:01							
Type I (Validation/non-CLP)	<input type="checkbox"/>	MA MCP	<input type="checkbox"/>	Type III (Reduced non-CLP)		<input type="checkbox"/>	CT RCP	<input type="checkbox"/>	Type VI (Raw Data Only)		<input type="checkbox"/>	TX TRRP-13	<input type="checkbox"/>	NYSDEC Category		<input type="checkbox"/> A or <input type="checkbox"/> B	Relinquished by Commercial Carrier:		Relinquished by Commercial Carrier:		Relinquished by Commercial Carrier:						
EDD Required?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	If yes, format: <u>GES EQEDD</u>	EQEDD Name: NRG PRGS.Lab report #.25800.EQEDD.zip		UPS _____	FedEx _____	Other _____	Temperature upon receipt		0.5	°C															



Group Number(s):

Client: GES

2099570

**Delivery and Receipt Information**

Delivery Method: ELLE Courier Arrival Date: 02/19/2020  
 Number of Packages: 1 Number of Projects: 2  
 State/Province of Origin: VA

**Arrival Condition Summary**

Shipping Container Sealed:	No	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	No	Sample Date/Times match COC:	Yes
Samples Chilled:	Yes	Total Trip Blank Qty:	0
Paperwork Enclosed:	Yes	Air Quality Samples Present:	No
Samples Intact:	Yes		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

*Unpacked by Cory Jeremiah***Samples Chilled Details**

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Matrix	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	Water	DT146	0.5	DT	Wet	Y	Loose	N

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mL</b>	milliliter(s)
<b>C</b>	degrees Celsius	<b>MPN</b>	Most Probable Number
<b>cfu</b>	colony forming units	<b>N.D.</b>	non-detect
<b>CP Units</b>	cobalt-chloroplatinate units	<b>ng</b>	nanogram(s)
<b>F</b>	degrees Fahrenheit	<b>NTU</b>	nephelometric turbidity units
<b>g</b>	gram(s)	<b>pg/L</b>	picogram/liter
<b>IU</b>	International Units	<b>RL</b>	Reporting Limit
<b>kg</b>	kilogram(s)	<b>TNTC</b>	Too Numerous To Count
<b>L</b>	liter(s)	<b>µg</b>	microgram(s)
<b>lb.</b>	pound(s)	<b>µL</b>	microliter(s)
<b>m3</b>	cubic meter(s)	<b>umhos/cm</b>	micromhos/cm
<b>meq</b>	milliequivalents	<b>MCL</b>	Maximum Contamination Limit
<b>mg</b>	milligram(s)		
<	less than		
>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

# Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value >= the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column >40%. The lower result is reported.
P^	Concentration difference between the primary and confirmation column > 40%. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods.

Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.



## ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

GES, Inc.  
440 Creamery Way, Suite 500  
Exton PA 19341

Report Date: February 28, 2020 16:08


**Project: NRG PRGS**

Account #: 08390  
Group Number: 2088763  
PO Number: 0402919-51-206  
Release Number: ORG # 0404  
State of Sample Origin: VA

Electronic Copy To GES, Inc.-MD  
Electronic Copy To GES, Inc.-MD

Attn: Data Distribution  
Attn: Anne Ashley Bell

Respectfully Submitted,



Lynn M. Frederiksen  
Principal Specialist Group Leader

(717) 556-7255

To view our laboratory's current scopes of accreditation please go to <https://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/certifications-and-accreditations-eurofins-lancaster-laboratories-environmental/>. Historical copies may be requested through your project manager.



## SAMPLE INFORMATION

<u>Client Sample Description</u>	<u>Sample Collection Date/Time</u>	<u>ELLE#</u>
RW-1 Grab Groundwater	02/19/2020 09:45	1263844
MW-25S Grab Groundwater	02/19/2020 10:45	1263845
MW-25/RW-25 Grab Groundwater	02/19/2020 11:35	1263846
MW-14/RW-14 Grab Groundwater	02/19/2020 13:00	1263847
MW-25/RW-25 Grab Grab Groundwater	02/19/2020 13:35	1263848
TW-06 Grab Grab Groundwater	02/19/2020 14:00	1263849
TW-05 Grab Grab Groundwater	02/19/2020 14:20	1263850

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** RW-1 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1263844  
ELLE Group #: 2088763  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/20/2020 17:07  
Collection Date/Time: 02/19/2020 09:45

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons	SW-846 8015B		ug/l	ug/l	
12858 DRO C10-C28		n.a.	2,400	53	1
Wet Chemistry	EPA 300.0		mg/l	mg/l	
00228 Sulfate		14808-79-8	38.1	1.5	5
	SM 2320 B-2011		mg/l as CaCO3	mg/l as CaCO3	
12150 Total Alkalinity to pH 4.5		n.a.	240	2.6	1

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570028A	02/28/2020 10:04	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
00228	Sulfate	EPA 300.0	1	20055135117A	02/24/2020 09:00	Kevin Litwa	5
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 22:00	Jeremy L Bolf	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** MW-25S Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1263845  
ELLE Group #: 2088763  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/20/2020 17:07  
Collection Date/Time: 02/19/2020 10:45

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l 13,000	ug/l 53	1
<b>Wet Chemistry</b> 12150	<b>SM 2320 B-2011</b> Total Alkalinity to pH 4.5	n.a.	mg/l as CaCO3 384	mg/l as CaCO3 2.6	1

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570028A	02/28/2020 10:28	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 22:19	Jeremy L Bolf	1

**Sample Description:** MW-25/RW-25 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1263846  
ELLE Group #: 2088763  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/20/2020 17:07  
Collection Date/Time: 02/19/2020 11:35

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105 Methane	<b>RSKSOP-175 modified</b> 74-82-8	ug/l	960	ug/l 15	5
<b>GC Petroleum Hydrocarbons</b> 12858 DRO C10-C28	<b>SW-846 8015B</b> n.a.	ug/l	5,700	ug/l 53	1
<b>Metals</b> 07058 Manganese	<b>SW-846 6010C</b> 7439-96-5	mg/l	2.88	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228 Sulfate	<b>EPA 300.0</b> 14808-79-8	mg/l	186	mg/l 15.0	50
00220 Nitrate Nitrogen 00219 Nitrite Nitrogen	<b>EPA 353.2</b> 14797-55-8 14797-65-0	mg/l	N.D. N.D.	mg/l 0.040 0.015	1 1
14855 Ferrous Iron <sup>1</sup>	<b>SM 3500-Fe B-2011</b> n.a.	mg/l	27.5	mg/l 0.300	20
12150 Total Alkalinity to pH 4.5	<b>SM 2320 B-2011</b> n.a.	mg/l as CaCO <sub>3</sub>	183	mg/l as CaCO <sub>3</sub> 2.6	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200520002A	02/24/2020 13:31	Esther Kathryn Lane	5
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570028A	02/28/2020 10:51	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200521404401	02/24/2020 13:51	Lisa J Cooke	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200521404401	02/24/2020 04:04	James L Mertz	1
00228	Sulfate	EPA 300.0	1	20055135117A	02/24/2020 09:59	Kevin Litwa	50
00220	Nitrate Nitrogen	EPA 353.2	1	20057106103B	02/26/2020 10:24	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20051105103A	02/20/2020 22:43	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 13:02	Jonathan Saul	20
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 22:26	Jeremy L Bolf	1

**Sample Description:** MW-14/RW-14 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1263847  
ELLE Group #: 2088763  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/20/2020 17:07  
Collection Date/Time: 02/19/2020 13:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Miscellaneous 07105	RSKSOP-175 modified Methane	74-82-8	ug/l 12,000	ug/l 150	50
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l 2,500	ug/l 53	1
Wet Chemistry 00228	EPA 300.0 Sulfate	14808-79-8	mg/l 17.3	mg/l 1.5	5
00220 00219	EPA 353.2 Nitrate Nitrogen Nitrite Nitrogen	14797-55-8 14797-65-0	mg/l N.D. 0.028 J	mg/l 0.040 0.015	1 1
12150	SM 2320 B-2011 Total Alkalinity to pH 4.5	n.a.	mg/l as CaCO <sub>3</sub> 265	mg/l as CaCO <sub>3</sub> 2.6	1

#### Sample Comments

Preservation requirements were not met. The pH preservation of all non-volatile containers was checked upon receipt at the laboratory. The container for the following analysis was not within the specification and was adjusted accordingly by the laboratory: Nitrate Nitrogen

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200520002A	02/24/2020 13:48	Esther Kathryn Lane	50
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570028A	02/28/2020 11:15	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
00228	Sulfate	EPA 300.0	1	20055135117A	02/24/2020 10:19	Kevin Litwa	5
00220	Nitrate Nitrogen	EPA 353.2	1	20057106103B	02/26/2020 10:25	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20051105103A	02/20/2020 22:36	Gregory Baldree	1
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 22:50	Jeremy L Bolf	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** MW-25/RW-25 Grab Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1263848  
**ELLE Group #:** 2088763  
**Matrix:** Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/20/2020 17:07  
Collection Date/Time: 02/19/2020 13:35

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l 21,000	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570028A	02/28/2020 11:39	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** TW-06 Grab Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1263849  
**ELLE Group #:** 2088763  
**Matrix:** Groundwater**Project Name:** NRG PRGS**Submittal Date/Time:** 02/20/2020 17:07  
**Collection Date/Time:** 02/19/2020 14:00

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l 660	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570028A	02/28/2020 12:03	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** TW-05 Grab Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1263850  
**ELLE Group #:** 2088763  
**Matrix:** Groundwater**Project Name:** NRG PRGS**Submittal Date/Time:** 02/20/2020 17:07  
**Collection Date/Time:** 02/19/2020 14:20

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l 1,200	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570028A	02/28/2020 12:27	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/28/2020 16:08

Group Number: 2088763

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result	MDL
	ug/l	ug/l
Batch number: 200520002A Methane	Sample number(s): 1263846-1263847 N.D.	3.0
Batch number: 200570028A DRO C10-C28	Sample number(s): 1263844-1263850 N.D.	53
	mg/l	mg/l
Batch number: 200521404401 Manganese	Sample number(s): 1263846 N.D.	0.0030
Batch number: 20051105103A Nitrite Nitrogen	Sample number(s): 1263846-1263847 N.D.	0.015
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1263846 N.D.	0.0150
Batch number: 20055135117A Sulfate	Sample number(s): 1263844,1263846-1263847 N.D.	0.30
Batch number: 20057106103B Nitrate Nitrogen	Sample number(s): 1263846-1263847 N.D.	0.040
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>
Batch number: 20052002103A Total Alkalinity to pH 4.5	Sample number(s): 1263844-1263847 N.D.	2.6

### LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 200520002A Methane	Sample number(s): 1263846-1263847 59.42	62.96	59.42	62.36	106	105	85-115	1	20
	ug/l	ug/l	ug/l	ug/l					
Batch number: 200570028A DRO C10-C28	Sample number(s): 1263844-1263850 2857.37	1878.99		66			54-116		

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/28/2020 16:08

Group Number: 2088763

### LCS/LCSD (continued)

Analysis Name	LCS Spike Added mg/l	LCS Conc mg/l	LCSD Spike Added mg/l	LCSD Conc mg/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 200521404401 Manganese	Sample number(s): 1263846 0.0200	0.0194			97		80-120		
	mg/l	mg/l	mg/l	mg/l					
Batch number: 20051105103A Nitrite Nitrogen	Sample number(s): 1263846-1263847 0.700	0.731			104		90-110		
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1263846 1.00	0.937	1.00	0.952	94	95	90-110	2	10
Batch number: 20055135117A Sulfate	Sample number(s): 1263844,1263846-1263847 7.50	7.58			101		90-110		
Batch number: 20057106103B Nitrate Nitrogen	Sample number(s): 1263846-1263847 2.50	2.45			98		90-110		
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>					
Batch number: 20052002103A Total Alkalinity to pH 4.5	Sample number(s): 1263844-1263847 188	166.79			89		82-106		

### MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc mg/l	MS Spike Added mg/l	MS Conc mg/l	MSD Spike Added mg/l	MSD Conc mg/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: 20055135117A Sulfate	Sample number(s): 1263844,1263846-1263847 UNSPK: 1263844 38.13	25	63.55			102		90-110		

### Laboratory Duplicate

Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	BKG Conc mg/l	DUP Conc mg/l	DUP RPD	DUP RPD Max
Batch number: 20055135117A Sulfate	Sample number(s): 1263844,1263846-1263847 BKG: 1263844 38.13	38.05	0	15

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 02/28/2020 16:08

Group Number: 2088763

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: Methane  
Batch number: 200520002A

Propene

1263846	76
1263847	88
Blank	104
LCS	102
LCSD	100

Limits: 46-135

Analysis Name: DRO micro-ext 8015B  
Batch number: 200570028A

Ortho-terphenyl

1263844	86
1263845	105
1263846	97
1263847	81
1263848	80
1263849	89
1263850	87
Blank	85
LCS	84

Limits: 52-132

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

# Environmental Analysis Request/Chain of Custody



Lancaster Laboratories  
Environmental

Acct. # 0390 Group # 2000763 Sample # 1203044-50

Client: Groundwater & Env. Services, Inc.					Matrix			Analyses Requested								For Lab Use Only				
								Preservation Codes												
Project Name/#: NRG PRGS		Site ID #: NRG PRGS			<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input type="checkbox"/>	H	-	-/S	N	H	-	H		SF #:			
Project Manager: Anne Ashley Bell		P.O. #: 0402919/51/206			<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	Ground	Surface							SCR #:			
Sampler: <u>Jeff Plummer</u>		PWSID #:			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						Preservation Codes				
Phone #: 800-220-3606 x 3704		Quote #:			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>						H = HCl      T = Thiosulfate				
State where sample(s) were collected: 1400 North Royal St, Alexandria, VA					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Portable	NPDES	Other:	Manganese (6010)	Ferrous Iron Fe2+ (SM 3500-Fe B modified-1997)	<input type="checkbox"/>	Sulfate SO4 2- (EPA 300.0)	Methane (RSK/SOP-175 modified)		N = HNO3      B = NaOH			
Sample Identification					Collection		Soil	<input type="checkbox"/>	Water	NPDES	Other:	Total # of Containers	TPH-DRD C-10-28 (SW-846 8015B)	Alkalinity (SM 2320B)	Nitrate NO3 -1 & Nitrite NO2(EPA 353.2)					S = H2SO4      P = H3PO4
					Date	Time							Grab	Composite	X	X	X			
<u>RW-1</u> <u>MW-25S</u> <u>MW-25/RW-25</u> <u>MW-14/RW-14</u> <u>MW-25/RW-25 Grab</u> <u>TW-06 Grab</u> <u>TW-05 Grab</u>					2-19-20	0945	X		X		3	X	X					Remarks		
						1045					10	X	X	X	X	X				
						1135					7	X	X	X		X		No Nitrate bottles were		
						1300					2	X								
						1335					2	X								
						1400					2	X								
					2-19-20	1420	X		X		2	X								
Turnaround Time Requested (TAT) (please check): Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/>										Relinquished by:	Date	Time	Received by:	Date	Time					
(Rush TAT is subject to laboratory approval and surcharges.)										<u>Jeff Plummer</u>	22-2-2020	0800	<u>Denise Woodin</u>	2-20-2020	0800					
Date results are needed:										Relinquished by:	Date	Time	Received by:	Date	Time					
Rush results requested by (please check): E-Mail <input checked="" type="checkbox"/> Phone <input type="checkbox"/>										<u>Denise Woodin</u>	2-20-2-2020	1335	<u>Jeff Plummer</u>	2-20-2020	13:35					
E-mail Address: midatlantic@gesonline.com & ges@equisonline.com										Relinquished by:	Date	Time	Received by:	Date	Time					
Phone:										<u>Jeff Plummer</u>	2-20-2020	17:01								
Data Package Options (please check if required)										Relinquished by:	Date	Time	Received by:	Date	Time					
Type I (Validation/non-CLP)		<input type="checkbox"/>	MA MCP	<input type="checkbox"/>	Relinquished by:	Date	Time	Received by:	Date	Time										
Type III (Reduced non-CLP)		<input type="checkbox"/>	CT RCP	<input type="checkbox"/>	Relinquished by:	Date	Time	Received by:	Date	Time										
Type VI (Raw Data Only)		<input type="checkbox"/>	TX TRRP-13	<input type="checkbox"/>	Relinquished by:	Date	Time	Received by:	Date	Time										
NYSDEC Category <input type="checkbox"/> A or <input type="checkbox"/> B										Relinquished by Commercial Carrier:										
EDD Required? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, format: GES_EQEDD										UPS _____ FedEx _____ Other _____	Temperature upon receipt <u>0-7</u> °C									
EQEDD Name: NRG PRGS.Lab report #.25800.EQEDD.zip																				

Sample Administration  
Receipt Documentation Log

Doc Log ID: 276285



Group Number(s):

Client: Groundwater & Env. Services2028763**Delivery and Receipt Information**

Delivery Method:	<u>ELLE Courier</u>	Arrival Date:	<u>02/20/2020</u>
Number of Packages:	<u>1</u>	Number of Projects:	<u>2</u>
State/Province of Origin:	<u>VA</u>		

**Arrival Condition Summary**

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	No	Sample Date/Times match COC:	Yes
Samples Chilled:	Yes	Total Trip Blank Qty:	0
Paperwork Enclosed:	Yes	Air Quality Samples Present:	No
Samples Intact:	Yes		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

*Unpacked by Ann-Marie Phillips***Samples Chilled Details**

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

<u>Cooler #</u>	<u>Matrix</u>	<u>Thermometer ID</u>	<u>Corrected Temp</u>	<u>Therm. Type</u>	<u>Ice Type</u>	<u>Ice Present?</u>	<u>Ice Container</u>	<u>Elevated Temp?</u>
1	Water	DT42-03	0.7	DT	Wet	Y	Loose	N

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mL</b>	milliliter(s)
<b>C</b>	degrees Celsius	<b>MPN</b>	Most Probable Number
<b>cfu</b>	colony forming units	<b>N.D.</b>	non-detect
<b>CP Units</b>	cobalt-chloroplatinate units	<b>ng</b>	nanogram(s)
<b>F</b>	degrees Fahrenheit	<b>NTU</b>	nephelometric turbidity units
<b>g</b>	gram(s)	<b>pg/L</b>	picogram/liter
<b>IU</b>	International Units	<b>RL</b>	Reporting Limit
<b>kg</b>	kilogram(s)	<b>TNTC</b>	Too Numerous To Count
<b>L</b>	liter(s)	<b>µg</b>	microgram(s)
<b>lb.</b>	pound(s)	<b>µL</b>	microliter(s)
<b>m3</b>	cubic meter(s)	<b>umhos/cm</b>	micromhos/cm
<b>meq</b>	milliequivalents	<b>MCL</b>	Maximum Contamination Limit
<b>mg</b>	milligram(s)		
<	less than		
>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

# Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value >= the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column >40%. The lower result is reported.
P^	Concentration difference between the primary and confirmation column > 40%. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods.

Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.



## ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

GES, Inc.  
440 Creamery Way, Suite 500  
Exton PA 19341

Report Date: March 02, 2020 10:26


### Project: NRG PRGS

Account #: 08390  
Group Number: 2088764  
PO Number: 0402919-51-206  
Release Number: ORG # 0404  
State of Sample Origin: VA

Electronic Copy To GES, Inc.-MD  
Electronic Copy To GES, Inc.-MD

Attn: Data Distribution  
Attn: Anne Ashley Bell

Respectfully Submitted,



Lynn M. Frederiksen  
Principal Specialist Group Leader

(717) 556-7255

To view our laboratory's current scopes of accreditation please go to <https://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/certifications-and-accreditations-eurofins-lancaster-laboratories-environmental/>. Historical copies may be requested through your project manager.



## SAMPLE INFORMATION

<u>Client Sample Description</u>	<u>Sample Collection</u>	<u>ELLE#</u>
	<u>Date/Time</u>	
RW-119S Grab Groundwater	02/19/2020 10:08	1263851
MW-123S/RW-123S Grab Groundwater	02/19/2020 11:08	1263852
RW-116S Grab Groundwater	02/19/2020 12:23	1263853
MW-05/RW-05 Grab Groundwater	02/19/2020 14:03	1263854
MW-10S/RW-10S Grab Groundwater	02/19/2020 15:03	1263855

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LandLabsEnv

**Sample Description:** RW-119S Grab Groundwater  
NRG - PRGS

**GES, Inc.**  
**ELLE Sample #:** RW 1263851  
**ELLE Group #:** 2088764  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

**Submittal Date/Time:** 02/20/2020 17:07  
**Collection Date/Time:** 02/19/2020 10:08

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons	<b>SW-846 8015B</b>		ug/l	ug/l	
12858 DRO C10-C28		n.a.	2,700	53	1
Wet Chemistry	<b>EPA 300.0</b>		mg/l	mg/l	
00228 Sulfate		14808-79-8	112	15.0	50
	<b>SM 2320 B-2011</b>		mg/l as CaCO3	mg/l as CaCO3	
12150 Total Alkalinity to pH 4.5		n.a.	419	2.6	1

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570029A	02/28/2020 14:50	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570029A	02/27/2020 10:30	Logan M Brosemer	1
00228	Sulfate	EPA 300.0	1	20055135117A	02/24/2020 10:38	Kevin Litwa	50
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 22:13	Jeremy L Bolf	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

**Sample Description:** MW-123S/RW-123S Grab Groundwater  
NRG - PRGS**GES, Inc.**  
**ELLE Sample #:** RW 1263852  
**ELLE Group #:** 2088764  
**Matrix:** Groundwater**Project Name:** NRG PRGSSubmittal Date/Time: 02/20/2020 17:07  
Collection Date/Time: 02/19/2020 11:08

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons 12858	SW-846 8015B DRO C10-C28	n.a.	ug/l 3,400	ug/l 53	1

**Laboratory Sample Analysis Record**

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570029A	02/28/2020 15:14	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570029A	02/27/2020 10:30	Logan M Brosemer	1

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

**Sample Description:** RW-116S Grab Groundwater  
NRG - PRGS

**GES, Inc.**  
**ELLE Sample #:** RW 1263853  
**ELLE Group #:** 2088764  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

**Submittal Date/Time:** 02/20/2020 17:07  
**Collection Date/Time:** 02/19/2020 12:23

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
GC Petroleum Hydrocarbons	<b>SW-846 8015B</b>		ug/l	ug/l	
12858 DRO C10-C28		n.a.	6,800	53	1
Wet Chemistry	<b>EPA 300.0</b>		mg/l	mg/l	
00228 Sulfate		14808-79-8	1,090	150	500
	<b>SM 2320 B-2011</b>		mg/l as CaCO3	mg/l as CaCO3	
12150 Total Alkalinity to pH 4.5		n.a.	94.6	2.6	1

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570029A	02/28/2020 15:38	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570029A	02/27/2020 10:30	Logan M Brosemer	1
00228	Sulfate	EPA 300.0	1	20055135117A	02/24/2020 10:58	Kevin Litwa	
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 22:06	Jeremy L Bolf	500

**Sample Description:** MW-05/RW-05 Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1263854  
ELLE Group #: 2088764  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/20/2020 17:07  
Collection Date/Time: 02/19/2020 14:03

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105	<b>RSKSOP-175 modified</b> Methane	74-82-8	ug/l 10,000	ug/l 150	50
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l 3,600	ug/l 53	1
<b>Metals</b> 07058	<b>SW-846 6010C</b> Manganese	7439-96-5	mg/l 2.96	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228	<b>EPA 300.0</b> Sulfate	14808-79-8	mg/l 304	mg/l 60.0	200
00220	<b>EPA 353.2</b> Nitrate Nitrogen	14797-55-8	mg/l N.D.	mg/l 0.040	1
00219	Nitrite Nitrogen	14797-65-0	N.D.	0.015	1
14855	<b>SM 3500-Fe B-2011</b> Ferrous Iron <sup>1</sup>	n.a.	mg/l 36.2	mg/l 0.300	20
12150	<b>SM 2320 B-2011</b> Total Alkalinity to pH 4.5	n.a.	mg/l as CaCO <sub>3</sub> 265	mg/l as CaCO <sub>3</sub> 2.6	1

### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200550004A	02/25/2020 13:42	Esther Kathryn Lane	50
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570029A	02/28/2020 16:02	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570029A	02/27/2020 10:30	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200521404401	02/24/2020 13:54	Lisa J Cooke	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200521404401	02/24/2020 04:04	James L Mertz	1
00228	Sulfate	EPA 300.0	1	20055135117A	02/24/2020 11:17	Kevin Litwa	200
00220	Nitrate Nitrogen	EPA 353.2	1	20057106103B	02/26/2020 10:27	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20051105103A	02/20/2020 22:34	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 13:02	Jonathan Saul	20
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 22:33	Jeremy L Bolf	1

**Sample Description:** MW-10S/RW-10S Grab Groundwater  
NRG - PRGS

GES, Inc.  
ELLE Sample #: RW 1263855  
ELLE Group #: 2088764  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/20/2020 17:07  
Collection Date/Time: 02/19/2020 15:03

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit	Dilution Factor
<b>GC Miscellaneous</b> 07105 Methane	<b>RSKSOP-175 modified</b> 74-82-8	ug/l	170	ug/l 3.0	1
<b>GC Petroleum Hydrocarbons</b> 12858 DRO C10-C28	<b>SW-846 8015B</b> n.a.	ug/l	18,000	ug/l 53	1
<b>Metals</b> 07058 Manganese	<b>SW-846 6010C</b> 7439-96-5	mg/l	4.54	mg/l 0.0030	1
<b>Wet Chemistry</b> 00228 Sulfate	<b>EPA 300.0</b> 14808-79-8	mg/l	505	mg/l 150	500
00220 Nitrate Nitrogen 00219 Nitrite Nitrogen	<b>EPA 353.2</b> 14797-55-8 14797-65-0	mg/l	N.D. 0.025 J	mg/l 0.040 0.015	1 1
14855 Ferrous Iron <sup>1</sup>	<b>SM 3500-Fe B-2011</b> n.a.	mg/l	188	mg/l 3.00	200
12150 Total Alkalinity to pH 4.5	<b>SM 2320 B-2011</b> n.a.	mg/l as CaCO <sub>3</sub>	208	mg/l as CaCO <sub>3</sub> 2.6	1

### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
07105	Methane	RSKSOP-175 modified	1	200550004A	02/24/2020 14:42	Esther Kathryn Lane	1
12858	DRO micro-ext 8015B	SW-846 8015B	1	200570029A	02/28/2020 16:26	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570029A	02/27/2020 10:30	Logan M Brosemer	1
07058	Manganese	SW-846 6010C	1	200521404401	02/24/2020 13:57	Lisa J Cooke	1
14044	ICP-WW, 3005A (tot rec) - U345	SW-846 3005A	1	200521404401	02/24/2020 04:04	James L Mertz	1
00228	Sulfate	EPA 300.0	1	20055135117A	02/24/2020 12:17	Kevin Litwa	500
00220	Nitrate Nitrogen	EPA 353.2	1	20057106103B	02/26/2020 10:28	Ashlynn M Cornelius	1
00219	Nitrite Nitrogen	EPA 353.2	1	20051105103A	02/20/2020 22:35	Gregory Baldree	1
14855	Ferrous Iron	SM 3500-Fe B-2011	1	20055127101A	02/24/2020 13:36	Jonathan Saul	200
12150	Total Alkalinity to pH 4.5	SM 2320 B-2011	1	20052002103A	02/21/2020 21:53	Jeremy L Bolf	1

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 03/02/2020 10:26

Group Number: 2088764

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result	MDL
	ug/l	ug/l
Batch number: 200550004A Methane	Sample number(s): 1263854-1263855 N.D.	3.0
Batch number: 200570029A DRO C10-C28	Sample number(s): 1263851-1263855 N.D.	53
	mg/l	mg/l
Batch number: 200521404401 Manganese	Sample number(s): 1263854-1263855 N.D.	0.0030
Batch number: 20051105103A Nitrite Nitrogen	Sample number(s): 1263854-1263855 N.D.	0.015
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1263854-1263855 N.D.	0.0150
Batch number: 20055135117A Sulfate	Sample number(s): 1263851,1263853-1263855 N.D.	0.30
Batch number: 20057106103B Nitrate Nitrogen	Sample number(s): 1263854-1263855 N.D.	0.040
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>
Batch number: 20052002103A Total Alkalinity to pH 4.5	Sample number(s): 1263851,1263853-1263855 N.D.	2.6

### LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
	ug/l	ug/l	ug/l	ug/l					
Batch number: 200550004A Methane	Sample number(s): 1263854-1263855 59.42	61.18	59.42	60.32	103	102	85-115	1	20
Batch number: 200570029A DRO C10-C28	Sample number(s): 1263851-1263855 2857.37	1987.5	2857.37	2015.38	70	71	54-116	1	20

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 03/02/2020 10:26

Group Number: 2088764

### LCS/LCSD (continued)

Analysis Name	LCS Spike Added mg/l	LCS Conc mg/l	LCSD Spike Added mg/l	LCSD Conc mg/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 200521404401 Manganese	Sample number(s): 1263854-1263855 0.0200	0.0194			97		80-120		
	mg/l	mg/l	mg/l	mg/l					
Batch number: 20051105103A Nitrite Nitrogen	Sample number(s): 1263854-1263855 0.700	0.731			104		90-110		
Batch number: 20055127101A Ferrous Iron	Sample number(s): 1263854-1263855 1.00	0.937	1.00	0.952	94	95	90-110	2	10
Batch number: 20055135117A Sulfate	Sample number(s): 1263851,1263853-1263855 7.50	7.58			101		90-110		
Batch number: 20057106103B Nitrate Nitrogen	Sample number(s): 1263854-1263855 2.50	2.45			98		90-110		
	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>	mg/l as CaCO <sub>3</sub>					
Batch number: 20052002103A Total Alkalinity to pH 4.5	Sample number(s): 1263851,1263853-1263855 188	166.79			89		82-106		

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: Methane  
Batch number: 200550004A

Propene

1263854	98
1263855	74
Blank	99
LCS	99
LCSD	95

Limits: 46-135

Analysis Name: DRO micro-ext 8015B  
Batch number: 200570029A

Orthoterphenyl

1263851	97
1263852	82
1263853	78

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GES, Inc.  
Reported: 03/02/2020 10:26

Group Number: 2088764

### Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: DRO micro-ext 8015B

Batch number: 200570029A

Orthotolphenyl

1263854	94
1263855	69
Blank	83
LCS	76
LCSD	78

Limits: 52-132

\*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.  
(2) The unspiked result was more than four times the spike added.

# Environmental Analysis Request/Chain of Custody



Lancaster Laboratories  
Environmental

Acct. # 0390 Group # 200970A Sample # 1203051-55

<b>Client:</b> Groundwater & Env. Services, Inc.						<b>Matrix</b>						<b>Analyses Requested</b>						<b>For Lab Use Only</b>	
Project Name/#: NRG PRGS		Site ID #: NRG PRGS				<input type="checkbox"/>		<input checked="" type="checkbox"/>		<input type="checkbox"/>									
Project Manager: Anne Ashley Bell		P.O. #: 0402919/51/206				<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								SF #: _____	
Sampler: Kirk Marks		PWSID #:				<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								SCR #: _____	
Phone #: 800-220-3606 x 3704		Quote #:				<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								Preservation Codes	
State where sample(s) were collected: 1400 North Royal St, Alexandria, VA						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								Preservation Codes	
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								H = HCl T = Thiosulfate	
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								N = HNO <sub>3</sub> B = NaOH	
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								S = H <sub>2</sub> SO <sub>4</sub> P = H <sub>3</sub> PO <sub>4</sub>	
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								O = Other	
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								Remarks	
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>								*Added for A. Bell. LFS13 2/21/20	
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
						<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>									
</td																			



Group Number(s):

Client: Groundwater & Env. Services2000764**Delivery and Receipt Information**

Delivery Method:	<u>ELLE Courier</u>	Arrival Date:	<u>02/20/2020</u>
Number of Packages:	<u>1</u>	Number of Projects:	<u>2</u>
State/Province of Origin:	<u>VA</u>		

**Arrival Condition Summary**

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	No
Custody Seal Present:	No	Sample Date/Times match COC:	Yes
Samples Chilled:	Yes	Total Trip Blank Qty:	0
Paperwork Enclosed:	Yes	Air Quality Samples Present:	No
Samples Intact:	Yes		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

Unpacked by Ann-Marie Phillips

**Samples Chilled Details**

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

<u>Cooler #</u>	<u>Matrix</u>	<u>Thermometer ID</u>	<u>Corrected Temp</u>	<u>Therm. Type</u>	<u>Ice Type</u>	<u>Ice Present?</u>	<u>Ice Container</u>	<u>Elevated Temp?</u>
1	Water	DT42-03	0.7	DT	Wet	Y	Loose	N

**Sample ID Discrepancy Details**

<u>Sample ID on COC</u>	<u>Sample ID on Label</u>	<u>Comments</u>
MW-05/RW-05	MW-103/RW-103 10S 10S	Just metals bottle, collection info matches MW-05/RW-05 sample.

Metals bottle label originally had MW-05/RW-05, but it was crossed out and replaced with MW-103/RW-103 with 14:03 collection time.

GES was notified and we should identify this bottle as MW-05/RW-05 per A. Bell.

LF593  
2/21/20

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mL</b>	milliliter(s)
<b>C</b>	degrees Celsius	<b>MPN</b>	Most Probable Number
<b>cfu</b>	colony forming units	<b>N.D.</b>	non-detect
<b>CP Units</b>	cobalt-chloroplatinate units	<b>ng</b>	nanogram(s)
<b>F</b>	degrees Fahrenheit	<b>NTU</b>	nephelometric turbidity units
<b>g</b>	gram(s)	<b>pg/L</b>	picogram/liter
<b>IU</b>	International Units	<b>RL</b>	Reporting Limit
<b>kg</b>	kilogram(s)	<b>TNTC</b>	Too Numerous To Count
<b>L</b>	liter(s)	<b>µg</b>	microgram(s)
<b>lb.</b>	pound(s)	<b>µL</b>	microliter(s)
<b>m3</b>	cubic meter(s)	<b>umhos/cm</b>	micromhos/cm
<b>meq</b>	milliequivalents	<b>MCL</b>	Maximum Contamination Limit
<b>mg</b>	milligram(s)		
<	less than		
>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

# Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value >= the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column >40%. The lower result is reported.
P^	Concentration difference between the primary and confirmation column > 40%. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods.

Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.



## ANALYSIS REPORT

Prepared by:

Eurofins Lancaster Laboratories Environmental  
2425 New Holland Pike  
Lancaster, PA 17601

Prepared for:

GeoSyntec Consultants  
4th Floor  
10211 Wincopin Circle  
Columbia MD 21044

Report Date: February 28, 2020 16:06


**Project: NRG PRGS**

Account #: 09811  
Group Number: 2088698  
SDG: PRG24  
PO Number: MEM1108B  
State of Sample Origin: VA

Electronic Copy To GeoSyntec Consultants  
Electronic Copy To Geosyntec Consultants

Attn: Mark Johnson  
Attn: Mark Bauer

Respectfully Submitted,

  
Elizabeth M. Zanar  
Project Manager

(717) 556-7290

To view our laboratory's current scopes of accreditation please go to <https://www.eurofinsus.com/environment-testing/laboratories/eurofins-lancaster-laboratories-environmental/certifications-and-accreditations-eurofins-lancaster-laboratories-environmental/>. Historical copies may be requested through your project manager.



## SAMPLE INFORMATION

<u>Client Sample Description</u>	<u>Sample Collection</u>	<u>ELLE#</u>
	<u>Date/Time</u>	
TW-14 Grab Groundwater	02/17/2020 10:35	1263397
TW-07 Grab Groundwater	02/17/2020 12:30	1263398
TW-04 Grab Groundwater	02/17/2020 14:40	1263399
TW-05 Grab Groundwater	02/18/2020 09:45	1263400
TW-06 Grab Groundwater	02/18/2020 11:00	1263401
TW-06 MS Grab Groundwater	02/18/2020 11:00	1263402
TW-06 MSD Grab Groundwater	02/18/2020 11:00	1263403
TW-03 Grab Groundwater	02/18/2020 12:15	1263404
TW-02 Grab Groundwater	02/18/2020 13:50	1263405
EB20200217 Grab Water	02/17/2020 15:45	1263406
DUP20200217 Grab Groundwater	02/17/2020	1263407
TB20031 Water	02/17/2020	1263408

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

**Sample Description:** TW-14 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263397  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020 10:35  
SDG#: PRG24-01

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.2	1	1
10945	t-Butyl alcohol	75-65-0	N.D.	10	25	1
10945	1,2-Dibromoethane	106-93-4	N.D.	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	N.D.	2	5	1
10945	Ethylbenzene	100-41-4	N.D.	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1	1
10945	Toluene	108-88-3	N.D.	0.2	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	N.D.	0.08	0.2	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	N.D.	0.08	0.2	1
10262	Anthracene <sup>1</sup>	120-12-7	N.D.	0.08	0.2	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	N.D.	0.08	0.2	1
10262	Benzo(a)pyrene	50-32-8	N.D.	0.08	0.2	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	N.D.	0.2	0.4	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	N.D.	0.08	0.2	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	N.D.	0.1	0.3	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	N.D.	0.08	0.2	1
10262	Biphenyl <sup>1</sup>	92-52-4	N.D.	0.08	0.2	1
10262	Chrysene <sup>1</sup>	218-01-9	N.D.	0.08	0.2	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	N.D.	0.08	0.2	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	N.D.	0.08	0.2	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	N.D.	0.08	0.2	1
10262	Fluoranthene <sup>1</sup>	206-44-0	N.D.	0.08	0.2	1
10262	Fluorene <sup>1</sup>	86-73-7	N.D.	0.08	0.2	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	N.D.	0.2	0.4	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	N.D.	0.08	0.2	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	N.D.	0.1	0.3	1
10262	Naphthalene <sup>1</sup>	91-20-3	N.D.	0.1	0.3	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.08	0.2	1
10262	Perylene <sup>1</sup>	198-55-0	N.D.	0.08	0.2	1
10262	Phenanthrene <sup>1</sup>	85-01-8	N.D.	0.1	0.3	1
10262	Pyrene <sup>1</sup>	129-00-0	N.D.	0.08	0.2	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-14 Grab Groundwater  
NRG PRGS

GeoSyntec Consultants  
ELLE Sample #: GW 1263397  
ELLE Group #: 2088698  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020 10:35  
SDG#: PRG24-01

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l N.D.	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l N.D.	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l N.D.	mg/l 1.4	mg/l 5.0	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 16:58	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 16:57	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 09:06	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 20:50	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 20:49	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 05:42	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:19	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-07 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263398  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020 12:30  
SDG#: PRG24-02

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.2	1	1
10945	t-Butyl alcohol	75-65-0	N.D.	10	25	1
10945	1,2-Dibromoethane	106-93-4	N.D.	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	N.D.	2	5	1
10945	Ethylbenzene	100-41-4	N.D.	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1	1
10945	Toluene	108-88-3	N.D.	0.2	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	N.D.	0.08	0.2	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	N.D.	0.08	0.2	1
10262	Anthracene <sup>1</sup>	120-12-7	N.D.	0.08	0.2	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	N.D.	0.08	0.2	1
10262	Benzo(a)pyrene	50-32-8	N.D.	0.08	0.2	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	N.D.	0.2	0.4	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	N.D.	0.08	0.2	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	N.D.	0.1	0.3	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	N.D.	0.08	0.2	1
10262	Biphenyl <sup>1</sup>	92-52-4	N.D.	0.08	0.2	1
10262	Chrysene <sup>1</sup>	218-01-9	N.D.	0.08	0.2	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	N.D.	0.08	0.2	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	N.D.	0.08	0.2	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	N.D.	0.08	0.2	1
10262	Fluoranthene <sup>1</sup>	206-44-0	N.D.	0.08	0.2	1
10262	Fluorene <sup>1</sup>	86-73-7	N.D.	0.08	0.2	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	N.D.	0.2	0.4	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	N.D.	0.08	0.2	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	N.D.	0.1	0.3	1
10262	Naphthalene <sup>1</sup>	91-20-3	N.D.	0.1	0.3	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.08	0.2	1
10262	Perylene <sup>1</sup>	198-55-0	N.D.	0.08	0.2	1
10262	Phenanthrene <sup>1</sup>	85-01-8	N.D.	0.1	0.3	1
10262	Pyrene <sup>1</sup>	129-00-0	N.D.	0.08	0.2	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-07 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263398  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020 12:30  
SDG#: PRG24-02

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l N.D.	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l N.D.	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l N.D.	mg/l 1.4	mg/l 5.0	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 17:22	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 17:21	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 09:48	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 21:37	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 21:36	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 06:05	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:19	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-04 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263399  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020 14:40  
SDG#: PRG24-03

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.2	1	1
10945	t-Butyl alcohol	75-65-0	N.D.	10	25	1
10945	1,2-Dibromoethane	106-93-4	N.D.	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	N.D.	2	5	1
10945	Ethylbenzene	100-41-4	N.D.	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1	1
10945	Toluene	108-88-3	N.D.	0.2	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	0.5	0.09	0.2	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	N.D.	0.09	0.2	1
10262	Anthracene <sup>1</sup>	120-12-7	0.1 J	0.09	0.2	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	N.D.	0.09	0.2	1
10262	Benzo(a)pyrene	50-32-8	N.D.	0.09	0.2	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	N.D.	0.2	0.4	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	N.D.	0.09	0.2	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	N.D.	0.1	0.3	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	N.D.	0.09	0.2	1
10262	Biphenyl <sup>1</sup>	92-52-4	N.D.	0.09	0.2	1
10262	Chrysene <sup>1</sup>	218-01-9	N.D.	0.09	0.2	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	N.D.	0.09	0.2	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	0.2 J	0.09	0.2	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	N.D.	0.09	0.2	1
10262	Fluoranthene <sup>1</sup>	206-44-0	0.1 J	0.09	0.2	1
10262	Fluorene <sup>1</sup>	86-73-7	0.3	0.09	0.2	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	N.D.	0.2	0.4	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	N.D.	0.09	0.2	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	N.D.	0.1	0.3	1
10262	Naphthalene <sup>1</sup>	91-20-3	0.2 J	0.1	0.4	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.09	0.2	1
10262	Perylene <sup>1</sup>	198-55-0	N.D.	0.09	0.2	1
10262	Phenanthrene <sup>1</sup>	85-01-8	0.2 J	0.1	0.4	1
10262	Pyrene <sup>1</sup>	129-00-0	0.1 J	0.09	0.2	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-04 Grab Groundwater  
NRG PRGS

GeoSyntec Consultants  
ELLE Sample #: GW 1263399  
ELLE Group #: 2088698  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020 14:40  
SDG#: PRG24-03

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l N.D.	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l 170	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l N.D.	mg/l 1.4	mg/l 5.0	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 17:46	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 17:45	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 10:31	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 22:01	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 22:00	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 06:29	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:19	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-05 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263400  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/18/2020 09:45  
SDG#: PRG24-04

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	0.2 J	0.2	1	1
10945	t-Butyl alcohol	75-65-0	N.D.	10	25	1
10945	1,2-Dibromoethane	106-93-4	N.D.	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	N.D.	2	5	1
10945	Ethylbenzene	100-41-4	N.D.	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1	1
10945	Toluene	108-88-3	N.D.	0.2	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	0.7	0.08	0.2	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	N.D.	0.08	0.2	1
10262	Anthracene <sup>1</sup>	120-12-7	N.D.	0.08	0.2	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	N.D.	0.08	0.2	1
10262	Benzo(a)pyrene	50-32-8	N.D.	0.08	0.2	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	N.D.	0.2	0.4	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	N.D.	0.08	0.2	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	N.D.	0.1	0.3	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	N.D.	0.08	0.2	1
10262	Biphenyl <sup>1</sup>	92-52-4	0.2	0.08	0.2	1
10262	Chrysene <sup>1</sup>	218-01-9	N.D.	0.08	0.2	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	N.D.	0.08	0.2	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	0.1 J	0.08	0.2	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	0.1 J	0.08	0.2	1
10262	Fluoranthene <sup>1</sup>	206-44-0	N.D.	0.08	0.2	1
10262	Fluorene <sup>1</sup>	86-73-7	0.6	0.08	0.2	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	N.D.	0.2	0.4	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	2	0.08	0.2	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	0.2 J	0.1	0.3	1
10262	Naphthalene <sup>1</sup>	91-20-3	0.6	0.1	0.3	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.08	0.2	1
10262	Perylene <sup>1</sup>	198-55-0	N.D.	0.08	0.2	1
10262	Phenanthrene <sup>1</sup>	85-01-8	0.3 J	0.1	0.3	1
10262	Pyrene <sup>1</sup>	129-00-0	0.2 J	0.08	0.2	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-05 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263400  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31

Collection Date/Time: 02/18/2020 09:45

SDG#: PRG24-04

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l N.D.	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l 950	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l N.D.	mg/l 1.4	mg/l 5.0	1

### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 18:10	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 18:09	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 11:14	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 22:24	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 22:23	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 06:53	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:19	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-06 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263401  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/18/2020 11:00  
SDG#: PRG24-05BKG

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.2	1	1
10945	t-Butyl alcohol	75-65-0	N.D.	10	25	1
10945	1,2-Dibromoethane	106-93-4	N.D.	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	N.D.	2	5	1
10945	Ethylbenzene	100-41-4	N.D.	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1	1
10945	Toluene	108-88-3	N.D.	0.2	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	0.4	0.09	0.2	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	N.D.	0.09	0.2	1
10262	Anthracene <sup>1</sup>	120-12-7	N.D.	0.09	0.2	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	N.D.	0.09	0.2	1
10262	Benzo(a)pyrene	50-32-8	N.D.	0.09	0.2	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	N.D.	0.2	0.4	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	N.D.	0.09	0.2	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	N.D.	0.1	0.3	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	N.D.	0.09	0.2	1
10262	Biphenyl <sup>1</sup>	92-52-4	0.3	0.09	0.2	1
10262	Chrysene <sup>1</sup>	218-01-9	N.D.	0.09	0.2	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	N.D.	0.09	0.2	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	N.D.	0.09	0.2	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	N.D.	0.09	0.2	1
10262	Fluoranthene <sup>1</sup>	206-44-0	N.D.	0.09	0.2	1
10262	Fluorene <sup>1</sup>	86-73-7	0.5	0.09	0.2	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	N.D.	0.2	0.4	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	0.3	0.09	0.2	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	N.D.	0.1	0.3	1
10262	Naphthalene <sup>1</sup>	91-20-3	0.5	0.1	0.4	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.09	0.2	1
10262	Perylene <sup>1</sup>	198-55-0	N.D.	0.09	0.2	1
10262	Phenanthrene <sup>1</sup>	85-01-8	0.2 J	0.1	0.4	1
10262	Pyrene <sup>1</sup>	129-00-0	N.D.	0.09	0.2	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-06 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263401  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/18/2020 11:00  
SDG#: PRG24-05BKG

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l N.D.	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l 520	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l N.D.	mg/l 1.4	mg/l 5.0	1

### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 14:34	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 14:33	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 06:57	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 19:39	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 19:38	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 07:17	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:19	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-06 MS Grab Groundwater  
NRG PRGS

GeoSyntec Consultants  
ELLE Sample #: GW 1263402  
ELLE Group #: 2088698  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/18/2020 11:00  
SDG#: PRG24-05MS

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	21	0.2	1	1
10945	t-Butyl alcohol	75-65-0	160	10	25	1
10945	1,2-Dibromoethane	106-93-4	19	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	18	2	5	1
10945	Ethylbenzene	100-41-4	21	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	20	0.2	1	1
10945	Toluene	108-88-3	22	0.2	1	1
10945	Xylene (Total)	1330-20-7	65	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	4	0.1	0.3	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	4	0.1	0.3	1
10262	Anthracene <sup>1</sup>	120-12-7	4	0.1	0.3	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	5	0.1	0.3	1
10262	Benzo(a)pyrene	50-32-8	5	0.1	0.3	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	5	0.2	0.5	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	4	0.1	0.3	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	5	0.2	0.4	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	5	0.1	0.3	1
10262	Biphenyl <sup>1</sup>	92-52-4	4	0.1	0.3	1
10262	Chrysene <sup>1</sup>	218-01-9	5	0.1	0.3	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	5	0.1	0.3	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	4	0.1	0.3	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	5	0.1	0.3	1
10262	Fluoranthene <sup>1</sup>	206-44-0	4	0.1	0.3	1
10262	Fluorene <sup>1</sup>	86-73-7	4	0.1	0.3	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	6	0.2	0.5	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	3	0.1	0.3	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	3	0.2	0.4	1
10262	Naphthalene <sup>1</sup>	91-20-3	4	0.2	0.4	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.1	0.3	1
10262	Perylene <sup>1</sup>	198-55-0	4	0.1	0.3	1
10262	Phenanthrene <sup>1</sup>	85-01-8	5	0.2	0.4	1
10262	Pyrene <sup>1</sup>	129-00-0	4	0.1	0.3	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

**Sample Description:** TW-06 MS Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263402  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/18/2020 11:00  
SDG#: PRG24-05MS

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l 1,200	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l 2,400	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l 36.4	mg/l 1.4	mg/l 5.0	1

### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 14:58	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 14:57	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 07:40	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 20:02	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 20:01	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 07:41	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:19	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-06 MSD Grab Groundwater  
NRG PRGS

GeoSyntec Consultants  
ELLE Sample #: GW 1263403  
ELLE Group #: 2088698  
Matrix: Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/18/2020 11:00  
SDG#: PRG24-05MSD

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	22	0.2	1	1
10945	t-Butyl alcohol	75-65-0	170	10	25	1
10945	1,2-Dibromoethane	106-93-4	19	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	18	2	5	1
10945	Ethylbenzene	100-41-4	22	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	21	0.2	1	1
10945	Toluene	108-88-3	22	0.2	1	1
10945	Xylene (Total)	1330-20-7	66	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	3	0.09	0.2	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	4	0.09	0.2	1
10262	Anthracene <sup>1</sup>	120-12-7	3	0.09	0.2	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	5	0.09	0.2	1
10262	Benzo(a)pyrene	50-32-8	4	0.09	0.2	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	4	0.2	0.4	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	4	0.09	0.2	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	4	0.1	0.3	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	4	0.09	0.2	1
10262	Biphenyl <sup>1</sup>	92-52-4	3	0.09	0.2	1
10262	Chrysene <sup>1</sup>	218-01-9	4	0.09	0.2	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	4	0.09	0.2	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	3	0.09	0.2	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	4	0.09	0.2	1
10262	Fluoranthene <sup>1</sup>	206-44-0	4	0.09	0.2	1
10262	Fluorene <sup>1</sup>	86-73-7	4	0.09	0.2	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	5	0.2	0.4	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	3	0.09	0.2	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	3	0.1	0.3	1
10262	Naphthalene <sup>1</sup>	91-20-3	3	0.1	0.4	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.09	0.2	1
10262	Perylene <sup>1</sup>	198-55-0	4	0.09	0.2	1
10262	Phenanthrene <sup>1</sup>	85-01-8	4	0.1	0.4	1
10262	Pyrene <sup>1</sup>	129-00-0	4	0.09	0.2	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

**Sample Description:** TW-06 MSD Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263403  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

**Submittal Date/Time:** 02/19/2020 17:31  
**Collection Date/Time:** 02/18/2020 11:00  
**SDG#:** PRG24-05MSD

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l 1,200	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l 2,600	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l 46.8	mg/l 1.4	mg/l 5.0	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 15:22	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 15:21	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 08:23	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 20:26	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 20:25	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 08:04	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:19	Yolunder Y Bunch	1

\* = This limit was used in the evaluation of the final result

**Sample Description:** TW-03 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263404  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31

Collection Date/Time: 02/18/2020 12:15

SDG#: PRG24-06

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.2	1	1
10945	t-Butyl alcohol	75-65-0	N.D.	10	25	1
10945	1,2-Dibromoethane	106-93-4	N.D.	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	N.D.	2	5	1
10945	Ethylbenzene	100-41-4	N.D.	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1	1
10945	Toluene	108-88-3	N.D.	0.2	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	N.D.	0.09	0.2	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	N.D.	0.09	0.2	1
10262	Anthracene <sup>1</sup>	120-12-7	N.D.	0.09	0.2	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	N.D.	0.09	0.2	1
10262	Benzo(a)pyrene	50-32-8	N.D.	0.09	0.2	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	N.D.	0.2	0.4	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	N.D.	0.09	0.2	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	N.D.	0.1	0.3	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	N.D.	0.09	0.2	1
10262	Biphenyl <sup>1</sup>	92-52-4	N.D.	0.09	0.2	1
10262	Chrysene <sup>1</sup>	218-01-9	N.D.	0.09	0.2	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	N.D.	0.09	0.2	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	N.D.	0.09	0.2	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	N.D.	0.09	0.2	1
10262	Fluoranthene <sup>1</sup>	206-44-0	N.D.	0.09	0.2	1
10262	Fluorene <sup>1</sup>	86-73-7	N.D.	0.09	0.2	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	N.D.	0.2	0.4	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	N.D.	0.09	0.2	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	N.D.	0.1	0.3	1
10262	Naphthalene <sup>1</sup>	91-20-3	N.D.	0.1	0.3	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.09	0.2	1
10262	Perylene <sup>1</sup>	198-55-0	N.D.	0.09	0.2	1
10262	Phenanthrene <sup>1</sup>	85-01-8	N.D.	0.1	0.3	1
10262	Pyrene <sup>1</sup>	129-00-0	N.D.	0.09	0.2	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

**Sample Description:** TW-03 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263404  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/18/2020 12:15  
SDG#: PRG24-06

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l N.D.	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l N.D.	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l N.D.	mg/l 1.4	mg/l 5.0	1

### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 15:46	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 15:45	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 11:56	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 22:48	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 22:47	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 08:28	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:19	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-02 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263405  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/18/2020 13:50  
SDG#: PRG24-07

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.2	1	1
10945	t-Butyl alcohol	75-65-0	N.D.	10	25	1
10945	1,2-Dibromoethane	106-93-4	N.D.	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	N.D.	2	5	1
10945	Ethylbenzene	100-41-4	N.D.	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1	1
10945	Toluene	108-88-3	N.D.	0.2	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	N.D.	0.08	0.2	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	N.D.	0.08	0.2	1
10262	Anthracene <sup>1</sup>	120-12-7	N.D.	0.08	0.2	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	N.D.	0.08	0.2	1
10262	Benzo(a)pyrene	50-32-8	N.D.	0.08	0.2	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	N.D.	0.2	0.4	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	N.D.	0.08	0.2	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	N.D.	0.1	0.3	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	N.D.	0.08	0.2	1
10262	Biphenyl <sup>1</sup>	92-52-4	N.D.	0.08	0.2	1
10262	Chrysene <sup>1</sup>	218-01-9	N.D.	0.08	0.2	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	N.D.	0.08	0.2	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	N.D.	0.08	0.2	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	N.D.	0.08	0.2	1
10262	Fluoranthene <sup>1</sup>	206-44-0	N.D.	0.08	0.2	1
10262	Fluorene <sup>1</sup>	86-73-7	N.D.	0.08	0.2	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	N.D.	0.2	0.4	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	N.D.	0.08	0.2	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	N.D.	0.1	0.3	1
10262	Naphthalene <sup>1</sup>	91-20-3	0.2 J	0.1	0.3	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.08	0.2	1
10262	Perylene <sup>1</sup>	198-55-0	N.D.	0.08	0.2	1
10262	Phenanthrene <sup>1</sup>	85-01-8	N.D.	0.1	0.3	1
10262	Pyrene <sup>1</sup>	129-00-0	N.D.	0.08	0.2	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

**Sample Description:** TW-02 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263405  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/18/2020 13:50  
SDG#: PRG24-07

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l N.D.	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l N.D.	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l N.D.	mg/l 1.4	mg/l 5.0	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 16:10	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 16:09	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 12:39	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 23:11	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 23:10	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 08:52	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:19	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

**Sample Description:** EB20200217 Grab Water  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263406  
**ELLE Group #:** 2088698  
**Matrix:** Water

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020 15:45  
SDG#: PRG24-08EB

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.2	1	1
10945	t-Butyl alcohol	75-65-0	N.D.	10	25	1
10945	1,2-Dibromoethane	106-93-4	N.D.	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	N.D.	2	5	1
10945	Ethylbenzene	100-41-4	N.D.	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1	1
10945	Toluene	108-88-3	N.D.	0.2	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	N.D.	0.08	0.2	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	N.D.	0.08	0.2	1
10262	Anthracene <sup>1</sup>	120-12-7	N.D.	0.08	0.2	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	N.D.	0.08	0.2	1
10262	Benzo(a)pyrene	50-32-8	N.D.	0.08	0.2	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	N.D.	0.2	0.4	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	N.D.	0.08	0.2	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	N.D.	0.1	0.3	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	N.D.	0.08	0.2	1
10262	Biphenyl <sup>1</sup>	92-52-4	N.D.	0.08	0.2	1
10262	Chrysene <sup>1</sup>	218-01-9	N.D.	0.08	0.2	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	N.D.	0.08	0.2	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	N.D.	0.08	0.2	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	N.D.	0.08	0.2	1
10262	Fluoranthene <sup>1</sup>	206-44-0	N.D.	0.08	0.2	1
10262	Fluorene <sup>1</sup>	86-73-7	N.D.	0.08	0.2	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	N.D.	0.2	0.4	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	N.D.	0.08	0.2	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	N.D.	0.1	0.3	1
10262	Naphthalene <sup>1</sup>	91-20-3	N.D.	0.1	0.3	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.08	0.2	1
10262	Perylene <sup>1</sup>	198-55-0	N.D.	0.08	0.2	1
10262	Phenanthrene <sup>1</sup>	85-01-8	N.D.	0.1	0.3	1
10262	Pyrene <sup>1</sup>	129-00-0	N.D.	0.08	0.2	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

**Sample Description:** EB20200217 Grab Water  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263406  
**ELLE Group #:** 2088698  
**Matrix:** Water

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020 15:45  
SDG#: PRG24-08EB

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l N.D.	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l N.D.	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l N.D.	mg/l 1.4	mg/l 5.0	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 13:46	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 13:45	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 13:21	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 18:52	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 18:51	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 09:16	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:20	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

**Sample Description:** DUP20200217 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263407  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020  
SDG#: PRG24-09FD

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		ug/l	ug/l	ug/l	
10945	Benzene	71-43-2	N.D.	0.2	1	1
10945	t-Butyl alcohol	75-65-0	N.D.	10	25	1
10945	1,2-Dibromoethane	106-93-4	N.D.	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	N.D.	2	5	1
10945	Ethylbenzene	100-41-4	N.D.	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1	1
10945	Toluene	108-88-3	N.D.	0.2	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.8	3	1
<b>GC/MS Semivolatiles</b>	<b>SW-846 8270C SIM Modified</b>		ug/l	ug/l	ug/l	
10262	Acenaphthene <sup>1</sup>	83-32-9	0.6	0.09	0.2	1
10262	Acenaphthylene <sup>1</sup>	208-96-8	N.D.	0.09	0.2	1
10262	Anthracene <sup>1</sup>	120-12-7	0.1 J	0.09	0.2	1
10262	Benzo(a)anthracene <sup>1</sup>	56-55-3	N.D.	0.09	0.2	1
10262	Benzo(a)pyrene	50-32-8	N.D.	0.09	0.2	1
10262	Benzo(b)fluoranthene <sup>1</sup>	205-99-2	N.D.	0.2	0.4	1
10262	Benzo(e)pyrene <sup>1</sup>	192-97-2	N.D.	0.09	0.2	1
10262	Benzo(g,h,i)perylene <sup>1</sup>	191-24-2	N.D.	0.1	0.3	1
10262	Benzo(k)fluoranthene <sup>1</sup>	207-08-9	N.D.	0.09	0.2	1
10262	Biphenyl <sup>1</sup>	92-52-4	N.D.	0.09	0.2	1
10262	Chrysene <sup>1</sup>	218-01-9	N.D.	0.09	0.2	1
10262	Dibenz(a,h)anthracene <sup>1</sup>	53-70-3	N.D.	0.09	0.2	1
10262	Dibenzofuran <sup>1</sup>	132-64-9	0.2 J	0.09	0.2	1
10262	Dibenzothiophene <sup>1</sup>	132-65-0	N.D.	0.09	0.2	1
10262	Fluoranthene <sup>1</sup>	206-44-0	0.2 J	0.09	0.2	1
10262	Fluorene <sup>1</sup>	86-73-7	0.4	0.09	0.2	1
10262	Indeno(1,2,3-cd)pyrene <sup>1</sup>	193-39-5	N.D.	0.2	0.4	1
10262	1-Methylnaphthalene <sup>1</sup>	90-12-0	N.D.	0.09	0.2	1
10262	2-Methylnaphthalene <sup>1</sup>	91-57-6	N.D.	0.1	0.3	1
10262	Naphthalene <sup>1</sup>	91-20-3	0.3 J	0.1	0.3	1
10262	Naphthobenzothiophene <sup>1</sup>	224-10-2	N.D.	0.09	0.2	1
10262	Perylene <sup>1</sup>	198-55-0	N.D.	0.09	0.2	1
10262	Phenanthrene <sup>1</sup>	85-01-8	0.2 J	0.1	0.3	1
10262	Pyrene <sup>1</sup>	129-00-0	0.1 J	0.09	0.2	1

The stated QC limits for Benzo(e)pyrene and Biphenyl are advisory only until sufficient data points can be obtained to calculate statistical limits.

The LCS and/or LCSD recoveries are outside the stated QC window but within the marginal exceedance allowance of +/- 4 standard deviations as defined in the TNI/DoD Standards. The following analytes are accepted based on this allowance: 1-Methylnaphthalene

\*=This limit was used in the evaluation of the final result

**Sample Description:** DUP20200217 Grab Groundwater  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263407  
**ELLE Group #:** 2088698  
**Matrix:** Groundwater

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020  
SDG#: PRG24-09FD

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
Reporting limits were raised due to limited sample volume.						
<b>GC Volatiles</b> 01635	<b>SW-846 8015B</b> TPH-GRO water C6-C10	n.a.	ug/l N.D.	ug/l 23	ug/l 50	1
<b>GC Petroleum Hydrocarbons</b> 12858	<b>SW-846 8015B</b> DRO C10-C28	n.a.	ug/l 240	ug/l 53	ug/l 100	1
<b>Wet Chemistry</b> 08079	<b>EPA 1664B</b> HEM (oil & grease) <sup>1</sup>	n.a.	mg/l N.D.	mg/l 1.4	mg/l 5.0	1

#### Sample Comments

<sup>1</sup> = This analyte was not on the laboratory's VELAP Scope of Accreditation at the time of analysis.

#### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 16:34	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 16:33	Alexander D Sechrist	1
10262	Alkyl PAHs in Water by GC/MS	SW-846 8270C SIM Modified	1	20052WAI026	02/26/2020 14:04	Joseph M Gambler	1
11012	Alkyl PAH Extract	SW-846 3510C	1	20052WAI026	02/24/2020 00:00	Osvaldo R Sanchez	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 23:34	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 23:33	Jeremy C Giffin	1
12858	DRO Microextraction Master	SW-846 8015B	1	200570028A	02/28/2020 09:40	Bridget Kovacs	1
12059	Microextraction - DRO (waters)	SW-846 3511 Rev 1, July 2014	2	200570028A	02/27/2020 10:30	Logan M Brosemer	1
08079	HEM (oil & grease)	EPA 1664B	1	20056807901A	02/25/2020 09:20	Yolunder Y Bunch	1

\*=This limit was used in the evaluation of the final result

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-6766 • www.EurofinsUS.com/LancLabsEnv

**Sample Description:** TB20031 Water  
NRG PRGS

**GeoSyntec Consultants**  
**ELLE Sample #:** GW 1263408  
**ELLE Group #:** 2088698  
**Matrix:** Water

**Project Name:** NRG PRGS

Submittal Date/Time: 02/19/2020 17:31  
Collection Date/Time: 02/17/2020  
SDG#: PRG24-10TB

CAT No.	Analysis Name	CAS Number	Result	Method Detection Limit*	Limit of Quantitation	Dilution Factor
<b>GC/MS Volatiles</b>	<b>SW-846 8260B</b>		<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
10945	Benzene	71-43-2	N.D.	0.2	1	1
10945	t-Butyl alcohol	75-65-0	N.D.	10	25	1
10945	1,2-Dibromoethane	106-93-4	N.D.	0.3	1	1
10945	1,2-Dichloroethane	107-06-2	N.D.	2	5	1
10945	Ethylbenzene	100-41-4	N.D.	0.2	1	1
10945	Methyl Tertiary Butyl Ether	1634-04-4	N.D.	0.2	1	1
10945	Toluene	108-88-3	N.D.	0.2	1	1
10945	Xylene (Total)	1330-20-7	N.D.	0.8	3	1
<b>GC Volatiles</b>	<b>SW-846 8015B</b>		<b>ug/l</b>	<b>ug/l</b>	<b>ug/l</b>	
01635	TPH-GRO water C6-C10	n.a.	N.D.	23	50	1

### Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10945	VOCs- 5ml Water by 8260B UST	SW-846 8260B	1	D200572AA	02/26/2020 14:10	Alexander D Sechrist	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	D200572AA	02/26/2020 14:09	Alexander D Sechrist	1
01635	TPH-GRO water C6-C10	SW-846 8015B	1	20052A20A	02/21/2020 19:16	Jeremy C Giffin	1
01146	GC VOA Water Prep	SW-846 5030B	1	20052A20A	02/21/2020 19:15	Jeremy C Giffin	1

\*=This limit was used in the evaluation of the final result

## Quality Control Summary

Client Name: GeoSyntec Consultants  
Reported: 02/28/2020 16:06

Group Number: 2088698

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Method Blank

Analysis Name	Result ug/l	MDL** ug/l	LOQ ug/l
Batch number: D200572AA		Sample number(s): 1263397-1263408	
Benzene	N.D.	0.2	1
t-Butyl alcohol	N.D.	10	25
1,2-Dibromoethane	N.D.	0.3	1
1,2-Dichloroethane	N.D.	2	5
Ethylbenzene	N.D.	0.2	1
Methyl Tertiary Butyl Ether	N.D.	0.2	1
Toluene	N.D.	0.2	1
Xylene (Total)	N.D.	0.8	3
Batch number: 20052WAI026		Sample number(s): 1263397-1263407	
Acenaphthene	N.D.	0.02	0.05
Acenaphthylene	N.D.	0.02	0.05
Anthracene	N.D.	0.02	0.05
Benzo(a)anthracene	N.D.	0.02	0.05
Benzo(a)pyrene	N.D.	0.02	0.05
Benzo(b)fluoranthene	N.D.	0.04	0.09
Benzo(e)pyrene	N.D.	0.02	0.05
Benzo(g,h,i)perylene	N.D.	0.03	0.07
Benzo(k)fluoranthene	N.D.	0.02	0.05
Biphenyl	N.D.	0.02	0.05
Chrysene	N.D.	0.02	0.05
Dibenz(a,h)anthracene	N.D.	0.02	0.05
Dibenzo-furan	N.D.	0.02	0.05
Dibenzothiophene	N.D.	0.02	0.05
Fluoranthene	N.D.	0.02	0.05
Fluorene	N.D.	0.02	0.05
Indeno(1,2,3-cd)pyrene	N.D.	0.04	0.09
1-Methylnaphthalene	N.D.	0.02	0.05
2-Methylnaphthalene	N.D.	0.03	0.07
Naphthalene	N.D.	0.03	0.08
Naphthobenzothiophene	N.D.	0.02	0.05
Perylene	N.D.	0.02	0.05
Phenanthrene	N.D.	0.03	0.08
Pyrene	N.D.	0.02	0.05
Batch number: 20052A20A		Sample number(s): 1263397-1263408	
TPH-GRO water C6-C10	N.D.	23	50
Batch number: 200570028A		Sample number(s): 1263397-1263407	
DRO C10-C28	N.D.	53	100

\*- Outside of specification

\*\*-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GeoSyntec Consultants  
Reported: 02/28/2020 16:06

Group Number: 2088698

### Method Blank (continued)

Analysis Name	Result	MDL**	LOQ
	ug/l	ug/l	ug/l
	mg/l	mg/l	mg/l
Batch number: 20056807901A HEM (oil & grease)	N.D.	1.4	5.0

### LCS/LCSD

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: D200572AA	Sample number(s): 1263397-1263408								
Benzene	20	17.76		89			80-120		
t-Butyl alcohol	200	139.04		70			60-130		
1,2-Dibromoethane	20	16.09		80			77-120		
1,2-Dichloroethane	20	15.4		77			73-124		
Ethylbenzene	20	17.24		86			80-120		
Methyl Tertiary Butyl Ether	20	18.25		91			69-122		
Toluene	20	17.95		90			80-120		
Xylene (Total)	60	52.62		88			80-120		
	ug/l	ug/l	ug/l	ug/l					
Batch number: 20052WAI026	Sample number(s): 1263397-1263407								
Acenaphthene	1.00	0.574		57			39-125		
Acenaphthylene	1.00	0.690		69			50-110		
Anthracene	1.00	0.680		68			56-111		
Benzo(a)anthracene	1.00	0.920		92			68-116		
Benzo(a)pyrene	1.00	0.890		89			63-118		
Benzo(b)fluoranthene	1.00	0.746		75			62-125		
Benzo(e)pyrene	1.00	0.639		64*			69-109		
Benzo(g,h,i)perylene	1.00	0.758		76			66-109		
Benzo(k)fluoranthene	1.00	0.833		83			55-121		
Biphenyl	1.00	0.553		55*			74-101		
Chrysene	1.00	0.764		76			66-108		
Dibenz(a,h)anthracene	1.00	0.805		80			62-117		
Dibenzofuran	1.00	0.611		61			52-106		
Dibenzothiophene	1.00	0.813		81			76-111		
Fluoranthene	1.00	0.778		78			67-109		
Fluorene	1.00	0.693		69			53-115		
Indeno(1,2,3-cd)pyrene	1.00	0.880		88			69-117		
1-Methylnaphthalene	1.00	0.504		50*			54-106		
2-Methylnaphthalene	1.00	0.472		47			43-114		
Naphthalene	1.00	0.522		52			26-122		

\*- Outside of specification

\*\*-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GeoSyntec Consultants  
Reported: 02/28/2020 16:06

Group Number: 2088698

### LCS/LCSD (continued)

Analysis Name	LCS Spike Added ug/l	LCS Conc ug/l	LCSD Spike Added ug/l	LCSD Conc ug/l	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Perylene	1.00	0.731			73		68-146		
Phenanthrene	1.00	0.839			84		64-111		
Pyrene	1.00	0.764			76		65-107		
	ug/l	ug/l	ug/l	ug/l					
Batch number: 20052A20A	Sample number(s): 1263397-1263408								
TPH-GRO water C6-C10	1100	1153			105		70-123		
	ug/l	ug/l	ug/l	ug/l					
Batch number: 200570028A	Sample number(s): 1263397-1263407								
DRO C10-C28	2857.37	1878.99			66		54-116		
	mg/l	mg/l	mg/l	mg/l					
Batch number: 20056807901A	Sample number(s): 1263397-1263407								
HEM (oil & grease)	40	38.3	40	35.5	96	89	78-114	8	13

### MS/MSD

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/l	MS Spike Added ug/l	MS Conc ug/l	MSD Spike Added ug/l	MSD Conc ug/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Batch number: D200572AA	Sample number(s): 1263397-1263408 UNSPK: 1263401									
Benzene	N.D.	20	21.26	20	22.09	106	110	80-120	4	30
t-Butyl alcohol	N.D.	200	159.25	200	165.05	80	83	60-130	4	30
1,2-Dibromoethane	N.D.	20	18.68	20	19.35	93	97	77-120	4	30
1,2-Dichloroethane	N.D.	20	17.56	20	18.26	88	91	73-124	4	30
Ethylbenzene	N.D.	20	21.2	20	21.94	106	110	80-120	3	30
Methyl Tertiary Butyl Ether	N.D.	20	20.19	20	20.91	101	105	69-122	3	30
Toluene	N.D.	20	21.69	20	21.99	108	110	80-120	1	30
Xylene (Total)	N.D.	60	64.63	60	65.96	108	110	80-120	2	30
	ug/l	ug/l	ug/l	ug/l	ug/l					
Batch number: 20052WAI026	Sample number(s): 1263397-1263407 UNSPK: 1263401									
Acenaphthene	0.432	5.32	3.82	4.63	3.48	64	66	39-125	9	30
Acenaphthylene	N.D.	5.32	4.17	4.63	3.74	78	81	50-110	11	30
Anthracene	N.D.	5.32	3.89	4.63	3.41	73	74	56-111	13	30
Benzo(a)anthracene	N.D.	5.32	5.41	4.63	4.97	102	107	68-116	9	30
Benzo(a)pyrene	N.D.	5.32	4.92	4.63	4.41	93	95	63-118	11	30
Benzo(b)fluoranthene	N.D.	5.32	4.74	4.63	4.36	89	94	62-125	8	30

\*- Outside of specification

\*\*-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GeoSyntec Consultants  
Reported: 02/28/2020 16:06

Group Number: 2088698

### MS/MSD (continued)

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Analysis Name	Unspiked Conc ug/l	MS Spike Added ug/l	MS Conc ug/l	MSD Spike Added ug/l	MSD Conc ug/l	MS %Rec	MSD %Rec	MS/MSD Limits	RPD	RPD Max
Benzo(e)pyrene	N.D.	5.32	3.95	4.63	3.61	74	78	69-109	9	30
Benzo(g,h,i)perylene	N.D.	5.32	4.65	4.63	4.25	87	92	66-109	9	30
Benzo(k)fluoranthene	N.D.	5.32	4.61	4.63	4.22	87	91	55-121	9	30
Biphenyl	0.323	5.32	3.67	4.63	3.47	63*	68*	74-101	6	30
Chrysene	N.D.	5.32	4.59	4.63	4.09	86	88	66-108	12	30
Dibenz(a,h)anthracene	N.D.	5.32	4.69	4.63	4.33	88	93	62-117	8	30
Dibenzofuran	N.D.	5.32	3.57	4.63	3.23	67	70	52-106	10	30
Dibenzothiophene	N.D.	5.32	4.64	4.63	4.16	87	90	76-111	11	30
Fluoranthene	N.D.	5.32	4.35	4.63	3.86	82	83	67-109	12	30
Fluorene	0.464	5.32	4.42	4.63	4.07	74	78	52-115	8	30
Indeno(1,2,3-cd)pyrene	N.D.	5.32	5.57	4.63	5.09	105	110	69-117	9	30
1-Methylnaphthalene	0.268	5.32	3.38	4.63	3.05	59	60	54-106	10	30
2-Methylnaphthalene	N.D.	5.32	3.04	4.63	2.66	57	58	43-114	13	30
Naphthalene	0.515	5.32	3.79	4.63	3.50	62	64	26-122	8	30
Perylene	N.D.	5.32	4.34	4.63	3.93	82	85	68-146	10	30
Phenanthrene	0.222	5.32	4.77	4.63	4.29	85	88	64-111	11	30
Pyrene	N.D.	5.32	4.37	4.63	3.87	82	84	65-107	12	30
	ug/l	ug/l	ug/l	ug/l	ug/l					
Batch number: 20052A20A TPH-GRO water C6-C10	Sample number(s): 1263397-1263408 UNSPK: 1263401									
	N.D.	1100	1232.13	1100	1228.82	112	112	70-123	0	30
	ug/l	ug/l	ug/l	ug/l	ug/l					
Batch number: 200570028A DRO C10-C28	Sample number(s): 1263397-1263407 UNSPK: 1263401									
	523.55	2691.28	2373.75	2733.21	2554.28	69	74	54-116	7	20
	mg/l	mg/l	mg/l	mg/l	mg/l					
Batch number: 20056807901A HEM (oil & grease)	Sample number(s): 1263397-1263407 UNSPK: 1263401									
	N.D.	44.4	36.44	51.9	46.75	82	90	78-114	25	43
	mg/l	mg/l	mg/l	mg/l	mg/l					

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: VOCs- 5ml Water by 8260B UST

Batch number: D200572AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1263397	98	92	101	96
1263398	99	93	100	94

\*- Outside of specification

\*\*-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GeoSyntec Consultants  
Reported: 02/28/2020 16:06

Group Number: 2088698

### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: VOCs- 5ml Water by 8260B UST

Batch number: D200572AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
1263399	98	91	101	95
1263400	99	92	100	94
1263401	98	93	101	95
1263402	97	95	102	97
1263403	97	93	101	98
1263404	97	92	100	96
1263405	98	95	100	93
1263406	99	94	100	95
1263407	99	90	101	94
1263408	100	93	100	95
Blank	99	92	100	95
LCS	100	95	102	97
MS	97	95	102	97
MSD	97	93	101	98
Limits:	80-120	80-120	80-120	80-120

Analysis Name: Alkyl PAHs in Water by GC/MS

Batch number: 20052WAI026

	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene-d10
1263397	84	82	67
1263398	83	71	67
1263399	87	53	65
1263400	86	82	83
1263401	78	77	58
1263402	86	83	66
1263403	89	86	67
1263404	81	71	61
1263405	78	43	60
1263406	76	47	59
1263407	83	84	59
Blank	74	71	54
LCS	83	81	53
MS	86	83	66
MSD	89	86	67
Limits:	38-109	31-99	30-108

Analysis Name: TPH-GRO water C6-C10

Batch number: 20052A20A

\*- Outside of specification

\*\*-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

## Quality Control Summary

Client Name: GeoSyntec Consultants  
Reported: 02/28/2020 16:06

Group Number: 2088698

### Surrogate Quality Control (continued)

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TPH-GRO water C6-C10

Batch number: 20052A20A

Trifluorotoluene-F

1263397	75
1263398	77
1263399	81
1263400	77
1263401	77
1263402	90
1263403	88
1263404	82
1263405	77
1263406	82
1263407	75
1263408	73
Blank	75
LCS	95
MS	90
MSD	88

Limits: 63-135

Analysis Name: DRO Microextraction Master

Batch number: 200570028A

Orthoterphenyl

1263397	82
1263398	82
1263399	86
1263400	86
1263401	82
1263402	79
1263403	84
1263404	84
1263405	85
1263406	80
1263407	84
Blank	85
LCS	84
MS	79
MSD	84

Limits: 52-132

\*- Outside of specification

\*\*-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

# Environmental Analysis Request/Chain of Custody



Lancaster Laboratories  
Environmental

Acct. # 9811 For Eurofins Lancaster Laboratories Environmental use only  
Group # 2088648 Sample # 1263397-4W8

COC #602493

Client Information			Matrix			Analysis Requested			For Lab Use Only		
Client:		Acct. #:									
<u>Gearntec</u>		<u>10A</u>									
Project Name/#: <u>PRG-S</u>		PWSID #:									
Project Manager: <u>M. Bauer</u>		P.O. #: <u>MPM1108B</u>									
Sampler: <u>A. Ambrosino</u>		Quote #: <u>AAA</u>									
State where samples were collected: <u>Virginia</u>		For Compliance: Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>									
Sample Identification		Collected		Grab	Composite	Soil	Sediment	Tissue	Total # of Containers	Preservation and Filtration Codes	
		Date	Time							Potable	Ground
TW-14	2-19-2020	1035	X		X				12	HCl (oil & graxc)	
TW-07	2-17-2020	1230	X		X				12	TPH-GR O Water Ce-ClD	
TW-04	2-17-2020	1440	X		X				12	PAHs	
TW-05	2-18-2020	0945	X		X				12	VOCs - 2-20-2020 August	
TW-06	2-18-2020	1100	X		X				12	DR UV Microextraction	
TW-03	2-18-2020	1215	X		X				12		
TW-02	2-18-2020	1350	X		X				12		
Turnaround Time (TAT) Requested (please circle) Standard      Rush		(Rush TAT is subject to laboratory approval and surcharge.)		Relinquished by <u>A. Ambrosino</u>		Date <u>2/19/20</u>	Time <u>16:40</u>	Received by <u>Jean</u>	Date <u>2/19/20</u>	Time <u>16:40</u>	
Requested TAT in business days:				Relinquished by <u>Jean</u>		Date <u>2/19/20</u>	Time <u>17:00</u>	Received by	Date	Time	
E-mail address: <u>Mbauer@gearntec.com/aambrosino@gearntec.com</u>				Relinquished by		Date	Time	Received by	Date	Time	
Data Package Options (circle if required)				Relinquished by		Date	Time	Received by	Date	Time	
Type I (EPA Level 3 Equivalent/non-CLP)	Type VI (Raw Data Only)			EDD Required? Yes If yes, format: <u>ESDA+</u>		No	Relinquished by Commercial Carrier: UPS <input type="checkbox"/> FedEx <input type="checkbox"/> Other <input checked="" type="checkbox"/>				
Type III (Reduced non-CLP)	NJ DKQP	TX TRRP-13			Site-Specific QC (MS/MSD/Dup)? Yes <input type="checkbox"/> (If yes, indicate QC sample and submit triplicate sample volume.)		No <input checked="" type="checkbox"/>			Temperature upon receipt <u>-0.1/1.4°C</u>	
NYSDEC Category A or B	MA MCP	CT RCP									

# Environmental Analysis Request/Chain of Custody

eurofins

Lancaster Laboratories  
Environmental

Acct. # 9811

For Eurofins Lancaster Laboratories Environmental use only

Group # 2088698 Sample #

1263397-408

COC # 602492

Client Information		Matrix			Analysis Requested						For Lab Use Only				
Client:	Acct. #:				Preservation and Filtration Codes						FSC:	SCR#:			
Project Name/ID: <i>Geosyntec PRGS</i>	PWSID #: <i>AAA</i>				<input type="checkbox"/> Tissue	<input checked="" type="checkbox"/> Ground	<input type="checkbox"/> Surface								<i>255559</i>
Project Manager: <i>M. Baver</i>	P.O. #: <i>MEM1108B</i>				<input type="checkbox"/> Sediment	<input type="checkbox"/> Composite									
Sampler: <i>A. Ambrosino</i>	Quote #: <i>AAA</i>				<input type="checkbox"/> Potable	<input type="checkbox"/> NPDES	<input type="checkbox"/> Other:								
State where samples were collected: <i>Virginia</i>		For Compliance: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No					Total # of Containers								
Sample Identification		Collected		Grab	Soil	Water	Other:								
EPA 2020 0217	2-17-2020 1545	X				X		12	X	X	X	X	X		
DVP 2020 0217	2-17-2020 —		X			X		12	X	X	X	X	X		
TW 06 MS	2-18-2020 1100	X				X		12	X	X	X	X	X		
TW 06 MSP	2-18-2020 1100	X				X		12	X	X	X	X	X		
TB 20031	— —	X				X		4	X	X	X	X	X		
Turnaround Time (TAT) Requested (please circle)		Standard		Rush		Relinquished by		Date	Time	Received by		Date		Time	
						<i>A. Ambrosino</i>		<i>2/19/20</i>	<i>11:40</i>	<i>dmn</i>		<i>2/19/20</i>		<i>11:40</i>	
(Rush TAT is subject to laboratory approval and surcharge.)						Relinquished by		<i>2/19/20</i>	<i>17:07</i>						
Requested TAT in business days:						Relinquished by									
E-mail address: <i>mbaver@geosyntec.com / aambrosino@geosyntec.com</i>						Relinquished by									
Data Package Options (circle if required)				Type I (EPA Level 3 Equivalent/non-CLP)		Type VI (Raw Data Only)		EDD Required? <i>Yes</i>		No		Relinquished by Commercial Carrier:			
								If yes, format: <i>ESdat</i>				UPS <i>✓</i>		FedEx <i>✓</i>	Other <i>X</i>
				Type III (Reduced non-CLP)		NJ DKQP TX TRRP-13		Site-Specific QC (MS/MSD/Dup)? <i>Yes</i>		No					
				NYSDEC Category A or B		MA MCP CT RCP		(If yes, indicate QC sample and submit triplicate sample volume.)				Temperature upon receipt <i>0.1 / 1.4°C</i>			

Eurofins Lancaster Laboratories Environmental, LLC • 2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • FOR HELP COMPLETING FORM CHECK OUT <https://www.eurofinsus.com/coc>

The white copy should accompany samples to Eurofins Lancaster Laboratories Environmental. The yellow copy should be retained by the client.

7044 0919



Group Number(s): 2088498

Client: Geosyntec**Delivery and Receipt Information**

Delivery Method: Fed Ex Arrival Date: 02/19/2020  
 Number of Packages: 4 Number of Projects: 1  
 State/Province of Origin: VA

**Arrival Condition Summary**

Shipping Container Sealed:	Yes	Sample IDs on COC match Containers:	Yes
Custody Seal Present:	Yes	Sample Date/Times match COC:	Yes
Custody Seal Intact:	Yes	Total Trip Blank Qty:	4
Samples Chilled:	Yes	Trip Blank Type:	HCl
Paperwork Enclosed:	Yes	Air Quality Samples Present:	No
Samples Intact:	Yes		
Missing Samples:	No		
Extra Samples:	No		
Discrepancy in Container Qty on COC:	No		

*Unpacked by Tamara Lugardo***Samples Chilled Details**

Thermometer Types: DT = Digital (Temp. Bottle) IR = Infrared (Surface Temp) All Temperatures in °C.

Cooler #	Thermometer ID	Corrected Temp	Therm. Type	Ice Type	Ice Present?	Ice Container	Elevated Temp?
1	46730060WS	-0.1	IR	Wet	Y	Loose	N
2	46730060WS	1.4	IR	Wet	Y	Loose	N
3	46730060WS	0.5	IR	Wet	Y	Loose	N
4	46730060WS	0.1	IR	Wet	Y	Loose	N

General Comments: Samples not frozen

# Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

<b>BMQL</b>	Below Minimum Quantitation Level	<b>mL</b>	milliliter(s)
<b>C</b>	degrees Celsius	<b>MPN</b>	Most Probable Number
<b>cfu</b>	colony forming units	<b>N.D.</b>	non-detect
<b>CP Units</b>	cobalt-chloroplatinate units	<b>ng</b>	nanogram(s)
<b>F</b>	degrees Fahrenheit	<b>NTU</b>	nephelometric turbidity units
<b>g</b>	gram(s)	<b>pg/L</b>	picogram/liter
<b>IU</b>	International Units	<b>RL</b>	Reporting Limit
<b>kg</b>	kilogram(s)	<b>TNTC</b>	Too Numerous To Count
<b>L</b>	liter(s)	<b>µg</b>	microgram(s)
<b>lb.</b>	pound(s)	<b>µL</b>	microliter(s)
<b>m3</b>	cubic meter(s)	<b>umhos/cm</b>	micromhos/cm
<b>meq</b>	milliequivalents	<b>MCL</b>	Maximum Contamination Limit
<b>mg</b>	milligram(s)		
<	less than		
>	greater than		
<b>ppm</b>	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg) or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.		
<b>ppb</b>	parts per billion		
<b>Dry weight basis</b>	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

**Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.**

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff.

This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR Part 136 Table II as "analyze immediately" are not performed within 15 minutes.

**WARRANTY AND LIMITS OF LIABILITY** - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

# Data Qualifiers

Qualifier	Definition
C	Result confirmed by reanalysis
D1	Indicates for dual column analyses that the result is reported from column 1
D2	Indicates for dual column analyses that the result is reported from column 2
E	Concentration exceeds the calibration range
K1	Initial Calibration Blank is above the QC limit and the sample result is ND
K2	Continuing Calibration Blank is above the QC limit and the sample result is ND
K3	Initial Calibration Verification is above the QC limit and the sample result is ND
K4	Continuing Calibration Verification is above the QC limit and the sample result is ND
J (or G, I, X)	Estimated value >= the Method Detection Limit (MDL or DL) and < the Limit of Quantitation (LOQ or RL)
P	Concentration difference between the primary and confirmation column >40%. The lower result is reported.
P^	Concentration difference between the primary and confirmation column > 40%. The higher result is reported.
U	Analyte was not detected at the value indicated
V	Concentration difference between the primary and confirmation column >100%. The reporting limit is raised due to this disparity and evident interference.
W	The dissolved oxygen uptake for the unseeded blank is greater than 0.20 mg/L.
Z	Laboratory Defined - see analysis report

Additional Organic and Inorganic CLP qualifiers may be used with Form 1 reports as defined by the CLP methods.

Qualifiers specific to Dioxin/Furans and PCB Congeners are detailed on the individual Analysis Report.

## Attachment D – Bulkhead Inspection Photographs

---

# Bulkhead Inspection Photographs



Potomac River Generating Station, PC #2013-3154  
1400 N. Royal Street  
Alexandria, VA

Description:  
Northern portion of the bulkhead



Direction of View:  
Southwest

Date Taken:  
02/17/2020

Description:  
Northern and central portions of the bulkhead



Direction of View:  
South

Date Taken:  
02/17/2020

# Bulkhead Inspection Photographs



**Potomac River Generating Station, PC #2013-3154**  
1400 N. Royal Street  
Alexandria, VA

Description:  
Southern portion of  
bulkhead



Direction of View:  
Northwest

Date Taken:  
02/17/2020

Description:  
Central portion of the  
bulkhead.



Direction of View:  
Northwest


Date Taken:  
02/17/2020

## Attachment E – Remediation System Performance Graphs

---

## REMEDIATION SYSTEM PERFORMANCE GRAPHS

NRG Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA



## REMEDIATION SYSTEM PERFORMANCE GRAPHS

NRG Potomac River Generating Station  
1400 North Royal St  
Alexandria, VA

## Influent Groundwater Concentrations

